S
625.7
H3 mph
1974

MONTANA PRIMARY HIGHWAYS 1974 SUFFICIENCY RATING

SEP 2 1975
STATE [illegible]MENTS

MONTANA STATE LIBRARY
[illegible]le Avenue
[illegible]ana, Montana 59601

DATE DUE

MSC MAY 1 9 1976

Montana State Library

3 0864 1006 6206 6

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING AND RESEARCH BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MDH Cover Photo, U.S. 12, F.A.P. Rt. 2, MILE POST 641

December 31, 1974

TABLE OF CONTENTS

	PAGE
Introduction	1
Sufficiency Compared to Age of Rural Primary System	6
Miles of Rural Federal Aid Primary Highways Year Constructed	7
Location of Deficient Section -- Statewide	8
Miles of Rural Primary Highway by Sufficiency Rating and Financial District	10
Tabulation of Deficient Mileage by Financial Districts	11
Tabulation of Deficient Mileage by Federal Aid Routes	12
System Map - Interstate and Primary	14
Route Maps Showing Sufficiency Ratings by Section	17
Rural Sufficiency Ratings by Section and Financial District in ascending order	
Financial District Number 1	89
Financial District Number 2	93
Financial District Number 3	96
Financial District Number 4	99
Financial District Number 5	102
Financial District Number 6	105
Financial District Number 7	108
Financial District Number 8	111
Financial District Number 9	115
Financial District Number 10	118
Financial District Number 11	121
Financial District Number 12	124
Urban Deficiency Ratings by Federal Aid Route and City	129
Rural Sufficiency Ratings by Section -- Statewide in ascending order	157

INTRODUCTION

* * *

In order to comply with the provisions of the State Financial District Law, the Montana Department of Highways has the responsibility to evaluate the condition of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the various financial districts. In 1948, a formula was developed to determine the relative deficiency of each section of highway, which was based largely on a comparison of the existing condition of the highway with the latest design standards. The deficiency ratings thus contained were also converted to priority ratings by the application of a traffic volume factor.

During recent years, other states have developed newer formulas for appraising the sufficiency of highways in those states, and since it was apparent that these formulas provided a better basis for evaluating highway conditions, the various formulas were studied with the objective of developing a new formula for Montana that would improve our rating procedure. This study resulted in a new sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as priority-rating guide for programming of new construction projects.

This 1974 report is the third to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, were extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special traffic capacity

conditions encountered in the cities, and for this reason, the urban sections of highway continue to be rated on the basis of the older formula until such time as a new urban sufficiency rating procecure can be devised.

A total of 5039.6 miles of Primary highways rated in this report is composed of 4862.0 miles of rural and 177.6 miles located within municipal and urban areas. These mileages compare to 4988.7 rural and 227.4 municipal that were rated in 1973. The differences in length are attributed to various system realignments that were approved during 1974.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency formula.

A. Structural Adequacy - Total 50 Points

1. Foundation - 10 Points
2. Surface - 30 Points
3. Drainage - 10 Points

B. Safety - Total 20 Points

1. Number of stopping sight distances, shorter than permitted by design speed.
2. Number of horizontal curves, sharper than permitted by design speed.
3. Number of bridges narrower than the width of the traveled-way of approaches.

4. Number of accidents as related to the average traffic volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design hour traffic volume for the current year.
2. Pavement and shoulder widths
3. Percent of commercial vehicles
4. Length of no passing zones
5. Design speed.
6. Average highway speed.

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one man who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank.

A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and shoulders, percent of trucks, length of no passing zones, and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability of the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of Service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings.

Item	Range of Points
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
Total Rating	0 to 100

The adjusted sufficiency rating has been computed to establish priorities for sections of highway falling into the same general sufficiency rating category. The total basic sufficiency rating is adjusted by comparing the average daily traffic carried by a rating section, with the average for the system. This adjustment gives some additional priority to a section of highway carrying above-average traffic volumes.

The curves shown on page 6 were plotted by accumulating the miles of rural primary highway in each adjusted sufficiency category and the miles of highway in each age group. The two curves are quite similar.

The sharp break in the sufficiency curve, at about 40 percent, indicates that approximately 358 miles, or seven percent, of rural primary highways located in all sections of the State are in a critical category and should probably be constructed immediately, if funds are available. These sections are shown in red on the State map on page 8. There are approximately 2,304 miles of rural primary highway that are 60 percent or less sufficient and 1,945 miles that are rated between 40 and 60 percent. It may be assumed that 1,945 miles, or 40 percent, of our rural primary highways rated between 40 and 60 percent sufficient are approaching obsolescense and probably should be improved within the next five to ten years. The approximate location of this mileage is also shown in blue on the State map on page 8. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2,558 miles of rural primary highways or 53 percent of the total Primary System exclusive of Interstate mileage.

ADJUSTED SUFFICIENCY RATINGS
AND
AGE OF RURAL PRIMARY SYSTEM



MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAYS CONSTRUCTED BY YEAR 1934-1973





SUFFICIENCY RATINGS
STATE WIDE
RURAL PRIMARY SYSTEM
DECEMBER 31, 1974

The curve on page 6 which illustrates the age of the rural primary system, indicates that approximately 945 miles of highway, that were in use as of December 31, 1973, are at least 40 years old. The same curve shows that 2,328 miles of highway, or about 48 percent of the total rural primary system, are now at least 25 years old.

The chart on page 7 is of historical interest in that it shows the miles of rural Federal-aid Primary highway constructed by years.

The tabulation on the following page shows the miles of rural highway in each financial district by adjusted sufficiency ratings. The tabulation on page 11 summarizes the equivalent deficient mileage by financial districts and also indicates the percentage of deficient mileage that were used to allocate State construction funds to the 12 financial districts for the fiscal year beginning July 1, 1975.

A tabulation of total miles, percent deficient and equivalent deficient miles by rural Federal-aid Primary Routes appears on page 12.

Strip maps of each Federal-aid Route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to our milepost numbering system to aid in locating any particular section. The "year built" and "year improved" have been added to each rating section. The "year built" is the date that the existing section was constructed or fully reconstructed while the "year improved" indicates

MILES OF RURAL HIGHWAY
DISTRIBUTED BY ADJUSTED SUFFICIENCY RATING
IN TEN PERCENT INCREMENTS

PERCENT SUFFICIENT		FINANCIAL DISTRICTS 1	2	3	4	5	6	7	8	9	10	11	12	TOTALS	ACCUM. TOTALS
0-10	MILES								.2	5.6	6.6	2.7		15.2	15.2
PERCENT	%									1.9	1.5	.7		.3	.3
11-20	MILES							2.0	11.9					14.0	29.3
PERCENT	%							.8	2.6					.3	.6
21-30	MILES	42.8	2.8						21.1					66.7	96.0
PERCENT	%	8.8	.8						4.6					1.4	2.0
31-40	MILES	107.2	16.6		17.9	1.1	11.2	11.9	30.8	11.7	5.7	46.5	1.3	262.3	358.4
PERCENT	%	21.9	4.8		4.6	.3	2.8	4.6	6.7	3.9	1.3	11.4	.2	5.4	7.4
41-50	MILES	110.5	58.4	43.6	62.9	22.9	121.0	17.9	157.6	20.4	42.4	85.2	48.5	791.8	1150.2
PERCENT	%	22.6	16.8	9.0	16.0	6.5	30.3	6.9	34.3	6.8	9.5	21.0	9.3	16.3	23.7
51-60	MILES	79.0	67.0	125.6	60.9	149.4	63.6	116.9	62.0	101.2	114.7	99.5	113.0	1153.3	2303.5
PERCENT	%	16.2	19.3	25.9	15.5	42.4	15.9	45.0	13.5	33.5	25.8	24.5	21.6	23.7	47.4
61-70	MILES	57.7	62.7	129.3	81.8	66.7	112.0	49.8	67.9	45.3	77.7	67.6	143.8	962.8	3266.3
PERCENT	%	11.8	18.1	26.7	20.8	18.9	28.0	19.2	14.8	15.0	17.5	16.6	27.5	19.8	67.2
71-80	MILES	37.2	91.7	102.9	75.6	57.7	53.4	39.7	77.9	47.5	75.7	79.7	98.3	837.9	4104.3
PERCENT	%	7.6	26.4	21.2	19.2	16.4	13.4	15.3	17.0	15.7	17.0	19.6	18.8	17.2	84.4
81-90	MILES	47.1	40.3	70.5	74.3	28.9	37.0	17.9	16.4	35.3	94.8	16.9	72.8	552.7	4657.1
PERCENT	%	9.6	11.6	14.6	18.9	8.2	9.3	6.9	3.6	11.7	21.3	4.2	13.9	11.4	95.8
91-100	MILES	7.0	7.3	12.4	19.7	25.2	.8	3.4	13.2	34.9	27.6	8.3	44.6	204.9	4862.0
PERCENT	%	1.4	2.1	2.6	5.0	7.2	.2	1.3	2.9	11.6	6.2	2.1	8.5	4.2	100.0
TOTAL	MILES	488.8	347.1	484.5	393.4	352.2	399.4	259.7	459.4	302.3	445.5	406.7	522.6	4862.0	
PERCENT	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

FEOERAL AID PRIMARY SYSTEM
DEFICIENT MILEAGE BY FINANCIAL DISTRICTS AND PERCENTAGES USED IN APPORTIONING STATE CONSTRUCTION FUNOS TO FINANCIAL DISTRICTS FOR FISCAL YEAR BEGINNING JULY 1, 1975
BASED ON SUFFICIENCY RATING DECEMBER 31, 1974

Financial Oistrict	Counties	Total Mileage	Oeficient Mileage			Percent Oeficient	Percentage for Fund Allocation
			Rural	Urban	Total		
1.	Flathead, Lincoln, Lake	5D7.9	220.5	2.9	223.4	43.9	11.4811
2.	Blaine, Glacier, Hill, Liberty, Toole	355.8	122.3	1.6	123.9	34.8	6.3676
3.	Daniels, Phillips, Roosevelt, Sheridan, Valley	498.4	169.3	1.9	171.2	34.3	8.7984
4.	Dawson, McCone, Prairie, Richland, Wibaux	406.6	148.1	1.5	149.6	36.7	7.6884
5.	Fergus, Garfield, Petroleum	357.7	140.3	D.9	141.2	39.4	7.2566
6.	Cascade, Judith Basin, Pondera, Teton, Chouteau	417.2	163.1	3.4	166.5	39.9	8.5569
7.	Broadwater, Jefferson, Lewis and Clark	269.6	106.8	1.3	108.1	40.0	5.5555
8.	Granite, Mineral, Missoula, Powell, Ravalli, Sanders	477.5	210.1	4.2	214.3	44.8	11.0135
9.	Beaverhead, Deer Lodge, Madison, Silver Bow	322.9	114.3	4.9	119.2	36.9	6.1260
10.	Gallatin, Meagher, Park, Sweet Grass, Wheatland	461.7	151.5	3.0	154.4	33.4	7.9402
11.	Big Horn, Carbon, Golden Valley, Musselshell, Stillwater, Treasure, Yellowstone	428.8	175.0	5.0	18D.0	41.9	9.2507
12.	Carter, Custer, Fallon, Powder River, Rosebud	535.5	190.0	3.9	193.9	36.2	9.9651
	TOTAL	5039.6	1911.3	34.5	1945.8	38.6	100.0000

SUFFICIENCY RATING RURAL PRIMARY SYSTEM
TOTAL BY RURAL PRIMARY ROUTES

ROUTE	TOTAL MILES	PERCENT DEFICIENT	EQUIVALENT DEFICIENT MILES
1	658.8	36.3	239.1
2	220.1	35.4	77.9
3	246.8	44.4	109.6
4	56.3	31.0	17.2
5	175.9	46.2	81.3
6	114.2	43.3	49.5
7	88.1	44.5	39.2
8	99.8	36.3	36.2
9	64.1	41.5	26.6
10	106.8	33.3	35.6
11	208.5	28.6	59.6
12	8.6	38.4	3.3
13	96.6	38.7	37.3
14	252.8	39.8	100.5
15	321.2	40.0	128.3
16	201.2	42.7	85.9
17	34.1	43.1	14.7
18	82.0	40.7	33.3
19	58.2	39.9	23.2
20	60.0	38.2	22.9
21	12.9	38.8	5.0
22	121.8	35.0	42.6
23	137.1	40.0	54.5
24	161.7	45.0	72.8
25	52.2	54.6	28.5

ROUTE	TOTAL MILES	PERCENT DEFICIENT	EQUIVALENT DEFICIENT MILES
26	7.5	56.0	4.2
27	77.6	37.9	29.4
28	62.6	40.1	25.1
29	81.6	51.3	41.8
30	23.4	49.6	11.6
32	64.9	44.8	29.1
33	66.3	25.2	16.7
35	53.8	53.0	28.5
36	48.5	44.9	21.8
37	103.6	36.6	37.9
38	7.9	30.4	2.4
42	75.4	36.3	27.4
43	42.2	39.1	16.5
45	81.9	40.5	33.2
46	76.5	25.1	19.2
47	6.0	26.7	1.6
48	30.6	30.7	9.4
49	26.4	39.4	10.4
50	98.9	37.9	37.5
51	70.7	31.1	22.0
52	45.5	60.7	27.6
53	41.0	49.3	20.2
54	29.4	30.3	8.9
Grand Total	4862.0	39.2	1907.0

the date of the last major improvement on a section by maintenance betterment or construction.

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by adjusted sufficiency ratings. These same tabulations are also included for each of the twelve financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.


BRITISH COLUMBIA
DOMINION OF CANADA
ALBERTA
SASKATCHEWAN
NORTH DAKOTA
SOUTH DAKOTA
WYOMING
LINCOLN
FLATHEAD
GLACIER
TOOLE
LIBERTY
HILL
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
RICHLAND
SANDERS
LAKE
MINERAL
MISSOULA
LEWIS AND CLARK
POWELL
GRANITE
RAVALLI
DEER LODGE
SILVER BOW
BEAVERHEAD
MADISON
JEFFERSON
BROADWATER
GALLATIN
PARK
TETON
PONDERA
CHOUTEAU
CASCADE
JUDITH BASIN
MEAGHER
WHEATLAND
SWEET GRASS
STILLWATER
GOLDEN VALLEY
MUSSELSHELL
SHELL
YELLOWSTONE
GRASS
CARBON
BIG HORN
TREASURE
ROSEBUD
PETROLEUM
FERGUS
MCCONE
GARFIELD
DAWSON
PRAIRIE
WIBAUX
CUSTER
FALLON
POWDER
CARTER
RIVER
Kalispell
Columbia Falls
Whitefish
Eureka
Libby
Troy
Thompson Falls
Hot Springs
Polson
Ronan
Dupuyer
Conrad
Shelby
Cut Bank
Browning
Chester
Havre
Chinook
Malta
Glasgow
Wolf Point
Culbertson
Scobey
Plentywood
Sidney
Circle
Glendive
Baker
Ekalaka
Broadus
Ashland
Forsyth
Miles City
Roundup
Harlowton
Lewistown
Winnett
Jordan
Terry
Hysham
Big Timber
Livingston
Bozeman
Three Forks
Whitehall
Butte
Anaconda
Deer Lodge
Drummond
Philipsburg
Missoula
Lolo
Hamilton
Darby
Wisdom
Dillon
Ennis
Virginia City
Monida
West Yellowstone
Townsend
Boulder
Helena
Wolf Creek
Craig
Cascade
Fort Benton
Great Falls
Belt
Augusta
Valier
Shelby
Sweetgrass
Whitlash
Libby
Roy
Winifred
Moore
Grass Range
Ryegate
Billings
Hardin
Crow Agency
Lodge Grass
Bridger
Red Lodge
Joliet
Absarokee
Biddle
Wyola
Columbus
Laurel
Worden
Shepherd
White Sulphur Springs
Harlowton
Roundup
Mills City
Forsyth
Miles City
Ekalaka
Baker
Terry
Circle
Glendive
Sidney
Scobey
Plentywood
Culbertson
Wolf Point
Glasgow
Malta
Havre
Chinook
Chester
Shelby
Cut Bank
Browning
Columbia Falls
Kalispell
Whitefish
Eureka
Libby
Troy
Thompson Falls
Hot Springs
Polson
Ronan
Dupuyer
Conrad
Fort Benton
Great Falls
Belt
Augusta
Valier
Sweetgrass
Whitlash
Roy
Winifred
Moore
Grass Range
Ryegate
Billings
Hardin
Crow Agency
Lodge Grass
Bridger
Red Lodge
Joliet
Absarokee
Biddle
Wyola
Columbus
Laurel
Worden
Shepherd
White Sulphur Springs
Harlowton
Roundup
Mills City
Forsyth
Miles City
Ekalaka
Baker
Terry
Circle
Glendive
Sidney
Scobey
Plentywood
Culbertson
Wolf Point
Glasgow
Malta
Havre
Chinook
Chester
Shelby
Cut Bank
Browning
Columbia Falls
Kalispell
Whitefish
Eureka
Libby
Troy
Thompson Falls
Hot Springs
Polson
Ronan
Dupuyer
Conrad
Fort Benton
Great Falls
Belt
Augusta
Valier
Sweetgrass
Whitlash
LEGEND
90
FEDERAL AID INTERSTATE ROUTE
2
FEDERAL AID PRIMARY ROUTE
MONTANA
FEDERAL AID INTERSTATE
AND PRIMARY SYSTEMS

Route Maps
Sufficiency Ratings
By Section

BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	35.7	44.2	49.2	56.1	64.8	71.5	73.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	2.3	8.5	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	35	36	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	62	71	R	71	70	61	65	39	50	43	53	53	YEAR IMPROVED
SURFACE WIDTH	24	22	22	B	20	20	25	24	50	B	50	24	24	20	20	20	20	22	22	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	50	A	50	32	24	20	20	20	20	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	RMS	RMS	RMS	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	980	1002	1266		1781	1770	1908	2032	3985		6425	3398	1430	1064	1050	1005	803	847	995	ADT
DHV	127	130	164		231	230	248	264	518		771	441	185	138	136	130	104	110	129	DHV
SERVICE VOLUME	323	387	508		365	448	528	530	1584		1478	396	353	184	264	312	288	272	225	SERVICE VOLUME
FOUNDATION - 10	4	4	2		0	0	0	0	8		8	0	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	18	16	14		12	9	9	9	23		24	12	12	13	12	11	13	15	13	SURFACE - 30
DRAINAGE - 10	9	8	8		5	3	4	3	10		10	7	7	7	4	6	7	5	6	DRAINAGE - 10
SAFETY - 20	10	2	6		7	3	8	1	8		20	2	5	7	3	9	2	2	14	SAFETY - 20
CAPACITY - 30	24	25	25		21	22	23	23	25		22	13	22	19	22	24	25	24	21	CAPACITY - 30
SUFFICIENCY RATING	65	55	55		45	37	44	36	74		84	36	46	46	41	50	47	46	54	SUFFICIENCY RATING
ADJUSTED RATING	64	54	52		40	32	38	30	65		76	25	42	44	40	49	47	46	53	ADJUSTED RATING
DEFICIENT MILEAGE	.91	1.95	3.13		.91	2.88	2.19	2.83	.52		.08	1.58	4.61	2.70	4.05	4.34	3.57	3.58	.98	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 1 OF 7



BEGINNING MILE POST	667.1
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	RMS
ADT	1677
DHV	338
SERVICE VOLUME	614
FOUNDATION - 10	7
SURFACE - 30	16
DRAINAGE - 10	7
SAFETY - 20	20
CAPACITY - 30	22
SUFFICIENCY RATING	72
ADJUSTED RATING	68
DEFICIENT MILEAGE	.08

BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	119.6	123.2	124.6	128.3	138.3	140.0	142.5	153.4	156.6	157.1	159.5	164.7	166.2	169.0	171.1	177.6	180.5	184.2	197.1	BEGINNING MILE POST
LENGTH	9.1	9.8	3.7	3.2	6.8	6.2	3.6	1.4	3.8	10.0	1.7	2.4	10.8	3.2	0.5	7.3	5.2	1.5	2.8	2.1	6.4	2.8	3.6	12.2	0.6	LENGTH
YEAR BUILT	52	36	47	40	49	49	U	67	40	34	34	29	31	48	65	48	49	49	49	61	66	69	33	67	52	YEAR BUILT
YEAR IMPROVED	52	57	61	63	63	51	P	67	64	51	66	65	34	49	65	49	59	59	59	61	66	69	35	67	70	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	24	24	B	44	30	22	24	24	20	24	24	24	26	26	26	32	32	34	18	32	26	SURFACE WIDTH
ROADWAY WIDTH	28	25	30	24	27	31	A	44	30	24	30	24	24	28	28	28	26	26	26	26	34	32	34	20	32	26	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	BST	PMS	PMS	RMS	PMS	PMS	SURFACE TYPE
ADT	1035	1057	1244	1324	1442	2371		3751	2956	2204	3476	3002	2073	806	804	802	791	767	750	729	699	692	700	730	763	ADT
DHV	134	137	161	172	187	308		525	472	420	663	573	395	153	153	153	151	146	143	139	133	132	133	139	145	DHV
SERVICE VOLUME	212	249	292	249	198	481		808	327	716	365	556	415	129	378	154	357	398	384	428	428	456	199	575	324	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	3		9	4	0	0	4	0	7	8	6	5	6	5	5	7	10	0	9	8	FOUNDATION - 10
SURFACE - 30	13	13	13	14	14	14		27	14	10	13	16	13	19	24	18	19	21	19	19	24	27	10	23	26	SURFACE - 30
DRAINAGE - 10	7	6	7	8	8	8		10	8	8	8	10	5	7	10	7	8	10	10	10	10	10	3	10	10	DRAINAGE - 10
SAFETY - 20	5	4	11	8	4	8		5	4	4	7	1	1	2	0	20	15	3	1	20	20	20	0	5	0	SAFETY - 20
CAPACITY - 30	21	22	22	20	16	20		20	8	21	3	15	16	12	24	15	24	24	24	25	25	26	20	26	23	CAPACITY - 30
SUFFICIENCY RATING	46	45	53	50	42	53		71	38	43	31	46	35	47	66	66	71	64	59	79	86	93	33	73	67	SUFFICIENCY RATING
ADJUSTED RATING	45	43	50	47	38	46		62	29	36	22	37	29	47	66	66	71	65	60	80	86	93	34	74	68	ADJUSTED RATING
DEFICIENT MILEAGE	4.95	5.41	1.77	1.63	3.99	2.95		.40	2.25	5.73	1.17	1.31	7.07	1.69	.17	.79	1.51	.54	1.16	.44	.90	.20	2.43	3.30	.20	DEFICIENT MILEAGE

FAP ROUTE NO 1
& W GLACIER SPUR
SHEET 2 OF 7



667.4	669.5	670.2	678.9	BEGINNING MILE POST	679.1	679.8	262.8	263.1	271.0	278.0	278.4	278.8	279.2	280.1	291.7	299.7	BEGINNING MILE POST	197.8	204.3	209.2	210.1	211.3	220.4	221.8	222.6	223.4	223.7	224.0	228.7	229.8	231.9	233.1	240.2	246.5	247.0	251.9	254.1	254.5	254.5	254.8	256.0	BEGINNING MILE POST
2.2	0.6	8.7	0.2	LENGTH	0.7	1.0	0.2	7.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	7.2	LENGTH	6.3	4.8	0.8	1.2	9.1	1.3	0.7	0.8	1.9	0.1	4.9	1.0	2.1	1.2	7.0	6.2	0.4	4.9	2.1	0.4	0.0	0.2	1.1	6.8	LENGTH
29	29	29	29	YEAR BUILT	U	28	67	65	53	60	60	56	U	54	56	57	YEAR BUILT	52	63	63	43	39	45	U	35	32	60	35	57	25	50	25	27	61	27	72	55	U	55	U	67	YEAR BUILT
72	72	72	72	YEAR IMPROVED	R	52	67	65	66	60	60	56	R	59	59	62	YEAR IMPROVED	70	63	63	62	54	45	R	53	70	60	61	57	63	63	61	60	61	61	72	55	R	55	R	67	YEAR IMPROVED
24	24	24	20	SURFACE WIDTH	B	20	40	32	32	68	68	60	B	32	32	32	SURFACE WIDTH	26	32	32	26	26	24	B	24	22	32	22	24	24	24	24	24	32	24	50	42	B	42	B	40	SURFACE WIDTH
24	24	24	20	ROADWAY WIDTH	A	24	40	32	32	68	68	60	A	32	32	32	ROADWAY WIDTH	26	32	32	30	30	24	A	24	24	32	24	32	24	30	24	24	35	24	50	42	A	42	A	40	ROADWAY WIDTH
PMS	PMS	PMS	PMS	SURFACE TYPE	N	RMS	PMS	PMS	RMS	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE	PMS	PMS	PMS	RMS	RMS	RMS	N	RMS	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	PMS	N	PMS	N	PMS	SURFACE TYPE
379	359	287	207	ADT		890	1258	1134	1216	1293	3334	3334		1187	897	731	ADT	850	980	1170	1170	1170	1626		3032	2648	2239	1481	1373	1368	1348	1248	1235	1277	1343	1605	2095		3076		1542	ADT
75	72	57	41	DHV		115	188	170	182	193	466	466		154	116	95	DHV	162	187	223	223	223	317		591	511	427	236	219	218	215	199	185	191	201	240	251		369		231	DHV
728	611	728	377	SERVICE VOLUME		288	320	720	544	3440	3440	1720		569	599	569	SERVICE VOLUME	330	485	478	353	353	546		423	254	464	324	680	478	530	805	534	680	534	272	335		817		264	SERVICE VOLUME
7	8	7	0	FOUNDATION - 10		0	8	10	4	4	3	3		4	3	3	FOUNDATION - 10	6	4	7	2	0	0		0	4	8	0	4	0	6	0	0	5	0	10	5		5		8	FOUNDATION - 10
28	28	28	8	SURFACE - 30		15	23	24	17	16	13	14		19	18	19	SURFACE - 30	22	17	22	18	13	15		16	18	23	12	16	12	17	10	12	14	15	30	17		17		23	SURFACE - 30
5	10	5	4	DRAINAGE - 10		7	10	10	10	10	10	9		10	10	10	DRAINAGE - 10	10	10	10	9	8	7		9	9	10	8	10	5	10	7	4	10	6	10	10		10		10	DRAINAGE - 10
1	12	0	1	SAFETY - 20		1	20	14	20	4	7	4		18	20	20	SAFETY - 20	2	4	1	1	1	1		1	2	20	2	11	1	22	3	3	20	3	2	4		20		19	SAFETY - 20
28	28	29	28	CAPACITY - 30		24	21	26	25	29	28	26		26	27	27	CAPACITY - 30	23	24	23	21	21	21		9	0	16	19	25	23	24	26	25	26	24	17	19		23		17	CAPACITY - 30
69	86	69	41	SUFFICIENCY RATING		47	82	84	76	63	61	56		77	78	79	SUFFICIENCY RATING	63	59	63	51	43	44		35	33	77	41	66	41	77	46	44	75	48	69	55		75		77	SUFFICIENCY RATING
74	89	76	51	ADJUSTED RATING		47	80	83	74	60	51	46		75	78	80	ADJUSTED RATING	63	58	61	49	41	39		26	26	72	37	63	38	74	43	41	73	45	65	48		68		74	ADJUSTED RATING
.70	.08	2.71	.12	DEFICIENT MILEAGE		.55	.04	1.19	1.69	.13	.13	.19		2.67	1.76	1.52	DEFICIENT MILEAGE	2.36	2.00	.32	.59	5.21	.77		.57	1.29	.04	2.90	.35	1.25	.27	3.81	3.52	.12	2.57	.65	.18		.09		1.56	DEFICIENT MILEAGE

FAP ROUTE NO 1
& E GLACIER SPUR
SHEET 3 OF 7

BEGINNING MILE POST	307.0	308.0	315.3	321.7	322.6	332.6	341.9	347.7	348.2	354.5	363.5	372.1	379.1	380.6	383.7	BEGINNING MILE POST
LENGTH	0.9	7.2	6.4	0.8	9.9	9.2	5.8	0.5	6.3	8.9	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	U	31	71	60	U	60	36	36	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	R	51	71	60	R	60	59	70	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	B	22	40	32	B	32	26	28	32	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	A	24	40	32	A	32	31	32	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	RMS	N	RMS	PMS	RMS	N	RMS	RMS	RMS	PMS	RMS	N	PMS	SURFACE TYPE
ADT	661	689	764		910	1030	1200		966	987	1293	2099	3610		2349	ADT
DHV	85	89	99		118	133	156		125	128	168	272	386		305	DHV
SERVICE VOLUME	629	442	500		436	184	666		672	530	648	648	654		655	SERVICE VOLUME
FOUNDATION - 10	5	5	7		0	10	8		8	5	7	4	0		7	FOUNDATION - 10
SURFACE - 30	18	17	18		5	30	23		22	17	20	18	13		21	SURFACE - 30
DRAINAGE - 10	10	10	10		5	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	10	2	4		10	4	20		18	1	5	10	8		4	SAFETY - 20
CAPACITY - 30	28	27	27		26	19	26		27	26	26	24	21		23	CAPACITY - 30
SUFFICIENCY RATING	71	61	66		46	73	87		85	59	68	66	52		65	SUFFICIENCY RATING
ADJUSTED RATING	72	62	67		46	72	86		84	58	65	60	41		58	ADJUSTED RATING
DEFICIENT MILEAGE	.28	2.83	2.19		5.39	2.50	.75		.95	3.67	2.74	2.38	.72		2.52	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	408.3	413.4	414.0	421.3	423.9	424.6	424.7	429.0	435.1	440.0	446.3	453.0	454.5	457.6	466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
LENGTH	2.8	9.7	0.5	4.2	5.0	0.5	7.3	2.5	0.7	0.1	4.3	5.2	4.6	6.4	7.3	0.7	3.1	9.0	4.9	0.6	8.9	7.6	9.9	0.9	1.5	LENGTH
YEAR BUILT	46	38	U	44	40	49	56	39	68	U	68	36	25	35	73	U	49	63	53	U	67	67	67	U	55	YEAR BUILT
YEAR IMPROVED	54	59	R	56	56	56	73	62	68	R	68	62	71	71	73	R	49	63	53	R	67	67	67	R	55	YEAR IMPROVED
SURFACE WIDTH	24	24	B	28	28	32	32	26	40	B	40	28	22	24	40	B	24	32	24	B	40	40	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	31	30	A	30	30	32	32	31	40	A	40	30	24	24	40	A	26	32	30	A	40	40	40	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	PMS	N	PMS	RMS	RMS	BST	PMS	N	RMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
ADT	2088	2172		2010	1656	1620	1545	1529	1713		1799	1025	1002	982	1023		1145	1082	1390		1224	1078	1102		1092	ADT
DHV	271	282		261	215	210	200	198	222		233	133	130	127	132		148	140	180		159	140	148		147	DHV
SERVICE VOLUME	655	663		663	663	680	720	663	304		281	453	324	469	281		500	621	554		266	281	266		586	SERVICE VOLUME
FOUNDATION - 10	5	5		6	6	5	10	6	9		10	5	3	3	9		3	6	2		10	9	8		0	FOUNDATION - 10
SURFACE - 30	22	18		17	16	18	30	16	28		29	16	18	18	28		14	21	18		27	26	24		13	SURFACE - 30
DRAINAGE - 10	10	10		10	10	10	10	10	10		10	10	4	6	10		8	10	10		10	10	10		10	DRAINAGE - 10
SAFETY - 20	9	11		8	7	1	20	10	20		10	2	1	11	16		9	7	20		14	20	15		10	SAFETY - 20
CAPACITY - 30	24	24		24	25	25	26	26	19		18	26	24	26	23		26	27	25		21	23	22		26	CAPACITY - 30
SUFFICIENCY RATING	70	68		65	64	59	96	68	86		77	59	50	64	86		60	71	75		82	88	79		59	SUFFICIENCY RATING
ADJUSTED RATING	64	62		59	59	54	95	64	83		73	58	49	63	85		58	69	72		80	87	78		57	ADJUSTED RATING
DEFICIENT MILEAGE	.85	3.10		1.48	1.83	.24	.29	.82	.11		1.00	2.14	2.34	2.32	1.03		1.25	2.61	1.23		1.61	.92	2.09		.62	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 5 OF 7



BEGINNING MILE POST	501.4	508.0	515.6	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	555.9	556.1	564.8	573.0	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.1	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.1	0.1	8.6	8.1	8.0	LENGTH
YEAR BUILT	55	66	50	50	50	48	U	48	U	62	62	53	56	U	56	U	56	61	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	48	R	48	R	62	62	53	70	R	70	R	70	61	61	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	24	B	24	B	68	36	24	32	B	32	B	32	32	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	26	A	26	A	68	36	30	32	A	32	A	32	32	32	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	RMS	N	RMS	N	PMS	PMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1041	1087	1029	1004	1089	2048		5788		2855	1500	1278	1170		1181		1140	1145	1117	ADT
OHV	140	146	138	135	147	276		781		385	202	172	157		159		153	154	150	OHV
SERVICE VOLUME	500	296	526	471	308	500		728		2112	288	631	544		528		696	720	680	SERVICE VOLUME
FOUNDATION - 10	0	7	5	3	4	0		0		6	6	2	9		9		8	6	3	FOUNDATION - 10
SURFACE - 30	13	25	18	18	16	11		15		24	21	18	26		27		25	23	14	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	10		8		10	10	10	10		10		10	10	10	DRAINAGE - 10
SAFETY - 20	20	15	8	4	2	10		20		9	4	11	11		20		8	7	20	SAFETY - 20
CAPACITY - 30	26	23	26	26	23	22		14		27	19	26	26		25		27	27	27	CAPACITY - 30
SUFFICIENCY RATING	68	80	67	61	55	53		57		76	60	67	82		91		78	73	74	SUFFICIENCY RATING
ADJUSTED RATING	67	79	66	60	53	47		43		69	56	64	80		90		76	71	72	ADJUSTED RATING
DEFICIENT MILEAGE	2.10	1.51	1.91	1.99	5.00	1.56		.14		.33	.97	2.77	.09		.00		1.91	2.20	2.09	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 6 OF 7

BEGINNING MILE POST	581.0	590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	638.0	639.7	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	9.7	0.3	13.6	0.5	3.2	5.3	3.2	1.7	2.7	1.7	0.7	3.0	8.2	5.2	5.6	LENGTH
YEAR BUILT	57	U	58	58	60	U	70	U	43	46	52	52	52	56	U	56	61	55	55	YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	70	R	57	50	52	52	52	61	R	61	61	62	62	YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	40	B	24	24	24	24	24	32	B	32	32	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	40	A	30	32	30	30	30	32	A	32	32	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	PMS	N	RMS	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	SURFACE TYPE
AOT	1391		1747	1285	1345		1296		795	759	757	795	845	967		931	762	763	803	AOT
DHV	187		209	154	161		168		103	98	98	103	109	125		125	102	103	108	DHV
SERVICE VOLUME	616		648	648	720		304		414	302	414	663	414	428		680	680	580	453	SERVICE VOLUME
FOUNDATION - 10	3		7	6	6		7		0	0	2	0	0	2		7	6	8	8	FOUNDATION - 10
SURFACE - 30	15		20	18	22		24		15	12	14	16	12	14		17	17	19	21	SURFACE - 30
DRAINAGE - 10	10		10	10	10		10		10	9	10	10	10	10		10	10	10	10	DRAINAGE - 10
SAFETY - 20	17		10	13	8		18		3	2	20	17	18	20		20	20	6	10	SAFETY - 20
CAPACITY - 30	25		25	26	27		22		26	25	26	28	26	26		27	28	27	26	CAPACITY - 30
SUFFICIENCY RATING	70		72	73	73		81		54	48	72	71	66	72		81	81	70	75	SUFFICIENCY RATING
ADJUSTED RATING	67		68	71	70		79		55	49	73	71	66	71		80	81	71	75	ADJUSTED RATING
DEFICIENT MILEAGE	2.79		1.62	1.23	2.63		2.60		1.49	2.79	.92	.49	.92	.47		.57	1.57	1.57	1.40	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 7 OF 7

BEGINNING MILE POST		705.4	705.6	706.7	707.0	707.1
LENGTH		0.2	1.0	0.2	0.1	0.8
YEAR BUILT	N		31	U	31	U
YEAR IMPROVED	O		52	R	52	R
SURFACE WIDTH	N		22	B	22	B
ROADWAY WIDTH		E	24	A	24	A
SURFACE TYPE		X	RMS	N	RMS	N
ADT		I	200		230	
DHV		S	26		29	
SERVICE VOLUME		T	544		716	
FOUNDATION - 10		E	0		0	
SURFACE - 30		N	6		6	
DRAINAGE - 10		T	5		5	
SAFETY - 20			4		0	
CAPACITY - 30			29		29	
SUFFICIENCY RATING			44		40	
ADJUSTED RATING			54		49	
DEFICIENT MILEAGE			.58		.03	

FAP ROUTE NO 2
SHEET 1 OF 7'

BEGINNING MILE POST	137.7	137.9	141.6	142.3	143.9	144.5	144.8	145.5	146.4	147.0	150.7	151.0	151.4	152.9	154.4	BEGINNING MILE POST
LENGTH	0.1	3.6	0.5	1.5	0.6	0.2	0.6	0.9	0.5	3.6	0.4	0.3	1.4	1.5	1.1	LENGTH
YEAR BUILT	70	33	70	33	70	36	70	36	70	36	70	64	36	64	U	YEAR BUILT
YEAR IMPROVED	70	34	70	34	70	36	70	36	70	36	70	64	36	64	R	YEAR IMPROVED
SURFACE WIDTH	30	22	30	24	30	22	30	22	30	22	30	24	22	24	B	SURFACE WIDTH
ROADWAY WIDTH	30	28	30	28	30	32	30	32	30	32	30	24	32	24	A	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	PMS	BST	PMS	PMS	BST	PMS	N	SURFACE TYPE
AOT	53	55	57	58	60	60	61	62	63	65	68	68	69	72		AOT
DHV	6	7	7	7	7	7	7	8	8	8	8	8	8	9		DHV
SERVICE VOLUME	604	414	291	379	291	432	226	388	448	201	459	391	336	193		SERVICE VOLUME
FOUNDATION - 10	10	0	7	0	7	0	8	0	8	0	5	7	2	7		FOUNDATION - 10
SURFACE - 30	30	12	22	10	22	9	23	12	23	11	16	15	12	19		SURFACE - 30
DRAINAGE - 10	10	7	5	6	10	10	10	7	10	6	10	10	7	10		DRAINAGE - 10
SAFETY - 20	0	2	20	3	1	20	1	20	20	1	20	20	3	1		SAFETY - 20
CAPACITY - 30	30	30	30	30	30	30	30	30	30	29	30	30	30	29		CAPACITY - 30
SUFFICIENCY RATING	80	51	84	49	70	69	72	69	91	47	81	82	54	66		SUFFICIENCY RATING
ADJUSTED RATING	93	71	94	69	86	86	88	85	97	66	92	93	72	82		ADJUSTED RATING
DEFICIENT MILEAGE	.03	1.80	.08	.81	.18	.07	.18	.29	.04	1.93	.08	.06	.68	.52		DEFICIENT MILEAGE



BEGINNING MILE POST	75.1	75.2	76.5	77.3	78.6	78.7	79.4	80.0	83.1	BEGINNING MILE POST
LENGTH	0.1	1.3	0.7	1.2	0.1	0.6	0.5	3.1	0.3	LENGTH
YEAR BUILT	63	U	26	26	36	63	64	39	64	YEAR BUILT
YEAR IMPROVED	63	R	34	34	45	63	64	61	64	YEAR IMPROVED
SURFACE WIDTH	28	B	20	20	24	24	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	28	A	20	20	30	24	24	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	N	BST	BST	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
AOT	750		167	203	264	300	353	485	525	AOT
DHV	97		21	26	34	39	45	63	68	DHV
SERVICE VOLUME	621		257	186	199	220	289	486	199	SERVICE VOLUME
FOUNDATION - 10	10		0	0	0	5	7	3	10	FOUNDATION - 10
SURFACE - 30	27		13	7	12	17	16	14	26	SURFACE - 30
DRAINAGE - 10	10		3	3	7	10	10	7	10	DRAINAGE - 10
SAFETY - 20	20		1	20	20	0	1	20	0	SAFETY - 20
CAPACITY - 30	28		29	28	27	27	28	28	25	CAPACITY - 30
SUFFICIENCY RATING	95		46	58	66	59	62	72	71	SUFFICIENCY RATING
ADJUSTED RATING	95		58	68	74	66	68	75	74	ADJUSTED RATING
DEFICIENT MILEAGE	.00		.42	.53	.05	.27	.22	.87	.09	DEFICIENT MILEAGE

FAP ROUTE NO 2
SHEET 2 OF 7

BEGINNING MILE POST	187.0	187.9	189.0
LENGTH	0.9	1.0	1.0
YEAR BUILT	62	U	48
YEAR IMPROVED	62	R	48
SURFACE WIDTH	32	B	24
ROADWAY WIDTH	32	A	32
SURFACE TYPE	PMS	N	RMS
ADT	1715		1890
DHV	222		245
SERVICE VOLUME	667		896
FOUNDATION - 10	9		3
SURFACE - 30	26		13
DRAINAGE - 10	10		10
SAFETY - 20	20		11
CAPACITY - 30	25		26
SUFFICIENCY RATING	90		63
ADJUSTED RATING	88		58
DEFICIENT MILEAGE	.09		.39

FAP ROUTE NO 2
SHEET 3 OF 7



BEGINNING MILE POST	299.6	301.3	302.2	307.6	310.7	311.6	315.9	319.6	319.8	324.3	325.8
LENGTH	1.7	0.8	5.4	3.0	0.9	4.3	3.6	0.1	3.9	1.4	0.6
YEAR BUILT	31	U	22	23	U	22	37	66	C	52	71
YEAR IMPROVED	31	R	56	59	R	58	37	66	O	54	71
SURFACE WIDTH	22	B	24	24	B	24	24	68	L	24	28
ROADWAY WIDTH	28	A	28	24	A	24	30	68	N	32	28
SURFACE TYPE	RMS	N	RMS	RMS	N	RMS	PMS	PMS	C	RMS	PMS
AOT	456		476	599		2086	3254	6500	I	371	340
DHV	59		61	77		271	423	845	D	48	44
SERVICE VOLUME	603		520	603		574	601	1840	E	860	554
FOUNDATION - 10	0		0	0		4	4	9	N	5	9
SURFACE - 30	11		14	15		17	16	27	T	18	27
DRAINAGE - 10	8		8	6		8	10	10		8	10
SAFETY - 20	17		7	7		4	2	20		7	7
CAPACITY - 30	29		28	28		22	19	23		29	29
SUFFICIENCY RATING	65		52	56		55	51	89		67	82
ADJUSTED RATING	69		56	59		49	41	83		72	86
DEFICIENT MILEAGE	.59		2.63	1.33		1.94	1.80	.02		.49	.12

BEGINNING MILE POST	290.3	291.5	294.8
LENGTH	0.8	2.9	4.7
YEAR BUILT	64	23	31
YEAR IMPROVED	69	52	31
SURFACE WIDTH	32	22	22
ROADWAY WIDTH	32	26	28
SURFACE TYPE	PMS	RMS	RMS
AOT	456	387	387
DHV	59	50	50
SERVICE VOLUME	681	493	489
FOUNDATION - 10	7	0	0
SURFACE - 30	21	13	12
DRAINAGE - 10	10	8	8
SAFETY - 20	1	1	1
CAPACITY - 30	29	28	28
SUFFICIENCY RATING	68	50	49
ADJUSTED RATING	72	56	55
DEFICIENT MILEAGE	.27	1.47	2.42

FAP ROUTE NO 2
SHEET 4 OF 7

BEGINNING MILE POST	T13.0 113.3
LENGTH	0.2 0.4
YEAR BUILT	U 72
YEAR IMPROVED	A 72
SURFACE WIDTH	B 44
ROADWAY WIDTH	A 44
SURFACE TYPE	N PMS
ADT	1641
DHV	213
SERVICE VOLUME	795
FOUNDATION - 10	10
SURFACE - 30	30
DRAINAGE - 10	10
SAFETY - 20	20
CAPACITY - 30	26
SUFFICIENCY RATING	96
ADJUSTED RATING	95
DEFICIENT MILEAGE	.01



BEGINNING MILE POST	412.0	412.3	417.8	419.3	420.9	421.6	423.1	426.0	432.8	433.4	439.1	BEGINNING MILE POST
LENGTH	0.2	5.3	1.3	1.5	0.6	1.5	2.9	6.7	0.5	5.6	0.2	LENGTH
YEAR BUILT	72	31	51	31	U	41	35	28	55	28	67	YEAR BUILT
YEAR IMPROVED	72	59	51	56	A	63	53	57	55	55	67	YEAR IMPROVED
SURFACE WIDTH	30	24	34	22	B	24	24	22	24	24	34	SURFACE WIDTH
ROADWAY WIDTH	30	30	34	30	A	30	28	26	32	26	34	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	BST	RMS	N	RMS	RMS	RMS	RMS	PMS	PMS	SURFACE TYPE
ADT	168	213	267	405		244	186	249	295	335	313	ADT
DHV	21	27	34	52		31	24	32	38	43	48	DHV
SERVICE VOLUME	289	522	426	427		348	348	462	731	585	393	SERVICE VOLUME
FOUNDATION - 10	10	2	3	0		4	0	0	3	0	10	FOUNDATION - 10
SURFACE - 30	30	15	14	13		15	13	13	14	12	26	SURFACE - 30
DRAINAGE - 10	10	5	8	7		8	7	5	10	4	10	DRAINAGE - 10
SAFETY - 20	0	1	1	1		3	1	2	20	2	2	SAFETY - 20
CAPACITY - 30	29	29	29	28		29	29	29	29	29	28	CAPACITY - 30
SUFFICIENCY RATING	79	52	55	49		59	50	49	76	41	76	SUFFICIENCY RATING
ADJUSTED RATING	87	62	63	54		68	61	58	82	54	80	ADJUSTED RATING
DEFICIENT MILEAGE	.05	2.56	.61	.78		.62	1.41	3.45	.12	3.02	.05	DEFICIENT MILEAGE

FAP ROUTE NO 2
SHEET 5 OF 7

BEGINNING MILE POST	538.3	540.8	548.8	551.3	556.8	560.8	565.1
LENGTH	2.5	8.0	2.5	5.5	4.0	4.2	0.7
YEAR BUILT	64	33	33	36	41	41	50
YEAR IMPROVED	64	56	56	42	41	41	56
SURFACE WIDTH	30	22	22	26	24	24	24
ROADWAY WIDTH	30	24	24	30	31	31	32
SURFACE TYPE	PMS	RMS	RMS	RMS	RMS	RMS	PMS
AOT	673	244	155	152	217	648	940
OHV	87	31	20	19	28	84	122
SERVICE VOLUME	664	544	280	672	705	434	696
FOUNDATION - 10	6	0	0	0	0	0	5
SURFACE - 30	24	13	11	11	14	15	18
DRAINAGE - 10	10	7	6	7	8	7	8
SAFETY - 20	5	11	1	5	6	12	8
CAPACITY - 30	28	29	29	30	29	27	27
SUFFICIENCY RATING	73	60	47	53	57	61	66
ADJUSTED RATING	74	69	59	66	67	63	65
DEFICIENT MILEAGE	.67	3.20	1.32	2.58	1.72	1.67	.26

BEGINNING MILE POST	571.2	571.7	572.1	574.8	576.2	576.7	577.2	578.2	579.9	580.3	580.6	587.7	588.0
LENGTH	0.5	0.3	2.8	1.3	0.4	0.5	0.9	1.7	0.3	0.3	7.0	0.3	3.7
YEAR BUILT	28	71	28	31	71	31	31	31	71	71	31	71	31
YEAR IMPROVED	52	71	52	40	71	47	47	47	71	71	47	71	73
SURFACE WIDTH	20	28	20	22	28	20	20	20	28	24	20	28	24
ROADWAY WIDTH	20	28	20	26	28	26	26	26	28	28	26	28	24
SURFACE TYPE	RMS	PMS	RMS	RMS	PMS	RMS	RMS	RMS	PMS	PMS	RMS	PMS	BST
AOT	109	107	102	94	91	163	233	236	113	75	75	75	75
OHV	14	13	13	12	11	21	30	30	14	9	9	9	9
SERVICE VOLUME	620	720	593	761	277	291	218	335	990	277	468	356	575
FOUNDATION - 10	0	10	0	0	9	0	0	0	10	10	0	10	0
SURFACE - 30	9	30	10	10	30	8	11	9	30	30	11	30	14
DRAINAGE - 10	3	10	3	5	7	5	5	5	10	10	4	10	4
SAFETY - 20	0	20	20	1	0	0	2	1	20	0	2	0	8
CAPACITY - 30	30	30	30	30	29	29	28	29	30	30	30	30	30
SUFFICIENCY RATING	42	100	63	46	75	42	46	44	100	80	47	80	56
ADJUSTED RATING	57	100	77	62	87	54	55	53	100	91	65	91	74
DEFICIENT MILEAGE	.30	.00	1.05	.75	.11	.33	.50	.96	.00	.06	3.72	.06	1.65

FAP ROUTE NO 2
SHEET 6 OF 7

BEGINNING MILE POST	609.9	610.8	614.7	616.1	616.8	623.1	630.9	637.4	644.0	655.8	661.7	667.7	680.1	680.8	692.6	694.0	699.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.5	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	U	73	65	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	62	R	50	62	50	70	N	73	65	67	67	72	R	39	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	B	20	32	20	34	O C	34	40	40	40	32	B	24	B	40	40	SURFACE WIDTH
ROADWAY WIDTH	32	A	24	32	24	34	E O	34	40	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	RMS	PMS	RMS	PMS	R N	PMS	PMS	PMS	PMS	PMS	N	RMS	N	PMS	PMS	SURFACE TYPE
ADT	1127		1554	622	589	490	S	418	395	403	412	504		771		815	561	ADT
DHV	127		202	80	76	63	T	54	51	52	53	65		100		105	72	DHV
SERVICE VOLUME	567		487	270	210	400	R	400	500	165	180	520		259		526	552	SERVICE VOLUME
FOUNDATION - 10	7		3	7	0	10	U	10	6	7	7	8		0		5	5	FOUNDATION - 10
SURFACE - 30	20		17	23	15	28	C	30	18	22	21	27		13		20	20	SURFACE - 30
DRAINAGE - 10	10		10	10	9	10	T	10	10	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	9		8	20	1	12	I	20	11	20	17	19		2		6	10	SAFETY - 20
CAPACITY - 30	27		24	26	25	28	O	28	28	25	26	28		24		27	28	CAPACITY - 30
SUFFICIENCY RATING	73		62	86	50	88	N	98	73	84	81	92		49		68	73	SUFFICIENCY RATING
ADJUSTED RATING	71		58	87	53	89		98	77	87	84	93		50		68	75	ADJUSTED RATING
DEFICIENT MILEAGE	.24		.58	.09	3.16	.92		.12	3.17	.93	1.15	.98		5.97		1.61	1.73	DEFICIENT MILEAGE

FAP ROUTE NO 2
SHEET 7 OF 7



BEGINNING MILE POST	15.1	16.1	23.7	37.0
LENGTH	1.0	7.6	13.2	0.2
YEAR BUILT	U	33	33	72
YEAR IMPROVED	R	56	65	72
SURFACE WIDTH	B	22	24	28
ROADWAY WIDTH	A	24	26	28
SURFACE TYPE	N	RMS	RMS	PMS
ADT		119	55	60
DHV		15	7	7
SERVICE VOLUME		780	965	356
FOUNDATION - 10		0	0	10
SURFACE - 30		10	10	30
DRAINAGE - 10		4	5	10
SAFETY - 20		4	20	0
CAPACITY - 30		30	30	30
SUFFICIENCY RATING		48	65	80
ADJUSTED RATING		62	83	92
DEFICIENT MILEAGE		3.95	4.63	.04

463.3	463.4	BEGINNING MILE POST
0.1	0.6	LENGTH
U	N	YEAR BUILT
R	O	YEAR IMPROVED
B	N	SURFACE WIDTH
A	E	ROADWAY WIDTH
N	X	SURFACE TYPE
	1	ADT
	S	DHV
	1	SERVICE VOLUME
	E	FOUNDATION - 10
	N	SURFACE - 30
	1	DRAINAGE - 10
		SAFETY - 20
		CAPACITY - 30
		SUFFICIENCY RATING
		ADJUSTED RATING
		DEFICIENT MILEAGE

FAP ROUTE 3
SHEET 1 OF 5

BEGINNING MILE POST	133.8	182.1	182.5	182.8	183.3	183.8	184.0	184.6	186.1	187.6	BEGINNING MILE POST
LENGTH	0.2	0.8	0.2	0.5	0.4	0.3	0.5	1.4	1.4	0.1	LENGTH
YEAR BUILT	50	69	30	69	30	69	30	69	39	69	YEAR BUILT
YEAR IMPROVED	50	69	69	69	69	69	69	69	69	69	YEAR IMPROVED
SURFACE WIDTH	24	28	24	24	24	24	24	24	24	34	SURFACE WIDTH
ROADWAY WIDTH	36	28	24	24	24	24	24	24	36	34	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	640	302	302	302	302	302	302	302	302	302	ADT
DHV	83	39	39	39	39	39	39	39	39	39	DHV
SERVICE VOLUME	501	318	301	280	379	218	431	156	264	512	SERVICE VOLUME
FOUNDATION - 10	0	10	4	9	5	8	5	8	5	10	FOUNDATION - 10
SURFACE - 30	11	28	19	24	18	24	18	24	20	28	SURFACE - 30
DRAINAGE - 10	8	10	6	10	6	10	7	9	8	10	DRAINAGE - 10
SAFETY - 20	3	1	20	1	0	20	1	0	3	1	SAFETY - 20
CAPACITY - 30	28	28	28	28	28	27	29	26	28	29	CAPACITY - 30
SUFFICIENCY RATING	50	77	77	72	57	89	60	67	64	78	SUFFICIENCY RATING
ADJUSTED RATING	52	82	82	78	64	92	67	74	71	83	ADJUSTED RATING
DEFICIENT MILEAGE	.14	.18	.04	.15	.18	.03	.20	.46	.52	.03	DEFICIENT MILEAGE

FAP ROUTE NO
SHEET 2 OF 5



BEGINNING MILE POST	219.2	220.1	227.8	236.3	238.1	238.5	240.0	240.6	242.1	244.3	245.8	246.6	246.9	250.9	251.5	253.4	253.6	255.0	256.3	258.3	258.9	259.1	260.2	262.0	BEGINNING MILE POST
LENGTH	0.4	7.7	8.5	1.7	0.4	2.0	0.5	1.4	2.2	1.5	0.8	0.2	3.9	0.6	1.4	0.2	1.2	1.2	1.9	0.6	0.1	1.1	1.7	12.5	LENGTH
YEAR BUILT	65	35	35	33	67	69	69	69	33	72	68	68	33	68	33	63	33	63	33	63	53	U	24	24	YEAR BUILT
YEAR IMPROVED	65	35	47	47	67	69	69	69	33	72	68	68	33	68	53	63	53	63	53	63	53	R	54	53	YEAR IMPROVED
SURFACE WIDTH	24	20	24	24	24	24	24	24	24	26	24	24	20	24	20	24	24	24	20	24	24	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	26	26	24	24	24	24	26	26	24	24	24	24	24	24	28	24	24	24	28	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	PMS	RMS	PMS	RMS	M	RMS	RMS	SURFACE TYPE
ADT	40	57	153	122	114	108	97	90	107	143	166	129	122	113	110	107	105	100	94	91	478		75	78	ADT
OHV	12	17	48	38	30	27	28	17	17	22	25	19	18	16	16	16	15	15	14	27	145		11	11	OHV
SERVICE VOLUME	296	482	205	499	322	289	248	515	416	416	193	211	307	404	205	533	156	432	277	400	317		476	396	SERVICE VOLUME
FOUNDATION - 10	10	0	0	0	10	10	9	0	0	10	10	10	0	10	0	10	0	5	0	10	0		0	0	FOUNDATION - 10
SURFACE - 30	25	10	12	11	28	28	27	11	11	30	30	27	12	29	12	27	12	14	9	28	12		13	13	SURFACE - 30
DRAINAGE - 10	10	5	6	4	10	10	10	4	3	10	10	10	4	10	6	10	6	8	7	10	10		3	4	DRAINAGE - 10
SAFETY - 20	20	2	1	1	1	1	20	1	1	2	2	0	1	1	1	20	1	1	1	20	0		4	1	SAFETY - 20
CAPACITY - 30	29	29	26	29	29	29	29	30	29	29	28	29	29	29	29	30	29	29	29	29	23		30	30	CAPACITY - 30
SUFFICIENCY RATING	94	46	45	45	78	86	95	46	44	81	80	76	46	79	48	97	48	57	46	97	45		50	48	SUFFICIENCY RATING
ADJUSTED RATING	99	66	57	59	88	92	98	62	59	89	88	86	60	89	63	98	63	72	62	98	49		68	66	ADJUSTED RATING
DEFICIENT MILEAGE	.02	4.15	4.68	.98	.09	.32	.02	.79	1.24	.28	.16	.07	2.14	.14	.77	.00	.62	.55	1.07	.01	.09		.89	6.54	DEFICIENT MILEAGE

FAP ROUTE 3
SHEET 3 OF 5



BEGINNING MILE POST	291.9	292.0	299.2	299.6	300.8	307.1	314.3	315.8	317.0	319.1	322.1	323.0	324.5	327.2	339.4	340.9	353.9	358.6	367.2	374.2	382.6	BEGINNING MILE POST
LENGTH	0.1	7.2	0.3	1.2	6.2	7.1	1.4	1.2	2.1	2.9	0.8	1.4	2.6	12.2	1.4	12.9	4.6	8.5	6.9	8.3	5.5	LENGTH
YEAR BUILT	67	38	61	55	36	36	42	62	21	21	U	21	21	40	U	21	32	32	32	32	66	YEAR BUILT
YEAR IMPROVED	67	49	61	71	36	61	42	62	32	32	R	45	45	40	R	32	32	32	51	51	66	YEAR IMPROVED
SURFACE WIDTH	30	24	24	28	25	24	24	35	20	20	B	20	20	24	B	20	20	20	20	20	34	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	32	31	31	30	35	22	22	A	24	24	30	A	22	24	24	24	24	34	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	PMS	RMS	RMS	RMS	PMS	BST	BST	BST	N	BST	BST	RMS	N	BST	BST	BST	RMS	RMS	PMS	SURFACE TYPE
ADT	1065	924	822	3289	2975	975	936	978	1037	1334		737	705	730		768	494	418	439	414	589	ADT
DHV	133	115	106	427	386	126	121	127	134	173		95	91	94		185	119	100	105	99	141	DHV
SERVICE VOLUME	576	554	780	396	631	469	600	616	397	397		440	453	600		397	364	246	448	627	640	SERVICE VOLUME
FOUNDATION - 10	9	0	6	5	3	0	4	4	0	0		0	0	0		0	0	0	0	0	10	FOUNDATION - 10
SURFACE - 30	26	11	16	18	15	15	14	19	14	13		12	12	17		13	11	10	12	7	26	SURFACE - 30
DRAINAGE - 10	10	8	10	10	8	8	8	10	4	4		3	3	7		5	6	6	4	4	10	DRAINAGE - 10
SAFETY - 20	2	3	3	6	16	5	20	20	11	1		0	11	12		1	2	1	1	1	8	SAFETY - 20
CAPACITY - 30	27	27	28	14	21	26	27	27	25	23		27	27	28		23	25	24	26	28	27	CAPACITY - 30
SUFFICIENCY RATING	74	49	63	53	63	54	73	80	54	41		42	53	64		42	44	41	43	40	81	SUFFICIENCY RATING
ADJUSTED RATING	73	48	63	43	54	53	72	79	53	38		43	54	65		43	48	46	48	45	82	ADJUSTED RATING
DEFICIENT MILEAGE	.02	3.70	.12	.58	2.30	3.28	.39	.24	.97	1.74		.86	1.26	4.42		7.50	2.60	5.06	3.93	5.02	1.05	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 4 OF 5

BEGINNING MILE POST	388.2	394.0	400.0	402.3	409.6	413.0	416.3	422.7	425.0	430.3	438.5	444.5	448.8	452.8	456.6	457.4	BEGINNING MILE POST
LENGTH	5.8	5.9	2.1	7.2	3.8	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8	LENGTH
YEAR BUILT	68	66	51	60	C	35	35	29	28	28	58	64	56	56	61	52	YEAR BUILT
YEAR IMPROVED	68	66	51	60	O	51	51	35	68	40	64	64	64	56	61	52	YEAR IMPROVED
SURFACE WIDTH	34	34	26	32	I	22	22	20	24	18	44	32	32	24	28	22	SURFACE WIDTH
ROADWAY WIDTH	38	34	28	32	N	24	24	24	24	24	44	32	32	28	26	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	C	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	RMS	SURFACE TYPE
ADT	612	633	645	717	I	818	467	445	614	856	1054	1061	972	954	784	415	ADT
DHV	147	152	155	172	D	159	91	86	119	166	205	206	189	186	152	80	DHV
SERVICE VOLUME	529	504	454	529	E	854	452	556	351	280	273	597	630	523	554	500	SERVICE VOLUME
FOUNDATION - 10	10	10	5	5	N	0	0	0	0	0	8	9	9	3	7	3	FOUNDATION - 10
SURFACE - 30	27	28	17	21	T	10	10	10	13	9	24	25	25	17	22	15	SURFACE - 30
DRAINAGE - 10	10	10	10	10		8	8	8	6	4	10	10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	10	9	4	10		6	1	1	0	0	2	6	3	3	17	12	SAFETY - 20
CAPACITY - 30	26	25	25	25		27	27	28	25	21	19	25	26	25	26	28	CAPACITY - 30
SUFFICIENCY RATING	83	82	61	71		51	46	47	42	34	63	75	73	57	82	68	SUFFICIENCY RATING
ADJUSTED RATING	84	83	63	72		51	50	52	44	34	62	74	72	56	82	73	ADJUSTED RATING
DEFICIENT MILEAGE	.99	1.06	.83	2.09		1.65	3.43	1.19	3.05	5.42	2.22	1.07	1.08	1.62	.15	1.87	DEFICIENT MILEAGE

FAP # JTE NO 3
SHEET 5 OF 5

55.3	57.3	57.9	BEGINNING MILE POST
2.0	0.5	0.2	LENGTH
23	23	64	YEAR BUILT
68	68	64	YEAR IMPROVED
55	55	30	SURFACE WIDTH
55	55	30	ROADWAY WIDTH
RMS	RMS	PMS	SURFACE TYPE
2446	2267	2214	ADT
317	294	287	DHV
937	326	572	SERVICE VOLUME
5	3	10	FOUNDATION - 10
18	18	28	SURFACE - 30
8	8	10	DRAINAGE - 10
4	1	0	SAFETY - 20
25	16	22	CAPACITY - 30
60	46	70	SUFFICIENCY RATING
53	39	64	ADJUSTED RATING
.83	.32	.06	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	25.6	26.2	32.7	33.1	33.9	42.7	42.9	50.8	52.2	53.8	54.3	54.5	BEGINNING MILE POST
LENGTH	0.5	12.9	5.7	4.0	2.4	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.5	0.4	0.2	0.7	LENGTH
YEAR BUILT	49	56	59	72	72	U	23	U	54	68	68	49	49	22	22	64	U	YEAR BUILT
YEAR IMPROVED	49	63	59	72	72	R	51	R	54	68	68	65	65	39	39	64	R	YEAR IMPROVED
SURFACE WIDTH	24	32	32	32	40	B	22	B	24	40	40	24	28	24	24	68	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	40	A	24	A	32	40	40	32	32	30	30	68	A	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	N	RMS	N	RMS	PMS	PMS	RMS	RMS	RMS	RMS	PMS	N	SURFACE TYPE
ADT	870	866	868	937	1468		1934		1840	1915	3669	3773	4121	4646	5002	4896		ADT
DHV	113	112	112	121	190		251		239	248	476	490	535	603	650	636		DHV
SERVICE VOLUME	648	569	599	448	266		453		828	643	432	580	616	652	624	1392		SERVICE VOLUME
FOUNDATION - 10	8	4	0	9	9		0		4	8	9	5	4	3	7	9		FOUNDATION - 10
SURFACE - 30	21	19	15	28	28		12		16	25	27	18	18	15	22	25		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		6		10	10	10	10	9	7	10	10		DRAINAGE - 10
SAFETY - 20	5	14	20	16	10		4		20	14	3	16	9	2	4	20		SAFETY - 20
CAPACITY - 30	27	27	27	26	19		22		26	24	13	19	17	16	14	23		CAPACITY - 30
SUFFICIENCY RATING	71	74	72	89	76		44		76	81	62	66	57	43	57	87		SUFFICIENCY RATING
ADJUSTED RATING	71	74	72	88	93		38		72	97	52	56	46	31	44	81		ADJUSTED RATING
DEFICIENT MILEAGE	.14	3.36	1.61	.44	.58		3.59		.14	1.69	.06	2.70	.59	.90	.18	.02		DEFICIENT MILEAGE

FAP ROUTE NO 4
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	4.0	5.5	15.0	18.4	24.3	27.5	30.0	32.6	32.7	33.0	34.9	35.3	41.1	46.1	46.5	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.2	3.4	1.5	9.4	3.4	5.8	3.1	2.5	2.5	0.1	0.3	1.8	0.3	5.7	5.0	0.4	0.7	6.0	3.4	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.8	6.2	1.8	6.9	6.4	0.7
YEAR BUILT	66	34	48	64	40	55	55	56	56	U	69	56	72	50	66	70	U	70	58	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	66	55	56	64	40	60	60	60	60	R	69	60	72	50	66	70	R	70	58	73	58	58	R	66	54	54	70	62	62	52	65	64
SURFACE WIDTH	36	20	24	36	24	32	32	44	32	8	44	32	32	24	40	40	B	40	32	36	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	36	24	32	36	30	32	32	44	32	A	44	32	32	30	40	40	A	40	32	44	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	PMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	RMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS
ADT	3825	3792	3747	3612	3373	3384	3394	2904	2715		3180	3438	3385	3287	3750	4235		3665	4102	4396	4543	6042		2913	2147	1844	1710	1471	1287	1248	1371	1666
DHV	558	553	547	527	492	494	495	423	396		464	501	494	479	547	618		535	598	641	663	882		393	289	248	230	198	173	168	185	224
SERVICE VOLUME	424	277	220	510	507	580	302	578	584		103	584	464	522	326	911		288	640	272	403	326		289	544	365	414	453	672	303	335	276
FOUNDATION - 10	8	0	2	4	0	6	6	5	4		5	4	8	0	6	8		10	8	10	7	9		9	0	5	8	7	7	0	0	7
SURFACE - 30	23	13	15	15	12	19	18	18	17		21	13	25	15	21	25		28	23	27	20	25		26	12	17	27	22	21	7	10	24
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	8	10	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	2	1	6	9	5	9	4	3	10		7	9	8	4	13	20		13	9	9	12	7		1	3	6	6	7	12	1	1	15
CAPACITY - 30	10	0	0	15	15	17	5	19	20		0	17	14	16	5	20		2	16	0	5	0		10	22	20	22	23	26	22	22	18
SUFFICIENCY RATING	53	21	30	53	40	61	43	55	61		43	53	65	43	55	83		63	66	56	54	51		56	47	58	72	69	76	34	37	74
ADJUSTED RATING	42	14	21	42	30	51	33	46	53		34	43	56	33	44	76		53	56	44	42	37		47	40	52	68	66	74	31	34	70
DEFICIENT MILEAGE	.11	2.74	1.07	4.46	2.06	2.28	1.79	1.14	1.00		.19	.86	.13	3.30	2.25	.06		2.22	1.16	.38	.54	.16		.25	1.51	1.23	1.07	1.92	.44	4.57	4.04	.19

BEGINNING MILE POST	93.5	98.6	102.1	103.1	104.2	109.6	114.8	120.6	125.4	126.9	128.4	134.6	145.6	156.9	159.6	168.2	178.0	179.6	180.9	BEGINNING MILE POST
LENGTH	5.1	3.4	1.0	1.0	5.3	4.9	5.8	4.7	1.4	1.5	6.2	10.9	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	63	63	49	U	57	60	60	U	34	55	55	55	31	33	U	43	50	YEAR BUILT
YEAR IMPROVED	64	63	63	63	61	R	60	60	60	R	54	59	60	60	64	51	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	38	B	36	36	36	B	22	24	26	26	24	22	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	38	A	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	N	AMS	PMS	PMS	PMS	AMS	AMS	N	AMS	AMS	SURFACE TYPE
ADT	2102	2598	2775	2866	4989		3179	3216	5236		1182	871	678	624	754	1114		1958	379	ADT
DHV	283	350	374	386	598		381	385	628		153	113	88	81	98	144		254	49	DHV
SERVICE VOLUME	307	383	795	383	383		309	662	937		202	569	319	319	335	396		357	353	SERVICE VOLUME
FOUNDATION - 10	4	6	7	7	8		6	4	6		0	3	5	4	0	0		0	0	FOUNDATION - 10
SURFACE - 30	18	21	23	23	25		24	16	18		10	14	20	17	9	8		11	15	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		10	10	10		4	10	9	9	4	5		8	9	DRAINAGE - 10
SAFETY - 20	12	11	2	11	15		10	11	10		1	7	8	9	1	1		1	3	SAFETY - 20
CAPACITY - 30	16	16	23	15	7		12	21	20		19	27	26	26	26	25		19	28	CAPACITY - 30
SUFFICIENCY RATING	60	64	65	66	65		62	62	64		34	61	68	65	40	39		39	55	SUFFICIENCY RATING
ADJUSTED RATING	54	56	57	58	53		53	53	52		32	61	69	67	41	37		33	61	ADJUSTED RATING
DEFICIENT MILEAGE	2.07	1.23	.35	.37	1.86		2.20	1.81	.53		4.09	4.27	3.60	.94	5.20	5.88		.83	2.94	DEFICIENT MILEAGE


IDAHO
MONTANA
Cabinet Gorge Reservoir
Noxon Dam
Noxon
Trout Creek
Reservoir
White Pine
THOMPSON FALLS
Thompson River
PLAINS
Clark Fork
Paradise
Fish Creek
Ferry
Flathead River
Dixon
Ravalli
SANDERS CO
LAKE CO

| | | |



BEGINNING MILE POST	0.0	0.1	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	43.0	44.5	46.6	48.0	49.7	51.9	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.2	90.1	BEGINNING MILE POST
LENGTH	0.1	7.4	6.0	3.3	3.5	3.0	2.9	4.0	0.8	11.7	1.5	2.0	1.3	1.7	2.2	7.0	7.7	6.7	0.6	0.5	2.0	6.0	0.4	6.8	4.4	LENGTH
YEAR BUILT	40	40	40	36	37	37	36	36	U	34	49	34	U	40	53	53	56	56	74	74	74	74	68	68	U	YEAR BUILT
YEAR IMPROVED	40	40	40	39	39	39	36	59	R	35	49	59	R	40	53	53	61	61	74	74	74	74	68	68	R	YEAR IMPROVED
SURFACE WIDTH	22	22	24	24	24	24	22	22	B	18	30	22	B	24	24	24	32	32	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	24	24	24	24	25	26	A	24	30	24	A	30	32	32	32	32	44	64	38	38	44	68	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	RMS	RMS	N	RMS	BST	RMS	N	RMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
AOT	692	716	765	848	898	950	981	1764		2099	2498	3589		4118	2968	2581	2578	3147	3609	3720	3749	4069	4604	5743		AOT
OHV	89	93	99	110	116	123	127	229		272	324	466		535	385	335	335	409	469	483	487	528	598	746		OHV
SERVICE VOLUME	390	390	280	288	288	249	305	300		285	374	672		780	648	648	720	720	320	2160	304	304	192	1800		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0		0	4	0		0	2	3	10	10	10	10	10	10	10	10		FOUNDATION - 10
SURFACE - 30	13	13	10	12	13	14	11	11		12	15	10		10	13	13	25	25	30	30	30	30	30	28		SURFACE - 30
DRAINAGE - 10	5	5	6	7	7	7	6	6		6	9	6		6	10	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	0	1	9	2	2	5	2	2		2	1	3		5	15	7	8	15	20	12	3	8	10	10		SAFETY - 20
CAPACITY - 30	27	26	25	24	24	23	24	19		16	17	20		20	21	22	23	21	8	27	6	4	0	24		CAPACITY - 30
SUFFICIENCY RATING	45	45	50	45	46	49	43	38		36	46	37		39	61	55	76	81	78	89	59	62	60	92		SUFFICIENCY RATING
ADJUSTED RATING	47	46	51	45	46	48	42	33		30	38	27		28	52	47	70	75	71	84	48	51	48	74		ADJUSTED RATING
DEFICIENT MILEAGE	.05	4.08	3.00	1.86	1.91	1.57	1.67	2.48		7.52	.81	1.29		1.05	.87	3.17	1.85	1.28	.14	.06	.84	2.29	.19	1.24		DEFICIENT MILEAGE

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	87.1	98.9	101.6	107.8	108.2	108.8
LENGTH	11.2	8.7	0.1	0.3	0.6	0.3
YEAR BUILT	50	52	68	68	52	68
YEAR IMPROVED	51	52	68	68	52	68
SURFACE WIDTH	24	24	40	40	24	44
ROADWAY WIDTH	26	28	40	40	28	44
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	1191	1531	1820	946	946	946
DHV	155	199	236	122	122	122
SERVICE VOLUME	539	427	320	128	599	128
FOUNDATION - 10	4	3	10	10	4	10
SURFACE - 30	16	11	28	28	17	28
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	13	20	4	1	20	1
CAPACITY - 30	26	23	19	16	21	16
SUFFICIENCY RATING	69	73	71	65	78	65
ADJUSTED RATING	61	70	66	64	77	64
DEFICIENT MILEAGE	3.49	2.36	.05	.10	.14	.11

BEGINNING MILE POST	0.0	3.9	11.2	23.2	25.5	27.3	27.6	34.2	39.6	46.4	48.5	49.8	52.8	54.4	55.9	57.1	65.4	16.9	18.1
LENGTH	3.9	7.3	11.9	2.3	1.6	0.2	6.5	5.3	1.0	2.0	1.2	2.9	1.6	1.5	1.1	8.3	11.5	1.1	9.6
YEAR BUILT	31	57	33	73	73	31	31	33	U	36	U	36	69	69	69	12	56	U	39
YEAR IMPROVED	53	64	58	73	13	55	35	54	R	36	R	36	69	69	69	72	65	R	39
SURFACE WIDTH	24	32	22	56	56	24	24	22	B	24	B	24	40	40	40	34	32	B	24
ROADWAY WIDTH	24	32	24	56	56	30	30	30	A	30	A	30	40	40	40	34	32	A	32
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS
ADT	1153	1258	1258	1230	1244	1283	1382	1682		7343		2614	2449	2265	1792	1811	1928		1445
DHV	149	163	163	159	161	166	119	218		881		409	374	346	232	235	250		187
SERVICE VOLUME	220	448	512	1800	1800	214	207	326		524		500	344	283	320	504	696		680
FOUNDATION - 10	0	8	0	10	10	0	0	0		0		3	9	10	9	8	9		0
SURFACE - 30	13	25	9	30	30	11	13	15		14		17	26	27	27	24	25		12
DRAINAGE - 10	6	10	8	10	10	4	3	8		3		7	10	10	10	10	10		10
SAFETY - 20	1	6	3	2	7	1	1	2		3		5	20	20	20	17	9		20
CAPACITY - 30	20	25	25	29	29	18	11	20		5		18	14	12	19	23	25		26
SUFFICIENCY RATING	40	14	45	81	86	34	34	45		25		50	79	19	85	82	78		68
ADJUSTED RATING	38	72	42	19	84	31	31	40		13		42	74	74	82	79	74		65
DEFICIENT MILEAGE	2.34	1.91	6.56	.44	.23	.19	4.33	2.93		1.51		1.48	.35	.31	.17	1.49	2.53		3.09

FAP ROUTE 8
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	12.4	20.1	20.8	29.3	38.5	39.8	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	1.3	3.2	2.8	7.8	6.1	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	32	32	35	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	36	36	36	36	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	22	22	20	20	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	331	324	273	291	314	334	830	463	457	390	427	545		ADT
DHV	52	51	43	46	50	53	132	74	73	62	68	87		DHV
SERVICE VOLUME	697	682	511	324	406	182	711	360	270	325	345	518		SERVICE VOLUME
FOUNDATION - 10	9	7	5	8	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	27	23	21	24	10	12	14	12	14	13	14	15		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8	8		DRAINAGE - 10
SAFETY - 20	2	12	8	5	2	1	1	2	1	1	1	13		SAFETY - 20
CAPACITY - 30	29	28	29	28	28	26	27	27	26	27	27	27		CAPACITY - 30
SUFFICIENCY RATING	77	80	73	75	47	46	49	49	49	49	50	63		SUFFICIENCY RATING
ADJUSTED RATING	82	84	79	81	54	53	49	53	54	55	55	66		ADJUSTED RATING
DEFICIENT MILEAGE	.50	2.09	2.09	.18	4.48	4.90	.68	1.65	1.45	4.00	3.06	1.48		DEFICIENT MILEAGE

FAI ROUTE NO. 9
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.5	7.1	9.6	16.2	20.0	29.7	39.5	51.5	52.3	55.1
LENGTH	3.1	3.6	2.4	6.4	3.8	9.7	9.8	12.0	0.6	2.7	8.7
YEAR BUILT	U	40	40	51	51	63	64	74	36	34	34
YEAR IMPROVED	R	71	71	57	57	63	64	74	36	63	55
SURFACE WIDTH	B	28	28	30	30	32	32	32	24	22	22
ROADWAY WIDTH	A	28	28	30	30	32	32	32	24	24	24
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS
ADT		1960	1501	1477	1480	1595	1770	1050	1105	1133	1049
DHV		254	195	192	192	207	230	136	143	147	136
SERVICE VOLUME		552	666	414	565	640	720	621	239	380	702
FOUNDATION - 10		7	8	4	4	6	7	10	0	0	0
SURFACE - 30		27	28	16	16	22	24	30	10	9	10
DRAINAGE - 10		9	9	10	10	10	10	10	8	8	8
SAFETY - 20		2	16	16	19	10	15	6	1	2	3
CAPACITY - 30		23	26	23	25	25	25	27	21	24	27
SUFFICIENCY RATING		68	87	69	74	73	81	83	40	43	48
ADJUSTED RATING		63	85	65	71	69	78	82	38	41	46
DEFICIENT MILEAGE		1.16	.32	2.01	.99	2.62	1.86	2.04	.40	1.57	4.55

BEGINNING MILE POST

LENGTH

YEAR BUILT

YEAR IMPROVED

SURFACE WIDTH

ROADWAY WIDTH

SURFACE TYPE

ADT

DHV

SERVICE VOLUME

FOUNDATION - 10

SURFACE - 30

DRAINAGE - 10

SAFETY - 20

CAPACITY - 30

SUFFICIENCY RATING

ADJUSTED RATING

DEFICIENT MILEAGE

BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.4	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.1	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	51	51	R	63	70	41	70	70	73	53	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	RMS	RMS	N	RMS	PMS	BST	RMS	PMS	RMS	RMS	PMS	RMS
ADT	959	994		1114	1091	1081	1089	1108	1034	1148	1336	1641
DHV	124	129		144	141	140	141	144	134	149	173	213
SERVICE VOLUME	672	390		567	720	476	702	720	535	510	320	580
FOUNDATION - 10	0	0		0	10	0	8	10	4	0	2	5
SURFACE - 30	9	14		13	29	13	25	28	17	15	24	18
DRAINAGE - 10	8	8		7	10	7	10	10	7	7	10	10
SAFETY - 20	3	6		19	8	6	20	13	6	10	20	18
CAPACITY - 30	27	25		26	27	26	27	27	26	26	22	24
SUFFICIENCY RATING	47	53		65	84	52	90	88	60	58	85	75
ADJUSTED RATING	46	52		63	83	50	89	87	59	56	83	71
DEFICIENT MILEAGE	4.48	3.22		1.67	.19	1.61	.01	.15	2.43	3.09	.76	.44



FAP ROUTE NO 10
SHEET 1 OF 1

BEGINNING MILE POST		0.0	1.3	5.5	10.8	16.6	19.3	30.9	40.7	49.9	51.8	55.8	60.4	62.2	64.5	74.9	75.3	75.4	75.5	80.4	89.6	BEGINNING MILE POST
LENGTH		1.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	1.8	4.0	2.0	1.7	2.2	10.2	0.4	0.1	0.1	5.0	8.9	8.3	LENGTH
YEAR BUILT	U		71	69	69	61	61	61	65	61	U	34	55	41	41	U	38	U	38	73	73	YEAR BUILT
YEAR IMPROVED	N		71	69	69	61	61	61	65	61	P	34	55	41	41	R	38	P	38	73	73	YEAR IMPROVED
SURFACE WIDTH	O	C	34	34	32	32	32	32	32	32	B	20	24	20	20	B	20	B	20	32	32	SURFACE WIDTH
ROADWAY WIDTH	E	O	34	34	32	32	32	32	32	32	A	24	36	24	24	A	24	A	24	32	32	ROADWAY WIDTH
SURFACE TYPE	R	N	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS	RMS	RMS	PMS	N	PMS	N	RMS	PMS	PMS	SURFACE TYPE
ADT		S	780	705	703	704	762	884	1062	1717		2359	1100	1005	853		635		624	436	243	ADT
DHV		T	167	151	151	151	163	190	228	369		306	165	150	127		95		93	65	36	DHV
SERVICE VOLUME		R	511	596	546	748	748	748	748	748		610	580	453	431		582		608	643	643	SERVICE VOLUME
FOUNDATION - 10		U	9	10	10	10	9	9	9	9		0	7	0	0		0		0	10	10	FOUNDATION - 10
SURFACE - 30		C	27	28	28	28	27	27	28	25		15	18	15	14		11		9	30	30	SURFACE - 30
DRAINAGE - 10		I	10	10	10	10	10	10	10	10		7	10	9	9		8		8	10	10	DRAINAGE - 10
SAFETY - 20		I	12	11	2	18	17	13	6	19		4	12	20	5		20		4	6	17	SAFETY - 20
CAPACITY - 30		D	25	26	26	27	27	26	25	23		22	26	25	26		28		28	28	29	CAPACITY - 30
SUFFICIENCY RATING		N	83	85	76	93	90	85	78	86		48	73	69	54		67		49	84	96	SUFFICIENCY RATING
ADJUSTED RATING			83	85	77	93	90	85	77	83		41	71	68	54		69		51	86	97	ADJUSTED RATING
DEFICIENT MILEAGE			.73	.77	1.38	.18	1.16	1.45	2.01	.26		1.08	.47	.71	4.70		.02		2.56	1.43	.33	DEFICIENT MILEAGE

FAP ROUTE NO 11
SHEET 1 OF 3



BEGINNING MILE POST	98.0	100.7	105.3	109.4	117.5	125.6	126.7	129.1	138.7	146.0	154.3	BEGINNING MILE POST
LENGTH	2.7	4.6	4.1	8.0	8.1	0.9	2.4	9.5	T.3	8.3	3.3	LENGTH
YEAR BUILT	42	31	36	36	33	U	65	55	59	59	59	YEAR BUILT
YEAR IMPROVED	52	T3	47	63	36	R	65	69	63	63	63	YEAR IMPROVED
SURFACE WIDTH	24	22	24	22	20	B	40	28	26	26	40	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	A	40	28	26	26	40	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	RMS	RMS	RMS	N	PMS	PMS	PMS	PMS	PMS	SUPFACE TYPE
ADT	235	210	294	285	670		T42	349	360	377	395	ADT
DHV	35	31	44	42	100		111	52	54	56	59	DHV
SERVICE VOLUME	774	252	469	302	421		320	472	418	418	890	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0		9	10	8	8	6	FOUNDATION - 10
SURFACE - 30	10	12	13	13	13		23	30	23	24	19	SURFACE - 30
DRAINAGE - 10	8	6	8	8	8		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	18	5	1	1	4		8	4	6	9	1	SAFETY - 20
CAPACITY - 30	29	28	29	28	26		25	28	28	28	29	CAPACITY - 30
SUFFICIENCY RATING	65	51	51	50	51		75	82	T5	79	65	SUFFICIENCY RATING
ADJUSTED RATING	T4	61	59	58	53		T6	86	80	83	70	ADJUSTED RATING
DEFICIENT MILEAGE	.96	2.25	2.05	4.01	4.00		.60	1.71	1.84	1.74	1.16	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 2 OF 3

BEGINNING MILE POST	157.7	164.8	167.9	178.4	182.6	189.3	191.2	200.0	204.5	211.4	217.3	218.3	220.3
LENGTH	7.2	3.1	10.5	4.2	6.6	2.0	9.0	3.6	6.9	5.8	0.9	2.0	5.3
YEAR BUILT	59	U	52	52	40	69	69	55	52	42	39	39	U
YEAR IMPROVED	63	R	52	52	40	69	69	55	55	52	71	71	R
SURFACE WIDTH	26	B	22	22	26	40	40	40	24	26	32	32	B
ROADWAY WIDTH	26	A	26	26	26	40	40	40	32	31	32	32	A
SURFACE TYPE	PMS	N	PMS	PMS	BST	PMS	PMS	RMS	PMS	RMS	RMS	RMS	N
ADT	399		521	553	468	409	407	1714	2459	2102	3593	3784	
DHV	59		78	82	70	61	61	222	319	351	467	491	
SERVICE VOLUME	252		492	193	306	464	568	340	482	434	340	411	
FOUNDATION - 10	8		6	8	3	10	10	3	6	3	5	5	
SURFACE - 30	21		17	21	18	28	28	17	18	16	20	18	
DRAINAGE - 10	10		8	8	9	10	10	10	10	10	10	10	
SAFETY - 20	1		2	6	4	1	12	6	17	3	2	13	
CAPACITY - 30	26		28	24	27	28	28	20	20	18	9	12	
SUFFICIENCY RATING	66		61	67	61	77	88	56	71	50	46	58	
ADJUSTED RATING	71		64	70	65	81	90	51	65	42	36	47	
DEFICIENT MILEAGE	2.45		4.10	1.39	2.60	.46	1.09	1.58	2.01	2.94	.53	.84	

BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	0.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	30	R
SURFACE WIDTH	34	34	24	B
ROADWAY WIDTH	34	34	24	A
SURFACE TYPE	PMS	PMS	RMS	N
ADT	1231	1336	1724	
DHV	284	308	398	
SERVICE VOLUME	354	680	739	
FOUNDATION - 10	5	6	0	
SURFACE - 30	17	18	12	
DRAINAGE - 10	10	10	3	
SAFETY - 20	5	9	6	
CAPACITY - 30	18	23	22	
SUFFICIENCY RATING	55	66	43	
ADJUSTED RATING	52	63	38	
DEFICIENT MILEAGE	1.02	1.96	.32	

FAP ROUTE NO 11 & 12
SHEET 3 OF 3

BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	37.8	47.1	48.6	49.2	56.5	61.5	67.5	77.0	80.7	83.0	83.9	88.7	93.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	10.8	9.2	1.4	0.6	7.2	5.1	5.9	9.5	3.7	2.2	0.9	5.2	4.2	0.2	0.3	1.1	1.1	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	34	34	34	36	U	34	36	34	34	34	34	34	32	32	68	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	62	66	69	71	34	34	34	58	R	34	57	34	34	52	52	52	48	61	68	68	49	38	R	55	69	YEAR IMPROVED
SURFACE WIDTH	32	40	40	40	20	20	20	22	B	20	22	20	20	22	22	22	24	20	40	40	28	24	B	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	40	40	40	24	24	24	25	A	24	24	24	24	24	24	24	30	24	40	40	28	28	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	RMS	PMS	SURFACE TYPE
ADT	249	302	385	386	386	425	601	1183		788	641	495	450	272	258	304	271	322	348	580	594	622		1339	1337	ADT
DHV	49	60	77	77	77	85	120	236		122	99	76	69	42	39	47	42	41	45	75	77	80		174	173	DHV
SERVICE VOLUME	546	596	568	511	792	762	453	564		431	311	237	233	253	252	378	286	396	96	75	629	399		808	457	SERVICE VOLUME
FOUNDATION - 10	4	10	10	10	0	0	0	0		0	3	3	0	0	0	3	0	0	9	8	3	0		2	9	FOUNDATION - 10
SURFACE - 30	17	27	26	28	10	10	12	14		15	15	15	12	12	13	17	14	10	26	25	16	13		14	28	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	9	8	9		8	7	8	7	5	8	8	8	7	10	10	10	8		8	10	DRAINAGE - 10
SAFETY - 20	13	20	20	15	20	9	5	15		4	2	1	1	1	2	1	1	2	20	1	20	2		23	20	SAFETY - 20
CAPACITY - 30	29	28	28	28	29	28	26	24		26	25	25	26	28	28	28	28	28	23	15	28	27		27	24	CAPACITY - 30
SUFFICIENCY RATING	73	95	94	91	66	56	51	62		53	52	52	46	46	51	57	51	47	88	59	77	50		71	91	SUFFICIENCY RATING
ADJUSTED RATING	80	96	95	93	71	61	54	60		54	54	56	51	54	60	64	59	54	90	62	79	52		68	90	ADJUSTED RATING
DEFICIENT MILEAGE	2.31	.39	.29	.26	.90	4.75	4.52	.56		3.40	2.48	2.83	5.14	2.02	1.11	.39	2.58	2.25	.03	.13	.25	.55		.16	.01	DEFICIENT MILEAGE

FAP ROUTE NO 13
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	45.1	48.9	55.9	63.1	68.5	73.3	75.1
LENGTH	0.8	1.5	3.9	7.1	9.9	9.9	11.5	3.9	6.9	7.2	5.3	4.8	1.7	2.0
YEAR BUILT	U	64	64	37	51	55	C	65	U	56	37	36	36	34
YEAR IMPROVED	R	64	64	52	51	55	O	65	N	58	48	52	52	64
SURFACE WIDTH	B	32	32	20	20	24	I	40	O C	28	20	22	22	22
ROADWAY WIDTH	A	32	32	25	26	27	N	40	E O	28	25	24	24	24
SURFACE TYPE	N	PMS	PMS	RMS	RMS	PMS	C	PMS	R N	PMS	RMS	RMS	RMS	RMS
AOT		1141	447	378	432	402	I	329	S	336	356	373	384	418
OHV		171	67	56	64	60	O	42	T	43	46	48	49	54
SERVICE VOLUME		569	487	338	134	308	E	226	P	371	255	249	510	702
FOUNDATION - 10		9	8	0	2	5	N	7	U	3	0	0	0	0
SURFACE - 30		25	25	10	16	18	I	22	C	18	12	12	12	10
DRAINAGE - 10		10	10	7	5	9		10	T	10	8	7	7	6
SAFETY - 20		20	5	2	1	1		20	I	9	2	1	18	2
CAPACITY - 30		25	28	28	23	27		27	O	28	27	27	29	29
SUFFICIENCY RATING		89	76	47	47	60		86	N	68	49	47	66	47
ADJUSTED RATING		88	79	53	52	65		89		74	55	53	71	52
DEFICIENT MILEAGE		.16	.95	3.80	5.24	3.99		.55		2.32	2.71	2.58	.60	1.08

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
OHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 4
SHEET 1 OF 3



BEGINNING MILE POST	77.2	88.0	92.8	99.3	100.3	100.8	108.0	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.9	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	34	66	68	R	65	65	53	67	67	71	R	53	55	55	37	YEAR IMPROVED
SURFACE WIDTH	20	40	40	B	40	40	24	40	40	28	B	21	21	21	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	28	40	40	28	A	24	24	24	26	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	421	453	592		1312	895	918	854	838	809		1108	1025	921	267	ADT
DHV	54	58	76		170	116	119	111	108	105		144	133	119	34	DHV
SERVICE VOLUME	599	320	320		872	281	558	281	296	558		377	159	353	393	SERVICE VOLUME
FOUNDATION - 10	0	8	9		10	8	4	9	8	3		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	23	25		27	25	16	25	25	16		13	13	11	9	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	4	DRAINAGE - 10
SAFETY - 20	1	10	11		20	11	9	12	20	6		20	1	3	2	SAFETY - 20
CAPACITY - 30	29	27	26		27	24	27	24	25	27		24	17	25	29	CAPACITY - 30
SUFFICIENCY RATING	46	78	81		94	78	66	80	88	62		63	37	47	44	SUFFICIENCY RATING
ADJUSTED RATING	51	81	82		93	78	65	80	88	62		61	36	46	52	ADJUSTED RATING
DEFICIENT MILEAGE	5.84	1.05	1.23		.03	1.56	2.86	1.22	.28	1.72		.91	2.50	4.82	3.15	DEFICIENT MILEAGE

FAP ROUTE NO. 4
SHEET 2 OF 3



BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	168.5	170.1	182.0	187.6	192.1	195.3	203.7	205.1	207.1	212.4	217.1	224.4	BEGINNING MILE POST
LENGTH	3.4	2.8	2.4	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	LENGTH
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	YEAR BUILT
YEAR IMPROVED	37	56	56	50	56	R	39	65	39	39	39	R	46	57	57	63	63	YEAR IMPROVED
SURFACE WIDTH	20	24	24	21	26	B	20	21	20	20	20	B	24	20	20	25	25	SURFACE WIDTH
ROADWAY WIDTH	26	28	28	25	30	A	24	24	24	24	24	A	24	24	24	25	25	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	N	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	254	276	295	428	2512		577	451	443	338	384		364	260	238	229	259	ADT
DHV	33	35	38	55	326		75	58	57	43	49		57	41	37	36	41	DHV
SERVICE VOLUME	393	530	586	608	780		333	210	354	357	354		620	333	203	408	258	SERVICE VOLUME
FOUNDATION - 10	0	0	3	0	0		0	0	0	0	0		0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	10	15	10	10		14	12	11	9	12		10	12	12	12	13	SURFACE - 30
DRAINAGE - 10	4	9	10	6	6		10	8	8	8	9		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	10	10	4	1		2	1	2	3	7		6	2	1	20	3	SAFETY - 20
CAPACITY - 30	29	29	29	29	24		27	26	28	28	28		29	28	27	29	28	CAPACITY - 30
SUFFICIENCY RATING	43	58	67	49	41		53	47	49	48	56		55	52	50	71	54	SUFFICIENCY RATING
ADJUSTED RATING	52	66	74	54	33		56	52	54	55	62		61	61	59	79	63	ADJUSTED RATING
DEFICIENT MILEAGE	7.95	1.19	.81	3.60	.57		5.57	2.95	2.28	1.70	3.65		.89	2.53	2.35	2.10	2.35	DEFICIENT MILEAGE

BEGINNING MILE POST	229.5	242.4	252.3	259.4	265.1	268.7	270.5
LENGTH	12.8	9.9	7.1	5.5	3.6	1.7	0.3
YEAR BUILT	55	50	54	54	57	57	U
YEAR IMPROVED	63	63	54	54	57	57	R
SURFACE WIDTH	20	20	24	24	32	32	B
ROADWAY WIDTH	20	24	24	24	32	32	A
SURFACE TYPE	RMS	RMS	RMS	RMS	BST	BST	N
ADT	205	221	214	218	256	485	
DHV	32	35	34	34	40	77	
SERVICE VOLUME	290	354	258	450	552	362	
FOUNDATION - 10	0	3	3	2	4	5	
SURFACE - 30	13	17	16	14	16	19	
DRAINAGE - 10	9	9	10	10	10	10	
SAFETY - 20	4	20	2	5	12	7	
CAPACITY - 30	28	29	28	29	29	27	
SUFFICIENCY RATING	54	78	59	60	71	68	
ADJUSTED RATING	64	85	69	70	78	72	
DEFICIENT MILEAGE	5.93	2.18	2.93	2.23	1.05	.56	

FAP ROUTE NO 14
SHEET 3 OF 3



BEGINNING MILE POST	0.0	5.3	7.0	10.4	17.9	21.8	28.5	33.2	38.6	41.8	54.3	56.6	57.8	BEGINNING MILE POST
LENGTH	5.4	1.7	3.3	7.5	3.9	4.6	6.6	3.4	5.1	12.4	2.3	1.1	6.5	LENGTH
YEAR BUILT	60	61	61	64	64	36	36	37	37	36	58	55	71	YEAR BUILT
YEAR IMPROVED	60	61	61	64	64	50	50	37	37	36	71	55	71	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	32	22	22	24	24	20	22	24	32	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	32	25	25	30	30	24	24	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
ADT	1423	1404	1403	1300	1280	1231	1197	1364	1415	1289	1378	1383	1330	ADT
DHV	169	167	166	154	152	146	142	162	168	153	163	164	158	DHV
SERVICE VOLUME	380	448	448	403	592	431	263	522	286	364	302	503	621	SERVICE VOLUME
FOUNDATION - 10	4	6	6	7	8	0	0	0	0	0	2	4	9	FOUNDATION - 10
SURFACE - 30	18	21	22	21	24	12	11	11	12	13	15	14	27	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	7	6	9	9	6	7	10	10	DRAINAGE - 10
SAFETY - 20	14	12	8	6	9	12	2	3	9	4	1	5	10	SAFETY - 20
CAPACITY - 30	23	24	24	24	26	25	21	25	21	24	22	25	26	CAPACITY - 30
SUFFICIENCY RATING	69	73	70	68	77	56	40	48	51	47	47	58	82	SUFFICIENCY RATING
ADJUSTED RATING	66	70	67	65	75	53	38	45	47	44	43	55	80	ADJUSTED RATING
DEFICIENT MILEAGE	1.67	.47	1.00	2.40	.91	2.06	3.96	1.78	2.53	6.59	1.23	.47	1.17	DEFICIENT MILEAGE

FAP ROUTE NO 15
SHEET 1 OF 4

364.6	366.1	BEGINNING MILE POST
1.7	1.2	LENGTH
49	U	YEAR BUILT
61	R	YEAR IMPROVED
24	B	SURFACE WIDTH
28	A	ROADWAY WIDTH
RMS	N	SURFACE TYPE
879		AOT
104		DHV
469		SERVICE VOLUME
3		FOUNDATION - 10
15		SURFACE - 30
8		DRAINAGE - 10
3		SAFETY - 20
27		CAPACITY - 30
56		SUFFICIENCY RATING
56		ADJUSTED RATING
.71		DEFICIENT MILEAGE

BEGINNING MILE POST	64.4	64.9	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.1	131.0	135.5	136.5	137.6	148.6	156.1	BEGINNING MILE POST
LENGTH	0.5	2.0	6.5	3.3	2.3	1.7	2.1	5.0	6.0	8.9	9.6	8.7	1.4	7.7	4.5	0.8	1.1	11.0	1.9	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	40	40	51	29	31	31	U	31	54	51	73	YEAR BUILT
YEAR IMPROVED	11	71	54	54	54	54	R	72	56	52	54	51	58	58	58	R	69	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	24	24	24	24	24	18	20	20	B	22	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	31	31	31	31	A	30	30	30	32	24	24	24	24	A	24	24	24	30	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	BST	RMS	RMS	RMS	N	RMS	RMS	BST	RMS	SURFACE TYPE
AOT	1350	1422	1504	1609	1903	1520		1055	910	788	168	337	278	287	314		390	351	337	336	AOT
DHV	160	169	178	191	226	176		131	118	102	117	51	42	43	48		59	53	51	51	DHV
SERVICE VOLUME	621	621	522	340	522	676		415	333	604	599	396	414	634	406		416	384	419	567	SERVICE VOLUME
FOUNDATION - 10	10	10	6	6	7	7		4	0	0	0	0	0	0	0		0	0	0	10	FOUNDATION - 10
SURFACE - 30	30	30	20	19	20	18		19	14	9	12	13	9	10	9		11	13	10	30	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	9	9	5	4	7		10	10	8	10	DRAINAGE - 10
SAFETY - 20	10	13	20	3	4	3		8	1	1	4	1	5	3	1		2	11	1	7	SAFETY - 20
CAPACITY - 30	26	26	25	22	24	26		25	25	27	27	28	28	29	28		28	28	28	29	CAPACITY - 30
SUFFICIENCY RATING	86	89	80	59	64	63		66	48	46	52	51	47	46	45		51	62	47	86	SUFFICIENCY RATING
ADJUSTED RATING	84	87	17	54	59	59		65	48	47	53	58	55	54	52		57	68	54	89	ADJUSTED RATING
DEFICIENT MILEAGE	.07	.22	1.30	1.37	.85	.65		1.12	3.13	4.83	4.64	4.27	.17	4.20	2.50		.55	4.18	4.23	.23	DEFICIENT MILEAGE

FAP ROUTE NO 15
SHEET 2 OF 4

BEGINNING MILE POST	158.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.4	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.1	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.9	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	73	68	47	73	36	36	36	37	U	37	36	37	38	68	38	YEAR BUILT
YEAR IMPROVED	73	68	58	73	53	49	57	47	R	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	24	32	24	24	22	22	B	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	PMS	RMS	RMS	N	RMS	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	330	287	279	275	290	299	344	1020		406	347	340	330	324	313	ADT
DHV	50	43	42	42	44	45	52	156		62	53	52	50	49	47	DHV
SERVICE VOLUME	567	450	438	400	441	243	396	263		438	237	217	278	190	393	SERVICE VOLUME
FOUNDATION - 10	10	6	0	10	0	0	0	0		0	0	0	0	8	0	FOUNDATION - 10
SURFACE - 30	30	23	8	30	9	11	10	14		14	13	11	13	24	9	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	7	8		8	8	8	9	10	9	DRAINAGE - 10
SAFETY - 20	20	16	1	15	1	1	1	2		2	2	1	2	10	1	SAFETY - 20
CAPACITY - 30	29	29	29	28	29	27	28	21		28	27	26	27	26	28	CAPACITY - 30
SUFFICIENCY RATING	99	84	45	93	48	48	46	45		52	50	46	51	78	47	SUFFICIENCY RATING
ADJUSTED RATING	99	88	53	95	56	56	53	44		57	57	53	58	83	56	ADJUSTED RATING
DEFICIENT MILEAGE	.03	1.53	4.48	.82	3.58	3.98	2.88	.14		2.39	4.34	6.58	1.24	.22	3.22	DEFICIENT MILEAGE

FAP ROUTE NO 15
SHEET 3 OF 4



BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.7	280.7	287.7	289.8	296.8	302.0	306.4	316.7
LENGTH	8.0	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	5.1	4.4	10.2	8.0
YEAR BUILT	40	40	47	41	U	66	66	64	64	33	33	67	61
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	50	50	67	61
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	20	20	40	32
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	24	24	40	32
SURFACE TYPE	RMS	RMS	BST	RMS	N	PMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS
AOT	313	338	344	489		1286	627	495	470	478	542	706	902
DHV	47	51	52	74		196	81	64	61	62	70	91	117
SERVICE VOLUME	217	237	258	278		592	621	403	448	406	686	296	629
FOUNDATION - 10	0	0	0	0		8	8	7	7	0	0	7	4
SURFACE - 30	13	15	13	14		28	25	22	24	7	8	23	17
DRAINAGE - 10	9	9	8	10		10	10	10	10	8	8	10	10
SAFETY - 20	2	1	3	2		4	20	20	13	2	11	20	8
CAPACITY - 30	27	27	27	26		25	28	28	28	28	28	25	27
SUFFICIENCY RATING	51	52	51	52		75	91	87	82	45	55	85	66
ADJUSTED RATING	58	59	58	56		73	91	89	84	49	58	85	66
DEFICIENT MILEAGE	3.92	2.78	2.54	5.25		.25	.62	.27	1.27	2.84	2.00	1.53	2.72

BEGINNING MILE POST	369.3	369.2	369.0	368.8	367.4
LENGTH	0.2	0.1	0.2	0.3	0.8
YEAR BUILT	69	69	48	60	U
YEAR IMPROVED	69	69	50	60	R
SURFACE WIDTH	24	32	24	72	B
ROADWAY WIDTH	24	32	34	88	A
SURFACE TYPE	PMS	PMS	PMS	PMS	N
AOT	3315	3315	3315	3316	
DHV	397	397	397	397	
SERVICE VOLUME	805	432	336	2840	
FOUNDATION - 10	10	9	6	7	
SURFACE - 30	28	29	19	22	
DRAINAGE - 10	10	10	8	10	
SAFETY - 20	20	20	20	20	
CAPACITY - 30	23	16	12	28	
SUFFICIENCY RATING	91	84	65	87	
ADJUSTED RATING	87	78	56	82	
DEFICIENT MILEAGE	.02	.02	.07	.04	

FAP ROUTE NO 15
SHEET 4 OF 4

BEGINNING MILE POST	312.6	311.6
LENGTH	1.3	1.0
YEAR BUILT	NON EXISTENT	NON EXISTENT
YEAR IMPROVED		
SURFACE WIDTH		
ROADWAY WIDTH		
SURFACE TYPE		
ADT		
DHV		
SERVICE VOLUME		
FOUNDATION - 10		
SURFACE - 30		
DRAINAGE - 10		
SAFETY - 20		
CAPACITY - 30		
SUFFICIENCY RATING		
ADJUSTED RATING		
DEFICIENT MILEAGE		

FAP ROUTE NO
SHEET OF 4

BEGINNING MILE POST	104.1	108.8	113.9	125.5	127.2	129.1	133.6	142.1	150.2
LENGTH	4.7	5.0	11.6	1.7	1.8	4.5	8.4	8.0	1.8
YEAR BUILT	U	34	34	68	34	34	66	65	32
YEAR IMPROVED	R	51	51	68	58	34	66	65	32
SURFACE WIDTH	B	20	20	40	22	22	32	32	20
ROADWAY WIDTH	A	24	24	40	24	24	32	32	24
SURFACE TYPE	N	BST	BST	PMS	RMS	RMS	PMS	PMS	BST
ADT		1590	1163	1128	1122	1132	1168	1234	1636
DHV		206	151	146	145	147	151	160	212
SERVICE VOLUME		396	255	403	272	296	548	720	283
FOUNDATION - 10		0	0	9	0	0	9	8	0
SURFACE - 30		10	11	28	13	11	25	24	14
DRAINAGE - 10		5	6	10	7	6	10	10	8
SAFETY - 20		1	1	12	1	1	7	10	1
CAPACITY - 30		22	21	25	22	23	26	27	19
SUFFICIENCY RATING		38	39	84	43	41	77	79	42
ADJUSTED RATING		34	37	83	41	39	75	77	37
DEFICIENT MILEAGE		3.14	7.12	.27	1.03	2.65	1.94	1.68	1.06

154.2	155.0	161.0	170.1	BEGINNING MILE POST
0.6	5.9	9.0	5.7	LENGTH
U	50	35	35	YEAR BUILT
R	54	35	35	YEAR IMPROVED
B	24	20	20	SURFACE WIDTH
A	30	24	24	ROADWAY WIDTH
N	PMS	BST	BST	SURFACE TYPE
	1045	829	649	ADT
	135	107	84	DHV
	308	392	392	SERVICE VOLUME
	0	0	0	FOUNDATION - 10
	14	7	9	SURFACE - 30
	10	4	5	DRAINAGE - 10
	7	4	2	SAFETY - 20
	23	26	27	CAPACITY - 30
	54	41	43	SUFFICIENCY RATING
	53	41	45	ADJUSTED RATING
	2.73	5.32	3.29	DEFICIENT MILEAGE

FAP ROUTE NO 16
SHEET 2 OF 4

BEGINNING MILE POST	175.8	180.6	181.7	187.8	192.6	197.5	199.1	208.8	220.6	224.4	237.4	BEGINNING MILE POST
LENGTH	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5	LENGTH
YEAR BUILT	63	63	65	52	41	62	62	61	62	59	60	YEAR BUILT
YEAR IMPROVED	63	63	65	52	65	62	62	61	62	64	60	YEAR IMPROVED
SURFACE WIDTH	30	30	30	24	24	32	30	30	30	28	28	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	30	32	30	30	30	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	RMS	PMS	SURFACE TYPE
ADT	462	414	435	477	629	735	326	317	326	323	326	ADT
DHV	57	53	56	62	81	123	54	53	54	54	54	DHV
SERVICE VOLUME	504	333	392	333	333	569	554	583	333	510	584	SERVICE VOLUME
FOUNDATION - 10	7	7	7	3	0	4	0	0	3	0	0	FOUNDATION - 10
SURFACE - 30	21	19	21	14	14	18	12	12	16	11	9	SURFACE - 30
DRAINAGE - 10	10	10	10	10	9	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	12	1	7	7	2	6	10	11	16	15	8	SAFETY - 20
CAPACITY - 30	28	28	28	27	26	27	29	29	28	28	29	CAPACITY - 30
SUFFICIENCY RATING	78	65	73	61	51	65	61	62	73	64	56	SUFFICIENCY RATING
ADJUSTED RATING	81	70	77	65	53	66	68	69	78	71	63	ADJUSTED RATING
DEFICIENT MILEAGE	1.03	.39	1.63	1.90	2.39	.54	3.76	4.49	1.05	4.65	2.01	DEFICIENT MILEAGE

FAP ROUTE NO 16
SHEET 3 OF 4



BEGINNING MILE POST	242.0	241.5	237.2	260.8	264.3	272.1	278.4	284.3	290.7	296.0	301.3	309.5	310.9	BEGINNING MILE POST
LENGTH	5.5	9.1	3.6	3.4	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	0.6	LENGTH
YEAR BUILT	60	60	57	57	57	49	47	42	42	42	38	38	U	YEAR BUILT
YEAR IMPROVED	60	60	59	59	59	49	47	42	61	61	42	42	R	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	24	22	25	20	22	22	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	28	28	29	29	29	22	25	24	24	24	26	26	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	BST	BST	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	330	322	245	229	217	214	216	211	230	244	325	945		ADT
DHV	55	54	41	38	36	35	36	36	38	40	54	158		DHV
SERVICE VOLUME	372	462	462	486	312	374	459	561	622	220	319	374		SERVICE VOLUME
FOUNDATION - 10	0	0	0	3	3	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	12	11	16	18	16	10	8	10	10	15	12	14		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	7	8	8	8	9	8	8		DRAINAGE - 10
SAFETY - 20	9	10	20	17	3	10	5	4	6	2	4	4		SAFETY - 20
CAPACITY - 30	28	28	29	29	28	29	29	29	29	27	27	24		CAPACITY - 30
SUFFICIENCY RATING	59	59	75	77	60	56	50	51	53	53	51	50		SUFFICIENCY RATING
ADJUSTED RATING	66	66	82	84	70	66	60	61	63	62	58	49		ADJUSTED RATING
DEFICIENT MILEAGE	2.28	3.98	.91	.80	3.12	2.75	2.96	3.13	2.48	2.48	3.91	.69		DEFICIENT MILEAGE

FAP ROUTE NO 16
SHEET 4 OF 4

BEGINNING MILE POST	0.0	6.1	8.3	18.5	19.1	22.3	29.6	31.3	35.4	36.5	37.8	38.6	43.8	BEGINNING MILE POST
LENGTH	6.1	2.1	0.6	0.5	3.2	7.3	1.5	4.0	1.0	1.2	0.8	5.1	1.0	LENGTH
YEAR BUILT	48	54	62	71	29	31	66	31	U	31	55	31	49	YEAR BUILT
YEAR IMPROVED	48	54	62	71	41	57	66	57	R	57	55	49	49	YEAR IMPROVED
SURFACE WIDTH	28	24	32	26	24	22	28	24	B	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	26	26	26	28	30	A	30	32	24	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	684	204	169	138	138	88	110	212		105	104	87	67	AOT
OHV	88	26	21	17	17	11	14	27		14	15	12	8	OHV
SERVICE VOLUME	631	680	365	671	567	456	531	530		951	424	312	616	SERVICE VOLUME
FOUNDATION - 13	2	0	10	10	0	0	8	0		0	6	0	5	FOUNDATION - 13
SURFACE - 30	17	16	27	30	11	13	23	14		11	16	14	16	SURFACE - 30
DRAINAGE - 10	10	10	10	10	5	6	10	6		5	9	5	8	DRAINAGE - 10
SAFETY - 20	7	5	1	0	3	2	2	1		20	20	1	0	SAFETY - 20
CAPACITY - 30	28	29	29	30	30	30	30	29		30	29	29	30	CAPACITY - 30
SUFFICIENCY RATING	64	60	77	80	49	51	73	50		66	80	49	59	SUFFICIENCY RATING
ADJUSTED RATING	65	70	85	88	62	68	85	60		80	90	66	77	ADJUSTED RATING
DEFICIENT MILEAGE	2.22	.86	.15	.11	1.67	3.59	.42	2.01		.43	.16	2.61	.42	DEFICIENT MILEAGE

FAP ROUTE NO 17
SHEET 1 OF 1

BEGINNING MILE POST		0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	58.9	63.3	73.5	BEGINNING MILE POST
LENGTH		0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	10.4	4.3	10.2	9.3	LENGTH
YEAR BUILT	U		57	64	63	28	28	31	31	31	31	29	67	58	YEAR BUILT
YEAR IMPROVED	P		57	64	63	35	35	35	56	53	53	35	67	65	YEAR IMPROVED
SURFACE WIDTH	B		32	30	30	20	20	20	20	20	20	20	30	28	SURFACE WIDTH
ROADWAY WIDTH	A		32	30	30	24	24	24	24	24	24	24	30	28	ROADWAY WIDTH
SURFACE TYPE	N		BST	PMS	PMS	BST	BST	BST	BST	RMS	RMS	BST	RMS	PMS	SURFACE TYPE
ADT			1735	376	268	229	219	209	184	167	167	186	221	286	ADT
DHV			225	48	34	29	28	27	23	21	21	24	28	37	DHV
SERVICE VOLUME			504	600	663	655	627	448	422	448	470	364	702	472	SERVICE VOLUME
FOUNDATION - 10			6	5	6	0	0	0	0	0	0	0	8	7	FOUNDATION - 10
SURFACE - 30			21	18	16	8	9	8	10	7	8	10	24	25	SUPFACE - 30
DRAINAGE - 10			10	10	10	8	8	7	7	7	5	5	10	10	DRAINAGE - 10
SAFETY - 20			12	8	10	6	3	1	1	1	1	2	17	6	SAFETY - 20
CAPACITY - 30			23	29	29	29	29	29	29	29	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING			72	70	69	51	49	45	47	44	43	46	88	77	SUFFICIENCY RATING
ADJUSTED RATING			68	75	76	61	59	55	58	56	55	57	92	83	ADJUSTED RATING
DEFICIENT MILEAGE			.32	3.27	1.55	.99	1.98	6.02	1.69	5.81	5.97	2.37	1.22	2.15	DEFICIENT MILEAGE

FAP ROUTE NO 18
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.8	5.5	7.1	12.3	16.9	22.0	24.3	27.6	30.8	31.6	34.4	38.5	48.3	57.4	62.5	63.2	63.6	BEGINNING MILE POST
LENGTH	2.8	2.6	1.5	5.2	4.5	5.0	2.2	3.3	3.1	0.8	2.7	4.1	9.7	9.1	5.0	0.6	0.4	0.2	LENGTH
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	57	57	60	31	25	66	66	U	YEAR BUILT
YEAR IMPROVED	64	61	61	R	59	59	59	54	40	57	57	57	60	52	52	66	66	R	YEAR IMPROVED
SURFACE WIDTH	76	76	76	B	28	28	32	22	20	32	32	32	32	20	20	40	32	B	SURFACE WIDTH
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	32	32	24	22	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	RMS	BST	BST	BST	PMS	RMS	RMS	PMS	PMS	N	SURFACE TYPE
ADT	3017	3777	5553		1765	1318	1025	797	589	500	499	475	561	532	631	712	733		ADT
DHV	392	491	721		255	191	148	115	85	72	72	68	81	77	91	103	106		DHV
SERVICE VOLUME	2184	2184	2184		508	478	514	222	287	383	866	514	482	732	507	258	774		SERVICE VOLUME
FOUNDATION - 10	9	9	10		4	4	0	3	0	3	0	0	6	0	0	10	10		FOUNDATION - 10
SURFACE - 30	26	26	26		16	17	18	14	12	16	9	11	19	7	9	27	26		SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	8	7	6	10	10	10	10	3	3	10	10		DRAINAGE - 10
SAFETY - 20	12	20	15		5	13	9	2	0	1	11	5	14	2	1	4	9		SAFETY - 20
CAPACITY - 30	27	27	25		22	24	26	22	26	27	29	28	27	28	27	24	28		CAPACITY - 30
SUFFICIENCY RATING	86	92	86		57	68	61	48	44	57	59	54	76	40	40	75	83		SUFFICIENCY RATING
ADJUSTED RATING	81	88	79		52	65	60	49	47	61	63	58	78	43	42	76	83		ADJUSTED RATING
DEFICIENT MILEAGE	.40	.21	.21		1.94	1.62	.87	1.75	1.75	.35	1.11	1.91	2.32	5.48	3.04	.15	.07		DEFICIENT MILEAGE

FAP ROUTE NO 9
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.5	32.9	42.0	50.0	51.7	52.5	58.6	62.5	63.9	BEGINNING MILE POST
LENGTH	1.7	4.3	6.8	5.6	4.1	5.7	2.5	1.4	9.0	7.9	1.7	0.8	6.0	3.9	1.3	0.3	LENGTH
YEAR BUILT	U	64	67	69	54	54	34	74	34	73	73	U	35	35	U	56	YEAR BUILT
YEAR IMPROVED	R	64	67	69	54	54	58	74	57	73	73	R	35	35	R	56	YEAR IMPROVED
SURFACE WIDTH	B	40	40	40	28	28	20	40	20	40	83	B	20	20	B	24	SURFACE WIDTH
ROADWAY WIDTH	A	40	40	40	28	28	24	40	24	40	83	A	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	RMS	RMS	RMS	PMS	RMS	PMS	PMS	N	RMS	RMS	N	RMS	SURFACE TYPE
AOT		1481	911	902	982	1050	1096	1202	1205	1639	3525		2136	1619		1444	AOT
OHV		192	118	117	127	136	142	156	156	213	458		277	210		187	OHV
SERVICE VOLUME		222	643	184	436	301	201	281	377	281	1720		453	302		896	SERVICE VOLUME
FOUNDATION - 10		8	8	7	0	2	0	10	0	10	10		0	0		8	FOUNDATION - 10
SURFACE - 30		25	26	25	14	17	12	30	12	30	30		13	12		21	SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	8	10	8	10	10		5	5		10	DRAINAGE - 10
SAFETY - 20		8	9	8	8	11	1	2	2	12	6		5	2		1	SAFETY - 20
CAPACITY - 30		17	27	20	26	23	19	22	24	19	26		21	20		27	CAPACITY - 30
SUFFICIENCY RATING		68	80	70	58	63	40	74	46	81	82		44	39		67	SUFFICIENCY RATING
ADJUSTED RATING		64	80	70	57	62	38	72	43	78	76		37	35		64	ADJUSTED RATING
DEFICIENT MILEAGE		1.40	1.37	1.68	1.75	2.14	1.55	.38	4.88	1.51	.31		3.39	2.38		.11	DEFICIENT MILEAGE

FAP ROUTE NO 20
SHEET 1 OF 1

BEGINNING MILE POST	44.0	44.8	47.7	49.0	57.0
LENGTH	0.8	2.9	1.2	8.7	0.5
YEAR BUILT	72	64	U	51	72
YEAR IMPROVED	72	64	R	65	72
SURFACE WIDTH	40	24	B	32	34
ROADWAY WIDTH	40	26	A	32	34
SURFACE TYPE	PMS	RMS	N	RMS	PMS
ADT	541	727		274	464
DHV	70	94		35	60
SERVICE VOLUME	616	264		428	720
FOUNDATION - 10	10	0		4	10
SURFACE - 30	30	13		16	30
DRAINAGE - 10	10	8		10	10
SAFETY - 20	2	1		4	3
CAPACITY - 30	28	25		29	29
SUFFICIENCY RATING	80	47		63	82
ADJUSTED RATING	82	48		71	84
DEFICIENT MILEAGE	.16	1.50		3.23	.09

FAP ROUTE NO 21
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.1	42.3	43.3	52.6	63.7	63.8	64.0	64.3	BEGINNING MILE POST
LENGTH	0.5	7.0	10.2	3.0	8.4	11.8	1.1	1.0	9.2	11.1	0.1	0.2	0.2	7.5	LENGTH
YEAR BUILT	U	65	35	36	36	37	U	33	33	63	U	63	U	U	YEAR BUILT
YEAR IMPROVED	R	65	36	36	36	37	R	36	36	63	R	63	R	N	YEAR IMPROVED
SURFACE WIDTH	B	32	20	22	22	20	B	20	20	32	B	32	B	O	C SURFACE WIDTH
ROADWAY WIDTH	A	32	24	25	25	24	A	24	24	32	A	32	A	E	D ROADWAY WIDTH
SURFACE TYPE	N	PMS	BST	BST	BST	RMS	N	RMS	RMS	PMS	N	PMS	N	R	N SURFACE TYPE
ADT		604	399	237	342	620		1790	904	661		598			S ADT
DHV		90	59	35	51	93		268	135	99		89			T DHV
SERVICE VOLUME		672	184	249	435	406		564	352	672		896			R SERVICE VOLUME
FOUNDATION - 10		8	0	0	0	0		0	0	7		7			U FOUNDATION - 10
SURFACE - 30		25	12	12	14	13		14	14	23		23			C SURFACE - 30
DRAINAGE - 10		10	8	8	9	9		10	9	10		10			T DRAINAGE - 10
SAFETY - 20		16	1	1	5	3		20	2	20		20			I SAFETY - 20
CAPACITY - 30		28	25	28	28	27		23	24	28		29			O CAPACITY - 30
SUFFICIENCY RATING		87	46	49	56	52		67	49	88		89			N SUFFICIENCY RATING
ADJUSTED RATING		88	52	58	63	54		62	49	89		90			ADJUSTED RATING
DEFICIENT MILEAGE		.91	5.54	1.54	3.71	5.68		.34	4.70	1.33		.02			DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 1 OF 2

BEGINNING MILE POST	71.8	73.8	75.7	75.8	81.3	88.4	88.6	89.5	90.0	91.9	93.5	96.8	100.1	108.2	112.9	117.7	121.3	125.0	BEGINNING MILE POST
LENGTH	2.0	1.9	0.1	5.4	7.1	0.1	0.8	0.4	1.8	1.6	3.2	3.3	8.0	4.6	4.7	3.6	3.6	1.0	LENGTH
YEAR BUILT	U	71	U	71	59	U	U	61	33	34	37	70	40	40	40	38	37	U	YEAR BUILT
YEAR IMPROVED	N	71	R	71	59	R	R	61	58	36	41	70	49	49	49	49	49	R	YEAR IMPROVED
SURFACE WIDTH	0 C	32	B	32	32	B	B	36	20	20	24	34	24	24	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	E O	32	A	32	32	A	A	36	24	24	26	34	26	26	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	R N	PMS	N	PMS	PMS	N	N	PMS	RMS	BST	BST	PMS	BST	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	S	615		627	732			648	600	564	570	581	598	630	759	882	1977		ADT
DHV	T	92		94	109			97	90	84	85	87	89	94	113	132	296		DHV
SERVICE VOLUME	R	576		640	456			560	311	515	470	360	448	255	277	387	277		SERVICE VOLUME
FOUNDATION - 10	U	10		10	4			7	0	0	0	8	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	C	28		28	16			16	9	8	10	24	8	11	11	11	14		SURFACE - 30
DRAINAGE - 10	1	10		10	10			10	7	10	7	10	8	8	8	8	9		DRAINAGE - 10
SAFETY - 20	I	8		11	20			5	2	4	16	20	16	3	4	5	3		SAFETY - 20
CAPACITY - 30	O	28		28	26			27	26	28	27	26	27	24	24	25	14		CAPACITY - 30
SUFFICIENCY RATING	N	84		87	76			65	44	50	60	88	59	46	47	49	40		SUFFICIENCY RATING
ADJUSTED RATING		85		88	77			67	47	53	63	89	62	48	48	49	34		ADJUSTED RATING
DEFICIENT MILEAGE		.31		.71	1.71			.17	1.04	.82	1.30	.39	3.31	2.51	2.51	1.85	2.19		DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 2 OF 2

BEGINNING MILE POST	0.0	2.0	2.1	5.4	14.6	25.1	27.8	33.3	44.1	47.8
LENGTH	1.7	0.1	3.2	9.1	10.5	2.6	5.5	10.7	3.7	2.7
YEAR BUILT	U	20	20	36	62	62	31	31	32	52
YEAR IMPROVED	R	36	36	36	62	62	47	47	60	52
SURFACE WIDTH	B	25	22	22	30	30	20	20	18	22
ROADWAY WIDTH	A	25	25	25	30	30	24	24	24	28
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	BSI	BSI	RMS	PMS
AOT		1447	1191	754	424	417	369	330	326	292
DHV		188	154	109	61	60	53	47	47	42
SERVICE VOLUME		280	324	425	510	485	492	469	316	196
FOUNDATION - 10		0	0	0	5	7	0	0	0	0
SURFACE - 30		13	13	10	16	18	8	8	9	12
DRAINAGE - 10		8	8	7	10	10	7	4	4	10
SAFETY - 20		20	1	2	8	9	4	4	1	4
CAPACITY - 30		20	23	26	28	28	28	28	28	27
SUFFICIENCY RATING		61	45	45	67	72	47	44	42	53
ADJUSTED RATING		57	43	46	71	76	53	51	49	61
DEFICIENT MILEAGE		.02	1.80	5.02	3.48	.73	2.92	6.04	2.15	1.21

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
AOT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 1 OF 2

BEGINNING MILE POST	50.5	55.7	64.5	72.9	76.3	77.8	79.1	79.7	83.0	85.5	95.5	101.5	108.4	119.4	130.3
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.5	3.3	2.4	10.0	6.0	6.8	11.0	10.8	9.5
YEAR BUILT	52	49	29	28	69	28	U	40	31	53	54	54	55	55	65
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	55	65
SURFACE WIDTH	24	24	24	24	28	20	B	24	20	24	24	24	28	28	40
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	28	28	28	28	28	40
SURFACE TYPE	RMS	RMS	BSI	BST	PMS	BST	N	RMS	RMS	RMS	RMS	RMS	PMS	BST	PMS
ADT	299	346	365	440	1049	1332		1013	613	597	591	549	616	627	634
DHV	43	50	52	63	152	193		146	88	86	85	79	89	90	95
SERVICE VOLUME	378	217	258	438	276	250		297	203	266	462	462	486	510	260
FOUNDATION - 10	0	0	0	2	9	0		0	0	0	0	2	3	4	4
SURFACE - 30	12	11	11	10	28	13		14	14	14	13	13	17	19	24
DRAINAGE - 10	10	9	10	8	10	4		9	7	10	10	10	10	10	10
SAFETY - 20	10	1	3	2	20	1		11	3	4	17	20	20	20	20
CAPACITY - 30	28	27	27	28	22	18		23	23	25	27	27	27	27	25
SUFFICIENCY RATING	60	48	51	50	89	36		57	47	53	67	72	77	80	83
ADJUSTED RATING	67	55	57	55	88	33		56	49	56	69	75	79	81	84
DEFICIENT MILEAGE	2.07	4.57	4.11	1.69	.16	.83		1.45	1.29	4.70	1.98	1.92	2.53	2.16	1.62

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 2 OF 2

N

BEGINNING MILE POST	0.0	0.9	1.8	4.9	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.7	7.4	12.5	9.8
YEAR BUILT	74	74	36	68	40	41	68	41	49	54	61	61	61
YEAR IMPROVED	74	74	37	68	42	63	68	49	49	54	61	61	61
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24
ROADWAY WIDTH	44	44	30	40	24	24	40	25	25	30	26	26	26
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	PMS	BST	BST	RMS	PMS	PMS	PMS
ADT	2441	2275	2099	1961	1748	1547	1500	1459	1395	1181	1176	1106	1182
DHV	402	375	346	323	288	255	247	240	230	194	194	182	195
SERVICE VOLUME	471	471	258	450	186	120	420	182	438	235	316	299	184
FOUNDATION - 10	10	10	3	8	0	0	9	0	0	0	7	6	6
SURFACE - 30	28	30	17	22	10	8	25	8	9	11	21	19	21
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10
SAFETY - 20	2	2	1	9	2	2	16	11	7	11	5	6	2
CAPACITY - 30	17	18	10	19	7	0	21	10	22	18	21	21	14
SUFFICIENCY RATING	67	70	35	68	24	16	81	36	46	50	64	62	53
ADJUSTED RATING	60	64	29	63	20	13	78	32	42	48	62	60	51
DEFICIENT MILEAGE	.32	.26	2.62	.83	3.54	3.20	1.24	2.57	2.80	1.89	2.69	4.75	4.60

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 24
SHEET OF 2

BEGINNING MILE POST	65.4	72.2	76.1	82.0	86.1	91.2	97.0	100.5	109.0	116.8	127.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.8	5.8	4.1	5.0	5.9	3.5	8.5	7.7	13.6	5.7	5.2	1.3	LENGTH
YEAR BUILT	60	60	60	57	57	48	48	51	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	60	64	64	70	63	51	52	52	59	64	71	YEAR IMPROVED
SURFACE WIDTH	24	24	24	28	28	24	24	25	24	24	32	32	25	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	30	25	25	25	26	26	32	32	31	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	PMS	BST	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT	1426	1536	1244	1009	975	975	972	958	919	971	1572	1667	1741	ADT
DHV	235	230	186	151	146	146	145	143	137	145	220	233	243	DHV
SERVICE VOLUME	328	549	331	410	177	164	266	243	308	308	748	653	522	SERVICE VOLUME
FOUNDATION - 10	6	6	7	8	8	5	4	0	0	0	8	5	3	FOUNDATION - 10
SURFACE - 30	21	21	22	22	22	19	16	17	13	13	26	23	16	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	8	8	8	8	7	10	10	9	DRAINAGE - 10
SAFETY - 20	4	7	2	6	1	2	4	13	2	2	9	9	1	SAFETY - 20
CAPACITY - 30	19	24	22	24	18	17	22	21	23	23	26	25	23	CAPACITY - 30
SUFFICIENCY RATING	60	68	63	70	59	51	54	59	46	45	79	72	52	SUFFICIENCY RATING
ADJUSTED RATING	56	64	60	69	58	50	53	58	45	44	76	68	47	ADJUSTED RATING
DEFICIENT MILEAGE	2.71	1.23	2.17	1.23	2.08	2.85	1.67	3.49	4.20	5.84	1.20	1.47	.63	DEFICIENT MILEAGE



BEGINNING MILE POST	139.7	142.1	145.1	150.6
LENGTH	2.6	2.9	5.5	9.9
YEAR BUILT	34	34	34	35
YEAR IMPROVED	67	37	62	36
SURFACE WIDTH	24	20	24	22
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	RMS	BST	RMS	RMS
ADT	333	296	277	271
DHV	48	42	40	39
SERVICE VOLUME	429	422	301	420
FOUNDATION - 10	0	0	0	0
SURFACE - 30	13	12	15	12
DRAINAGE - 10	4	4	5	6
SAFETY - 20	3	1	1	3
CAPACITY - 30	28	29	28	29
SUFFICIENCY RATING	48	46	49	50
ADJUSTED RATING	55	54	57	58
DEFICIENT MILEAGE	1.36	1.60	2.83	4.95

FAP ROUTE 24 & SPUR
SHEET 2 OF 2


CIRCLE
FAP 25
Presser ville
FAS 25
FAS 25
FAP 25
FAS
FAS
FAS
FAS
FAP 25
FAP 25
FAP 25

BEGINNING MILE POST	0.0	0.3	7.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	T3.3	79.1	BEGINNING MILE POST
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.T	0.9	LENGTH
YEAR BUILT	U	50	50	50	48	48	U	57	58	65	65	65	65	U	YEAR BUILT
YEAR IMPROVED	R	50	50	50	48	48	R	60	58	65	65	65	65	R	YEAR IMPROVED
SURFACE WIDTH	B	22	22	22	25	25	B	28	30	28	28	28	28	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	25	25	A	28	30	28	28	28	28	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BSI	BST	N	RMS	BST	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		335	308	325	366	605		608	372	361	416	475	514		ADT
DHV		43	40	42	4T	78		T9	48	46	54	61	66		DHV
SERVICE VOLUME		431	243	243	469	441		371	683	643	621	401	592		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		2	0	8	9	10	9		FOUNDATION - 10
SURFACE - 30		11	11	13	10	7		14	9	26	26	27	26		SURFACE - 30
DRAINAGE - 10		10	10	10	9	9		10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		4	1	2	2	2		12	8	7	4	2	9		SAFETY - 20
CAPACITY - 30		29	28	27	28	27		2T	29	29	29	28	28		CAPACITY - 30
SUFFICIENCY RATING		54	50	52	49	45		65	56	80	78	T7	82		SUFFICIENCY RATING
ADJUSTED RATING		61	5T	59	55	47		67	62	84	81	80	84		ADJUSTED RATING
DEFICIENT MILEAGE		3.17	2.40	5.01	3.3T	3.03		3.02	4.51	2.25	1.16	.4T	1.03		DEFICIENT MILEAGE

FAP ROUTE 27
SHEET 1 OF 1



BEGINNING MILE POST	0.0
LENGTH	8.7
YEAR BUILT	36
YEAR IMPROVED	72
SURFACE WIDTH	22
ROADWAY WIDTH	22
SURFACE TYPE	BST
ADT	241
DHV	54
SERVICE VOLUME	308
FOUNDATION - 10	4
SURFACE - 30	18
DRAINAGE - 10	6
SAFETY - 20	0
CAPACITY - 30	27
SUFFICIENCY RATING	55
ADJUSTED RATING	64
DEFICIENT MILEAGE	3.91

BEGINNING MILE POST	45.0	47.3	53.7	60.0	64.2	68.3	68.5	68.6	70.3	82.0	90.9	95.3	96.6	101.1
LENGTH	2.3	6.4	6.2	4.2	4.1	0.2	0.1	1.5	11.7	8.9	4.4	1.0	4.6	0.5
YEAR BUILT	65	65	65	69	34	U	34	U	21	36	74	U	74	68
YEAR IMPROVED	65	65	65	69	57	R	57	R	54	36	74	R	74	68
SURFACE WIDTH	28	28	28	34	22	R	22	B	22	21	40	B	44	40
ROADWAY WIDTH	28	28	28	34	22	A	24	A	24	24	40	A	44	40
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	N	RMS	N	RMS	RMS	PMS	N	PMS	PMS
ADT	349	375	414	441	632		1266		1205	1090	1147		1544	1622
DHV	78	84	93	99	142		284		241	218	229		308	324
SERVICE VOLUME	335	394	532	522	591		595		595	453	288		288	288
FOUNDATION - 10	8	7	8	9	0		0		0	0	10		10	7
SURFACE - 30	22	23	22	26	8		10		11	13	30		30	25
DRAINAGE - 10	10	10	10	10	8		8		8	8	10		10	10
SAFETY - 20	1	0	1	20	1		20		5	5	5		2	12
CAPACITY - 30	27	27	27	27	26		23		24	23	18		14	13
SUFFICIENCY RATING	68	67	68	92	43		61		48	49	T3		66	67
ADJUSTED RATING	T4	72	T3	93	45		58		45	4T	T1		62	63
DEFICIENT MILEAGE	.74	2.11	2.00	.33	2.36		.04		6.09	4.55	1.19		1.59	.19

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.9	58.3	59.8	66.0	67.9	68.8	75.0	77.8	80.1	83.4	85.9	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.6	8.5	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	2.5	2.2	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	31	51	31	34	28	28	N	U	YEAR BUILT
YEAR IMPROVED	R	50	51	56	R	45	42	40	R	39	R	39	36	63	36	40	51	62	62	60	71	D	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	28	B	20	20	20	B	20	B	20	18	22	18	24	34	22	24	24	24	N	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	28	A	24	24	24	A	24	A	24	24	24	24	31	34	26	30	30	30	E	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	N	RMS	RMS	RMS	N	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	X	N	SURFACE TYPE
ADT		673	483	495		657	710	770		944		1052	946	316	304	449	426	408	556	766	1320	I		ADT
OHV		141	101	103		137	149	161		198		157	141	47	45	58	55	53	72	99	171	S		OHV
SERVICE VOLUME		420	243	194		315	390	435		486		345	138	479	449	219	193	238	243	504	292	T		SERVICE VOLUME
FOUNDATION - 10		5	5	6		4	0	0		0		0	0	0	0	0	0	0	0	0	0	E		FOUNDATION - 10
SURFACE - 30		18	17	19		18	13	12		11		13	12	10	10	13	13	10	15	14	12	N		SURFACE - 30
DRAINAGE - 10		7	8	10		5	8	8		8		5	6	5	5	10	10	7	7	7	8	Y		DRAINAGE - 10
SAFETY - 20		2	5	20		2	3	6		6		20	1	1	1	2	20	4	0	2	2			SAFETY - 20
CAPACITY - 30		25	24	22		23	24	24		24		23	15	29	28	26	26	27	26	27	21			CAPACITY - 30
SUFFICIENCY RATING		57	59	77		52	48	50		49		61	34	45	44	51	69	48	48	50	43			SUFFICIENCY RATING
ADJUSTED RATING		59	63	80		54	49	51		48		60	33	52	51	56	73	53	51	51	40			ADJUSTED RATING
DEFICIENT MILEAGE		2.33	2.06	.53		2.45	2.73	3.96		4.09		2.58	5.61	.81	3.24	.98	.27	3.20	1.46	1.16	1.86			DEFICIENT MILEAGE

FAP ROUTE NO 29
SHEET 1 OF 1

BEGINNING MILE POST	0.0	10.1	20.6	23.3
LENGTH	10.1	10.4	2.7	0.8
YEAR BUILT	38	40	40	U
YEAR IMPROVED	40	40	40	R
SURFACE WIDTH	20	20	20	B
ROADWAY WIDTH	24	24	24	A
SURFACE TYPE	RMS	RMS	RMS	N
ADT	394	259	383	
DHV	55	36	53	
SERVICE VOLUME	290	290	315	
FOUNDATION - 10	0	0	0	
SURFACE - 30	12	14	13	
DRAINAGE - 10	7	8	8	
SAFETY - 20	3	2	2	
CAPACITY - 30	27	28	27	
SUFFICIENCY RATING	49	52	50	
ADJUSTED RATING	55	61	56	
DEFICIENT MILEAGE	5.17	5.03	1.37	



BEGINNING MILE POST	0.0	3.7	7.5	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.9
LENGTH	3.7	3.7	6.6	9.2	4.7	7.0	4.6	4.5	3.7	2.5	0.9	9.1	4.8
YEAR BUILT	33	33	33	33	33	33	33	33	33	33	U	58	45
YEAR IMPROVED	36	36	36	36	36	35	35	35	35	35	R	68	71
SURFACE WIDTH	20	20	20	20	20	20	20	20	20	20	B	24	24
ROADWAY WIDTH	24	24	24	24	24	24	24	24	24	24	A	26	24
SURFACE TYPE	BST	BST	BST	BST	BST	BST	BST	BST	BST	BST	N	PMS	BST
ADT	349	498	373	317	274	297	310	307	336	433		168	56
DHV	48	69	52	44	38	41	43	42	47	60		23	7
SERVICE VOLUME	345	372	357	203	220	357	185	203	372	203		456	333
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0		10	4
SURFACE - 30	13	12	9	17	14	10	13	11	12	12		26	17
DRAINAGE - 10	10	9	9	7	8	7	8	5	8	8		10	10
SAFETY - 20	13	3	2	1	1	2	2	1	5	1		2	2
CAPACITY - 30	28	27	28	27	27	28	27	27	28	26		29	30
SUFFICIENCY RATING	64	51	48	52	50	47	50	44	53	47		77	63
ADJUSTED RATING	70	55	54	59	58	55	57	51	60	52		85	82
DEFICIENT MILEAGE	1.35	1.83	3.44	4.45	2.37	3.73	2.33	2.57	1.74	1.37		2.11	1.80

FAP ROUTE NO 30 & 32
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.2	9.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9
LENGTH	0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9
YEAR BUILT	U	59	42	67	74	74	74	74	71	71	71
YEAR IMPROVED	R	59	50	67	74	74	74	74	71	71	71
SURFACE WIDTH	B	26	28	34	34	34	34	34	34	34	40
ROADWAY WIDTH	A	37	28	34	34	34	34	34	34	34	40
SURFACE TYPE	N	BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT		3090	1489	864	463	215	152	155	202	537	740
DHV		401	193	112	60	27	19	20	26	69	96
SERVICE VOLUME		397	349	722	289	243	243	243	138	365	642
FOUNDATION - 10		6	4	9	10	10	10	10	10	9	0
SURFACE - 30		17	17	26	30	30	30	30	30	27	9
DRAINAGE - 10		10	8	10	10	10	10	10	10	10	8
SAFETY - 20		1	3	4	2	2	2	1	1	1	13
CAPACITY - 30		15	22	28	27	28	29	29	27	27	28
SUFFICIENCY RATING		49	54	77	79	80	81	80	78	74	58
ADJUSTED RATING		40	50	77	82	86	89	88	85	77	59
DEFICIENT MILEAGE		.28	3.82	1.01	.76	2.47	2.42	2.23	.14	2.70	.82


LIBBY
FAP 1
FAP 33
FAS
Libby Dam
LAKE
KOOCANUSA
B N
FAP 5
Fortine
EUREKA
Rexford
FAP 37
FAP 1
LINCOLN CO
Woodside
FAP
FAS
Columbia Falls
HAMILTON
FAP 35
Flathead River
FAP 35
FAS
FAS
FAS

46.7	47.7	BEGINNING MILE POST
1.7	0.2	LENGTH
41	U	YEAR BUILT
41	R	YEAR IMPROVED
20	B	SURFACE WIDTH
26	A	ROADWAY WIDTH
BST	N	SURFACE TYPE
890		ADT
133		DHV
685		SERVICE VOLUME
0		FOUNDATION - 10
9		SURFACE - 30
6		DRAINAGE - 10
20		SAFETY - 20
27		CAPACITY - 30
62		SUFFICIENCY RATING
62		ADJUSTED RATING
.66		DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	3.6	7.4	13.8	16.2	18.9	26.1	31.1	31.6	36.1	40.1	BEGINNING MILE POST
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5	LENGTH
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37	YEAR BUILT
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	28	25	24	26	28	28	25	25	26	26	26	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	PMS	PMS	BST	BST	RMS	RMS	RMS	SURFACE TYPE
ADT	530	453	406	449	688	654	489	494	496	500	507	ADT
DHV	79	67	60	67	103	98	73	74	74	75	76	DHV
SERVICE VOLUME	283	206	288	138	599	586	266	266	278	825	318	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	5	6	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	11	10	10	12	20	19	13	13	13	10	13	SURFACE - 30
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7	DRAINAGE - 10
SAFETY - 20	3	4	2	8	8	7	5	5	4	20	7	SAFETY - 20
CAPACITY - 30	26	25	27	23	27	27	26	26	26	29	26	CAPACITY - 30
SUFFICIENCY RATING	47	45	45	49	70	69	51	51	49	66	53	SUFFICIENCY RATING
ADJUSTED RATING	50	50	50	54	71	71	55	55	53	69	57	ADJUSTED RATING
DEFICIENT MILEAGE	1.94	2.09	3.52	1.21	.81	2.21	2.44	.25	2.26	1.39	3.06	DEFICIENT MILEAGE

FAP ROUTE 36 & SPUR
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.8	17.2	24.4	33.0	38.6	42.0	46.5	53.6	62.3	64.3	69.6	79.2	82.6	84.7	95.7	BEGINNING MILE POST
LENGTH	7.8	9.3	7.2	8.5	5.6	3.3	4.4	7.1	8.6	1.9	5.3	9.6	3.3	2.0	10.9	7.9	LENGTH
YEAR BUILT	54	54	54	54	74	U	54	54	54	57	57	67	67	67	69	69	YEAR BUILT
YEAR IMPROVED	54	54	54	54	74	N	54	54	54	57	57	67	67	67	69	69	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	40	D C	24	24	24	24	24	28	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	40	E O	24	24	24	28	28	28	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	R N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	811	759	783	892	943	S	989	826	756	722	589	439	426	431	445	478	ADT
OHV	109	102	105	120	127	T	133	111	102	97	79	59	57	58	60	64	OHV
SERVICE VOLUME	217	418	369	593	135	R	237	120	258	435	289	435	117	289	480	368	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	10	U	0	3	6	4	0	4	5	5	8	9	FOUNDATION - 10
SURFACE - 30	11	10	7	6	25	C	14	16	20	16	15	17	17	16	25	28	SURFACE - 30
DRAINAGE - 10	8	8	8	10	10	T	9	8	9	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	5	7	20	8	8	I	8	1	2	2	8	14	20	8	10	5	SAFETY - 20
CAPACITY - 30	22	26	26	27	16	O	22	16	24	27	26	28	23	27	28	27	CAPACITY - 30
SUFFICIENCY RATING	46	51	61	51	69	N	53	44	61	59	59	73	75	66	81	79	SUFFICIENCY RATING
ADJUSTED RATING	46	52	62	51	68		52	44	62	60	62	77	79	70	84	82	ADJUSTED RATING
DEFICIENT MILEAGE	4.24	4.57	2.84	4.19	1.74		2.10	3.98	3.39	.80	2.17	2.60	.84	.70	2.08	1.66	DEFICIENT MILEAGE

FAP ROUTE NO 37
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.1	6.4	7.3	8.6
LENGTH	4.1	2.2	0.9	1.2	0.2
YEAR BUILT	U	39	U	37	71
YEAR IMPROVED	N	39	R	55	71
SURFACE WIDTH	D C	20	B	22	44
ROADWAY WIDTH	E D	24	A	24	44
SURFACE TYPE	R N	RMS	N	RMS	RMS
ADT	S	4273		2964	2964
OHV	T	598		414	414
SERVICE VOLUME	R	642		263	289
FOUNDATION - 10	U	0		0	8
SURFACE - 30	C	9		12	21
DRAINAGE - 10	T	8		7	10
SAFETY - 20	I	3		6	0
CAPACITY - 30	O	16		6	9
SUFFICIENCY RATING	N	36		31	48
ADJUSTED RATING		25		23	39
DEFICIENT MILEAGE		1.45		.86	.82

BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	59.1	70.5	73.2	75.4	BEGINNING MILE POST
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.8	11.3	2.7	2.1	0.7	LENGTH
YEAR BUILT	60	60	63	62	56	57	57	36	36	34	34	34	U	YEAR BUILT
YEAR IMPROVED	64	64	64	71	64	64	64	66	66	34	34	58	R	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	22	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	131	128	121	120	121	129	163	153	208	577	178	1297		ADT
OHV	20	20	19	19	19	20	26	24	33	92	124	207		OHV
SERVICE VOLUME	793	510	560	352	340	560	510	501	688	324	442	367		SERVICE VOLUME
FOUNDATION - 10	0	0	0	7	0	0	0	6	9	0	0	0		FOUNDATION - 10
SURFACE - 30	8	8	9	27	14	10	10	25	27	12	11	13		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	1	9	9		DRAINAGE - 10
SAFETY - 20	20	8	10	16	7	20	4	3	14	1	3	2		SAFETY - 20
CAPACITY - 30	30	29	29	29	29	29	29	29	29	26	26	22		CAPACITY - 30
SUFFICIENCY RATING	68	55	58	89	60	69	53	73	89	46	49	46		SUFFICIENCY RATING
ADJUSTED RATING	80	69	72	94	74	81	65	83	93	49	50	43		ADJUSTED RATING
DEFICIENT MILEAGE	.63	2.83	4.79	1.32	2.18	2.72	2.90	1.09	.31	6.12	1.38	1.17		DEFICIENT MILEAGE

FAP ROUTE NO 38 & 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.7	9.4	14.8	25.2	29.0	35.2	BEGINNING MILE POST
LENGTH	0.6	1.1	7.7	5.3	10.4	3.7	6.2	7.5	LENGTH
YEAR BUILT	U	21	50	50	63	63	63	62	YEAR BUILT
YEAR IMPROVED	B	21	50	50	63	63	63	62	YEAR IMPROVED
SURFACE WIDTH	B	18	24	24	28	28	28	30	SURFACE WIDTH
ROADWAY WIDTH	A	24	28	28	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	N	PCC	RMS	RMS	PMS	PMS	PMS	PMS	SURFACE TYPE
AOT		2399	1312	747	297	268	320	324	AOT
OHV		311	170	97	38	34	41	42	OHV
SERVICE VOLUME		319	318	318	414	442	600	600	SERVICE VOLUME
FOUNDATION - 10		0	0	2	3	5	5	3	FOUNDATION - 10
SURFACE - 30		13	14	14	14	18	18	16	SURFACE - 30
DRAINAGE - 10		7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		8	2	10	6	12	3	7	SAFETY - 20
CAPACITY - 30		15	22	25	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		43	48	61	62	74	65	65	SUFFICIENCY RATING
ADJUSTED RATING		36	45	62	69	80	72	71	ADJUSTED RATING
DEFICIENT MILEAGE		.65	4.01	2.08	3.97	.97	2.17	2.64	DEFICIENT MILEAGE

FAP ROUTE NO 43
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	2.7	7.3	8.0	15.7	22.7	23.8	28.2	33.3	37.8	43.8	45.3	49.0	58.5	62.8	63.4	64.2	67.2	67.8	69.8	70.4	71.6	78.4	80.4	81.3	BEGINNING MILE POST
LENGTH	0.5	2.2	4.5	0.6	7.7	7.0	1.0	4.4	5.0	4.5	5.9	0.1	3.7	9.4	4.2	0.6	0.7	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2	LENGTH
YEAR BUILT	U	34	35	69	42	48	69	46	46	35	70	U	49	49	49	U	49	47	47	47	47	47	47	41	46	46	YEAR BUILT
YEAR IMPROVED	R	56	55	69	42	48	69	46	46	39	70	R	54	54	54	R	54	73	73	73	62	57	70	70	59	60	YEAR IMPROVED
SURFACE WIDTH	B	22	20	30	20	24	30	24	25	20	32	B	24	24	24	B	24	24	24	24	24	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	30	24	31	30	26	26	24	32	A	24	24	24	A	24	24	24	24	24	24	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	RMS	BST	RMS	BST	BST	RMS	PMS	N	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	PMS	RMS	RMS	RMS	SURFACE TYPE
ADT		968	579	449	391	337	269	242	224	287	485		819	721	822		906	876	848	850	862	885	792	763	757	867	ADT
DHV		125	67	58	50	43	34	31	29	37	63		106	93	106		117	113	110	110	112	115	102	99	98	111	DHV
SERVICE VOLUME		451	184	549	255	414	329	561	398	431	672		289	469	333		289	442	518	494	414	266	349	463	518	312	SERVICE VOLUME
FOUNDATION - 10		0	0	9	0	0	10	0	0	0	10		2	3	2		6	3	4	3	3	2	8	8	3	4	FOUNDATION - 10
SURFACE - 30		10	12	26	11	13	28	9	13	12	26		14	17	14		17	15	16	14	13	12	25	25	15	14	SURFACE - 30
DRAINAGE - 10		5	4	10	4	9	10	9	10	7	10		9	10	10		10	10	10	10	10	9	10	10	8	9	DRAINAGE - 10
SAFETY - 20		3	1	20	1	1	20	3	3	2	17		2	9	2		1	3	20	19	1	20	2	8	18	2	SAFETY - 20
CAPACITY - 30		26	25	28	27	28	28	29	29	29	29		24	27	25		24	26	27	27	26	24	26	27	27	25	CAPACITY - 30
SUFFICIENCY RATING		44	42	93	43	51	96	50	55	50	92		51	66	53		58	57	77	73	53	67	71	78	71	54	SUFFICIENCY RATING
ADJUSTED RATING		43	46	94	49	58	97	59	65	58	93		51	67	53		58	57	77	73	53	67	71	78	72	54	ADJUSTED RATING
DEFICIENT MILEAGE		1.23	2.66	.04	4.41	3.45	.04	2.21	2.28	2.26	.47		1.84	3.21	2.01		.30	1.29	.15	.52	.27	.39	1.98	.44	.25	1.48	DEFICIENT MILEAGE

FAP ROUTE NO 45
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.8	41.8	51.2	51.3	56.9	58.0	58.8	64.9	65.2	73.6	75.0	76.4	77.1
LENGTH	0.1	1.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.1	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7
YEAR BUILT	60	0	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	U
YEAR IMPROVED	63	U	63	63	63	62	65	65	65	61	61	61	61	61	61	70	61	68	68	57	N
SURFACE WIDTH	28	T	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	D C
ROADWAY WIDTH	28		28	28	28	30	28	26	26	28	28	28	28	33	28	44	28	34	34	32	E O
SURFACE TYPE	PMS	O	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	R N
ADT	279	F	283	292	316	331	297	236	223	223	223	276	218	260	369	473	499	423	458	520	S
DHV	41		42	43	47	49	44	35	33	33	33	41	32	39	55	70	74	63	68	78	T
SERVICE VOLUME	626	S	194	594	501	697	672	684	496	501	561	508	478	639	415	589	550	649	596	830	P
FOUNDATION - 10	10	T	9	8	9	8	8	8	8	7	7	6	6	8	5	9	4	8	9	5	U
SURFACE - 30	28	A	23	23	26	24	21	22	23	21	18	18	19	21	18	24	17	27	28	17	C
DRAINAGE - 10	10	T	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	T
SAFETY - 20	0	E	1	20	7	20	4	20	11	2	20	2	2	6	2	1	1	7	2	10	I
CAPACITY - 30	29		27	29	29	29	29	29	29	29	29	29	29	29	28	28	28	29	28	29	O
SUFFICIENCY RATING	77		70	90	81	91	72	89	81	68	84	65	66	74	61	72	56	81	77	71	N
ADJUSTED RATING	83		77	93	85	93	78	92	87	77	89	72	75	81	67	75	60	84	80	74	
DEFICIENT MILEAGE	.02		.88	.36	1.78	.83	1.47	.58	.94	2.99	.01	1.95	.35	.21	2.35	.11	3.62	.25	.32	.14	



BEGINNING MILE POST	0.0
LENGTH	5.9
YEAR BUILT	49
YEAR IMPROVED	49
SURFACE WIDTH	20
ROADWAY WIDTH	28
SURFACE TYPE	RMS
ADT **	1074
DHV	150
SERVICE VOLUME	501
FOUNDATION - 10	3
SURFACE - 30	16
DRAINAGE - 10	8
SAFETY - 20	20
CAPACITY - 30	26
SUFFICIENCY RATING	73
ADJUSTED RATING	72
DEFICIENT MILEAGE	1.61

FAP ROUTES 46 & 47
SHEET 1 OF 1



BEGINNING MILE POST	0.2	0.0	1.1	1.9	2.3	2.5	1.0	1.3	6.7	11.6	18.3	22.7	26.4	29.5
LENGTH	0.8	0.2	0.7	0.4	0.1	0.1	0.2	5.4	4.8	6.6	4.3	3.6	3.1	0.3
YEAR BUILT	34	71	U	N	U	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	59	71	R	O	R	70	70	41	45	54	63	63	63	74
SURFACE WIDTH	24	40	B	N	B	40	40	20	20	24	28	28	28	34
ROADWAY WIDTH	24	40	A	E	A	40	40	24	24	24	28	28	28	34
SURFACE TYPE	RMS	PMS	N	R	N	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	3402	3402		I		2796	1763	1061	398	252	199	186	252	311
DHV	442	442		S		391	246	148	55	35	27	26	35	43
SERVICE VOLUME	664	464		T		340	134	390	327	494	353	332	519	399
FOUNDATION - 10	0	9		E		T	T	0	0	4	9	9	10	10
SURFACE - 30	8	28		N		23	23	14	14	16	27	27	27	30
DRAINAGE - 10	4	10		T		10	10	8	9	10	10	10	10	10
SAFETY - 20	20	20				20	1	8	10	10	2	16	9	2
CAPACITY - 30	20	16				13	2	24	28	29	29	29	29	28
SUFFICIENCY RATING	52	83				73	43	54	61	69	77	93	85	80
ADJUSTED RATING	42	71				66	38	52	66	77	84	96	89	85
DEFICIENT MILEAGE	.42	.04				.04	.16	2.51	1.89	2.06	1.00	.25	.46	.06

BEGINNING MILE POST	0.3	0.4	0.5	3.0	6.8	13.6	16.1	26.8
LENGTH	0.1	0.1	2.4	3.7	6.8	2.4	10.6	0.7
YEAR BUILT	36	U	36	36	59	59	53	U
YEAR IMPROVED	73	R	62	46	59	59	53	R
SURFACE WIDTH	40	B	26	20	24	24	24	B
ROADWAY WIDTH	40	A	26	24	24	24	28	A
SURFACE TYPE	RMS	N	RMS	RMS	PMS	PMS	RMS	N
ADT	2659		1257	1099	830	836	1022	
DHV	345		163	142	107	108	132	
SERVICE VOLUME	896		567	255	249	377	629	
FOUNDATION - 10	5		0	0	2	2	4	
SURFACE - 30	18		17	12	17	16	16	
DRAINAGE - 10	6		7	8	10	8	8	
SAFETY - 20	20		10	2	5	8	13	
CAPACITY - 30	24		26	22	24	26	27	
SUFFICIENCY RATING	73		60	44	58	60	68	
ADJUSTED RATING	66		57	42	58	60	67	
DEFICIENT MILEAGE	.02		.96	2.12	2.88	.99	3.41	

FAP ROUTE NO 48 & 49
SHEET 1 OF 1

BEGINNING MILE POST	90.8	93.8	98.0
LENGTH	3.0	6.6	2.4
YEAR BUILT	72	N	N
YEAR IMPROVED	72	O	O
SURFACE WIDTH	34	N	N
ROADWAY WIDTH	34	E	E
SURFACE TYPE	GRV	X	X
ADT	890	I	I
DHV	131	S	S
SERVICE VOLUME	476	T	T
FOUNDATION - 10	0	E	E
SURFACE - 30	5	N	N
DRAINAGE - 10	10	T	T
SAFETY - 20	4		
CAPACITY - 30	26		
SUFFICIENCY RATING	45		
ADJUSTED RATING	45		
DEFICIENT MILEAGE	1.65		



BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	15.0	16.6	31.1	40.1	47.9	60.8	70.1	76.4	80.0	81.9	87.0	BEGINNING MILE POST
LENGTH	0.5	7.1	1.0	0.1	1.9	4.3	1.6	14.5	8.9	7.8	12.9	9.3	6.2	3.5	1.8	5.2	3.5	LENGTH
YEAR BUILT	U	68	64	64	62	63	63	63	60	60	55	67	58	64	64	60	U	YEAR BUILT
YEAR IMPROVED	R	68	64	64	72	63	63	63	60	60	55	67	60	64	64	60	R	YEAR IMPROVED
SURFACE WIDTH	B	40	34	52	32	32	32	32	28	28	28	28	32	32	36	36	B	SURFACE WIDTH
ROADWAY WIDTH	A	40	34	52	32	32	32	32	28	28	28	28	32	32	36	36	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		1472	1264	783	778	770	768	765	826	948	1382	1581	1734	2184	2771	4363		ADT
DHV		323	278	122	122	120	120	120	129	148	216	248	303	414	468	654		DHV
SERVICE VOLUME		288	720	296	182	470	182	599	436	436	283	203	696	720	264	283		SERVICE VOLUME
FOUNDATION - 10		9	8	9	10	7	6	6	7	7	5	9	9	8	8	8		FOUNDATION - 10
SURFACE - 30		25	23	26	30	23	18	19	23	22	19	28	25	26	25	26		SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	10	9	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		18	7	2	1	20	20	20	4	6	1	1	11	12	5	6		SAFETY - 20
CAPACITY - 30		13	24	24	20	26	20	27	26	25	19	12	23	21	3	0		CAPACITY - 30
SUFFICIENCY RATING		75	72	71	71	86	74	82	70	70	53	60	78	77	51	50		SUFFICIENCY RATING
ADJUSTED RATING		72	70	71	71	86	74	82	70	69	49	56	74	72	42	38		ADJUSTED RATING
DEFICIENT MILEAGE		1.78	.29	.04	.56	.61	.42	2.62	2.67	2.34	6.08	3.72	1.37	.82	.90	2.60		DEFICIENT MILEAGE

FAP ROUTE 50
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	27.5	32.5	38.4	49.2	59.9	64.3	BEGINNING MILE POST
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	4.4	6.7	LENGTH
YEAR BUILT	60	60	60	59	59	U	58	58	57	56	55	55	YEAR BUILT
YEAR IMPROVED	61	61	61	59	59	R	58	58	57	56	55	55	YEAR IMPROVED
SURFACE WIDTH	30	30	30	28	28	B	28	28	26	25	25	25	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	28	A	32	32	30	25	25	25	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	BST	BST	BST	BST	BST	BST	SURFACE TYPE
ADT	322	245	199	186	184		247	196	208	320	351	519	ADT
DHV	45	34	27	26	25		34	27	29	44	49	72	DHV
SERVICE VOLUME	655	463	702	371	342		580	428	565	400	377	508	SERVICE VOLUME
FOUNDATION - 10	8	8	9	4	4		5	4	0	0	4	3	FOUNDATION - 10
SURFACE - 30	25	24	25	17	18		18	16	12	15	18	17	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	6	8	20	6	7		20	6	7	9	13	20	SAFETY - 20
CAPACITY - 30	29	29	29	29	29		29	29	29	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	78	79	93	66	68		82	65	58	62	73	78	SUFFICIENCY RATING
ADJUSTED RATING	83	85	95	76	78		87	75	68	69	78	80	ADJUSTED RATING
DEFICIENT MILEAGE	.73	1.05	.05	3.28	2.70		.90	2.04	4.52	4.04	1.19	1.48	DEFICIENT MILEAGE

FAP ROUTE 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.1	10.3	18.0	23.6	26.2	28.2	30.2	32.2	33.9	41.5
LENGTH	7.1	3.2	7.6	5.5	2.6	1.9	2.0	1.9	1.6	7.6	3.9
YEAR BUILT	40	47	48	37	36	36	36	56	22	34	34
YEAR IMPROVED	50	47	65	65	60	59	64	56	49	55	55
SURFACE WIDTH	21	24	24	24	24	24	24	24	24	22	22
ROADWAY WIDTH	24	24	25	24	25	24	24	28	24	24	24
SURFACE TYPE	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS
ADT	1842	1303	1288	1462	1549	1651	1660	2033	2262	1355	1614
DHV	272	192	190	216	229	244	245	300	334	200	238
SERVICE VOLUME	184	187	468	301	431	174	187	177	431	390	390
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0
SURFACE - 30	13	13	14	11	14	13	13	14	11	11	11
DRAINAGE - 10	7	6	8	7	6	5	5	10	6	4	4
SAFETY - 20	1	2	5	2	11	13	2	6	2	1	3
CAPACITY - 30	8	15	24	19	22	9	10	5	18	22	21
SUFFICIENCY RATING	29	36	51	39	53	40	30	35	37	38	39
ADJUSTED RATING	24	33	48	35	49	35	26	29	30	35	35
DEFICIENT MILEAGE	5.06	2.05	3.75	3.40	1.25	1.19	1.40	1.28	1.06	4.73	2.42

BEGINNING MILE POST	0.0	4.3	6.3	15.9	18.8	31.5	32.0	34.2	40.5	45.3	46.2
LENGTH	4.6	2.0	9.5	2.9	12.7	0.4	2.1	6.2	4.8	0.8	0.4
YEAR BUILT	U	63	48	48	48	U	48	48	56	U	56
YEAR IMPROVED	R	63	48	48	48	R	48	48	56	R	56
SURFACE WIDTH	B	32	20	20	20	B	20	24	30	B	30
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30
SURFACE TYPE	N	RMS	RMS	RMS	RMS	N	RMS	BST	BST	N	BST
ADT		2324	1203	1005	971		878	925	979		904
DHV		302	156	130	126		114	120	127		117
SERVICE VOLUME		546	185	354	354		220	289	355		535
FOUNDATION - 10		9	0	0	0		0	0	0		3
SURFACE - 30		21	16	14	13		15	15	13		13
DRAINAGE - 10		10	8	9	9		7	8	10		10
SAFETY - 20		4	1	4	3		1	1	20		20
CAPACITY - 30		22	17	24	25		22	24	25		27
SUFFICIENCY RATING		66	42	51	50		45	48	68		73
ADJUSTED RATING		59	40	50	49		45	47	67		73
DEFICIENT MILEAGE		.68	5.56	1.44	6.37		1.19	3.27	1.54		.11

FAP ROUTE NO 52 & 53
SHEET 1 OF 1



BEGINNING MILE POST	0.0	9.1	17.6	23.7
LENGTH	9.1	8.7	5.9	5.6
YEAR BUILT	59	68	74	48
YEAR IMPROVED	66	68	74	66
SURFACE WIDTH	24	30	30	22
ROADWAY WIDTH	24	32	30	22
SURFACE TYPE	BST	PMS	PMS	BST
ADT	284	281	296	296
DHV	36	36	38	38
SERVICE VOLUME	289	470	388	284
FOUNDATION - 10	0	8	10	0
SURFACE - 30	13	26	30	4
DRAINAGE - 10	10	10	10	7
SAFETY - 20	2	20	11	1
CAPACITY - 30	28	29	29	28
SUFFICIENCY RATING	53	93	90	40
ADJUSTED RATING	61	95	92	47
DEFICIENT MILEAGE	4.28	.61	.59	3.37

FAP ROUTE NO 54
SHEET 1 OF 1

SUFFICIENCY RATINGS BY FINANCIAL DISTRICTS

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT I
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	OEFIC MILES
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	3476	663	365	0	13	8	7	3	31	22	1.2
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	1.253	22	24	RMS	2964	414	263	0	12	7	6	6	31	23	.9
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	BST	1842	272	184	0	13	7	1	8	29	24	5.1
P038	4+0.151	0.3 W FAS 206	FLATHEAD	1	39	39	2.274	20	24	RMS	4273	598	642	0	9	8	3	16	36	25	1.5
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	35	70	2.399	24	32	RMS	3398	441	396	0	12	7	2	13	34	25	1.6
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	1660	245	187	0	13	5	2	10	30	26	1.4
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	PMS	2033	300	177	0	14	10	6	5	35	29	1.3
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.886	20	24	PMS	2073	395	415	0	13	5	1	16	35	29	7.1
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	PMS	2956	472	327	4	14	8	4	8	38	29	2.3
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	62	4.437	24	24	RMS	2032	264	530	0	9	3	1	23	36	30	2.8
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	3373	492	507	0	12	8	5	15	40	30	2.1
P052	22+0.237	1.7 S FAS 208	FLATHEAD	1	22	49	1.691	24	24	RMS	2262	334	431	0	11	6	2	18	37	30	1.1
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1248	168	303	0	7	4	1	22	34	31	4.6
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	1182	153	202	0	10	4	1	19	34	32	4.1
P001	16+0.932	JCT FAS RTE 202	LINCOLN	1	34	38	4.574	20	24	RMS	1770	230	448	0	9	3	3	22	37	32	2.9
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	1958	254	357	0	11	8	1	19	39	33	.8
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	50	50	5.797	24	30	RMS	3287	479	522	0	15	8	4	16	43	33	3.3
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	3394	495	302	6	18	10	4	5	43	33	1.8
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1303	192	187	0	13	6	2	15	36	33	2.1
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	PMS	3180	464	103	5	21	10	7	0	43	34	.2
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1371	185	335	0	10	4	1	22	37	34	4.0
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	700	133	199	0	10	3	0	20	33	34	2.4
P052	33+0.928	JCT FAS RTE 208	FLATHEAD	1	34	55	7.644	22	24	RMS	1355	200	390	0	11	4	1	22	38	35	4.7
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1614	238	390	0	11	4	3	21	39	35	2.4
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	1651	244	174	0	13	5	13	9	40	35	1.2
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	PMS	1462	216	301	0	11	7	2	19	39	35	3.4
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2204	420	716	0	10	8	4	21	43	36	5.7
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	PMS	3002	573	556	4	16	10	1	15	46	37	1.3
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	6042	882	326	9	25	10	7	0	51	37	.2
P005	168+0.284	FORTINE	LINCOLN	1	33	51	9.654	22	22	RMS	1114	144	396	0	8	5	1	25	39	37	5.9
P001	21+0.505	4.6 E FAS 202	LINCOLN	1	37	70	3.927	25	26	RMS	1908	248	528	0	9	4	8	23	44	38	2.2
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	PMS	1442	187	198	0	14	8	4	16	42	38	4.0
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	PMS	2964	414	289	8	21	10	0	9	48	39	.1
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3090	401	397	6	17	10	1	15	49	40	.3
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1050	136	264	0	12	4	3	22	41	40	4.1
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	PMS	1781	231	365	0	12	5	7	21	45	40	.9
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1121	167	387	0	9	8	1	24	42	40	.5
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2147	289	544	0	12	10	3	22	47	40	1.5
P005	159+0.617	STPYKER	LINCOLN	1	31	64	8.683	24	24	RMS	754	98	335	0	9	4	1	26	40	41	5.2
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	4543	663	403	7	20	10	12	5	54	42	.5
P001	35+0.739	JCT FAS RTE 482	LINCOLN	1	36	61	8.543	24	24	RMS	1430	185	353	0	12	7	5	22	46	42	4.6
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1057	137	249	0	13	6	4	22	45	43	5.4
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3438	501	584	4	13	10	9	17	53	43	.9
P005	41+0.154	5.4 S PONAN	LAKE	1	66	66	5.018	40	40	PMS	3750	547	326	6	21	10	13	5	55	44	2.3
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	36	44	PMS	4396	641	272	10	27	10	9	0	56	44	.4
P001	44+0.295	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	1064	138	184	0	13	7	7	19	46	44	2.7
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1035	134	212	0	13	7	5	21	46	45	5.0
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	PMS	847	110	272	0	15	5	2	24	46	46	3.6
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	PMS	2371	308	481	3	14	8	8	20	53	46	3.0
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.549	44	44	PMS	2904	423	578	5	18	10	3	19	55	46	1.1
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	2913	393	289	9	26	10	1	10	56	47	.3
P001	153+0.428	JCT W GLACIER SPUR	FLATHEAD	1	48	49	3.205	24	28	PMS	806	153	129	7	19	7	2	12	47	47	1.7
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	803	104	288	0	13	7	2	25	47	47	3.6
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1324	172	249	0	14	8	8	20	50	47	1.6
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	PMS	1288	190	468	0	14	8	5	24	51	48	3.8

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	SECTION IM	LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1549	229	431	0	14	6	11	22	53	49	1.3
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1005	130	312	0	11	6	9	24	50	49	4.3
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1244	161	292	0	13	7	11	22	53	50	1.8
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1489	193	349	4	17	8	3	22	54	50	3.8
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	3384	494	580	6	19	10	9	17	61	51	2.3
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	1844	248	365	5	17	10	6	20	58	52	1.2
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	5236	628	937	6	18	10	10	20	64	52	.5
P001	6+0.582	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1266	164	508	2	14	8	6	25	55	52	3.1
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	995	129	225	0	13	6	14	21	54	53	1.0
P005	114+0.864	KALISPELL	FLATHEAD	1	57	60	5.800	36	36	PMS	3179	381	309	6	24	10	10	12	62	53	2.2
P005	104+0.255	JCT FAS 208	FLATHEAD	1	49	61	5.341	38	38	RMS	4989	598	383	8	25	10	15	7	65	53	1.9
P005	120+0.677	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	3216	385	662	4	16	10	11	21	62	53	1.8
P005	30+0.047	2.5 N JCT FAP 6	LAKE	1	56	60	2.565	32	32	PMS	2715	396	584	4	17	10	10	20	61	53	1.0
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	3665	535	288	10	28	10	13	2	63	53	2.2
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	496	74	278	0	13	6	4	26	49	53	2.3
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	2102	283	307	4	18	10	12	16	60	54	2.1
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1002	130	387	4	16	8	2	25	55	54	2.0
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	494	74	266	0	13	7	5	26	51	55	.3
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3385	494	464	8	25	10	8	14	65	56	.1
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	4102	598	640	8	23	10	9	16	66	56	1.2
P005	98+0.643	5.2 NLFLATHEADOOCO	FLATHEAD	1	63	63	3.429	32	32	PMS	2598	350	383	6	21	10	11	16	64	56	1.2
P005	102+0.123	2.1 S FAS 208	FLATHEAD	1	63	63	1.022	32	32	PMS	2775	374	795	7	23	10	2	23	65	57	.4
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.525	24	26	RMS	507	76	318	0	13	7	7	26	53	57	3.1
P005	103+0.132	1.1 S FAS 208	FLATHEAD	1	63	63	1.097	32	32	PMS	2866	386	383	7	23	10	11	15	66	58	.4
P033	64+0.921	2.0 E FA 5	LINCOLN	1	71	71	1.975	40	40	RMS	740	96	642	0	9	8	13	28	58	59	.8
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	49	59	2.834	26	26	PMS	750	143	384	5	19	10	1	24	59	60	1.2
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	871	113	569	3	14	10	7	27	61	61	4.3
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	379	49	353	0	15	9	3	28	55	61	2.9
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	3751	525	808	9	27	10	5	20	71	62	.4
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	980	127	323	4	18	9	10	24	65	64	.9
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	49	59	1.514	26	26	PMS	767	146	398	6	21	10	3	24	64	65	.5
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	71	2.036	50	50	PMS	3985	518	1584	8	23	10	8	25	74	65	.5
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	802	153	154	6	18	7	20	15	66	66	.8
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	804	153	378	8	24	10	0	24	66	66	.2
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1471	198	453	7	22	10	7	23	69	66	1.9
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	624	81	319	4	17	9	9	26	65	67	.9
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1710	230	414	8	27	9	6	22	72	68	1.1
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	763	145	324	8	26	10	0	23	67	68	.2
P001	667+0.149	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.304	40	40	RMS	1677	338	614	7	16	7	20	22	72	68	.1
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	678	88	319	5	20	9	8	26	68	69	3.6
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	500	75	825	0	10	7	20	29	66	69	1.4
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1666	224	276	7	24	10	15	18	74	70	.2
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	49	59	5.217	26	26	PMS	791	151	357	5	19	8	15	24	71	71	1.5
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	67	12.259	32	32	PMS	730	139	575	9	23	10	5	26	73	74	3.3
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1287	173	672	7	21	10	12	26	76	74	.4
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	4235	618	911	8	25	10	20	20	83	76	.1
P001	32+0.748	LIBBY	LINCOLN	1	71	71	.561	50	50	PMS	6425	771	1478	8	24	10	20	22	84	76	.1
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	537	69	365	9	27	10	1	27	74	77	2.7
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	864	112	722	9	26	10	4	28	77	77	1.0
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	61	61	2.107	32	34	BST	729	139	428	5	19	10	20	25	79	80	.4
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	463	60	289	10	30	10	2	27	79	82	.8
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	202	26	138	10	30	10	1	27	78	85	.1
P033	17+0.654	LIBBY OAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	215	27	243	10	30	10	2	28	80	86	2.5
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	699	133	428	7	24	10	20	25	86	86	.9
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	155	20	243	10	30	10	1	29	80	88	2.2

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	152	19	243	10	30	10	2	29	81	89	2.4
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	692	132	456	10	27	10	20	26	93	93	.2
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1			4.149	UNDER CONSTRUCTION													
		DISTRICT TOTAL					488.837													45	219.9



N

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 2
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	221+2.488	0.8 S BROWNING	GLACIER	2	32 70	1.926	22	24	RMS	2648	511	254	4	18	9	2	0	33	26	1.3
P001	221+1.600	BROWNING	GLACIER	2	35 53	.888	24	24	RMS	3032	591	423	0	16	9	1	9	35	26	.6
P003	430+0.315	JCT FAS RTE 445	GLACIER	2	28 40	8.213	18	24	RMS	856	166	280	0	9	4	0	21	34	34	5.4
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35 61	4.927	22	24	RMS	1481	236	324	0	12	8	2	19	41	37	2.9
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25 63	2.119	24	24	RMS	1368	218	478	0	12	5	1	23	41	38	1.3
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45 45	1.390	24	24	RMS	1626	317	546	0	15	7	1	21	44	39	.8
P001	379+0.167	JCT FAP RTE 10	HILL	2	52 52	1.516	40	40	RMS	3610	386	654	0	13	10	8	21	52	41	.7
P001	211+0.317	2.1 E SPUR RTE 1	GLACIER	2	39 54	9.156	26	30	RMS	1170	223	353	0	13	8	1	21	43	41	5.2
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27 60	6.292	24	24	RMS	1235	185	534	0	12	4	3	25	44	41	3.5
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25 61	7.073	24	24	RMS	1248	199	805	0	10	7	3	26	46	43	3.8
P003	425+0.053	JCT SPUR FAP RTE 1	GLACIER	2	28 68	5.269	24	24	RMS	614	119	351	0	13	4	0	25	42	44	3.1
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27 61	4.950	24	24	RMS	1343	201	534	0	15	6	3	24	48	45	2.6
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56 56	.440	60	60	PMS	3334	466	1720	3	14	9	4	26	56	46	.2
P001	322+0.605	CHESTER	LIBERTY	2	31 51	9.999	22	24	RMS	910	118	436	0	5	5	10	26	46	46	5.4
P001	679+0.899	SHELBY LIMITS	TOOLE	2	28 52	1.040	20	24	RMS	890	115	288	0	15	7	1	24	47	47	.6
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55 55	.402	42	42	PMS	2095	251	335	5	17	10	4	19	55	48	.2
P001	435+0.143	5.8 E FAS 376	BLAINE	2	25 71	4.686	22	24	RMS	1002	130	324	3	18	4	1	24	50	49	2.3
P001	210+0.124	0.9 E SPUR RTE 1	GLACIER	2	43 62	1.211	26	30	RMS	1170	223	353	2	18	9	1	21	51	49	.6
P003	416+0.397	3.5 W BROWNING	GLACIER	2	35 51	6.368	22	24	RMS	467	91	452	0	10	8	1	27	46	50	3.4
P003	413+0.039	JCT FAP RTE 1	GLACIER	2	35 51	3.371	22	24	RMS	818	159	854	0	10	8	6	27	51	51	1.7
P001	278+0.459	JCT FAI 15	TOOLE	2	60 60	.350	68	68	PMS	3334	466	3440	3	13	10	7	28	61	51	.1
P001	678+0.975	KIOWA JCT	GLACIER	2	29 72	.208	20	20	PMS	207	41	377	0	8	4	1	28	41	51	.1
P003	422+0.786	9.9 W BROWNING	GLACIER	2	29 35	2.247	20	24	PMS	445	86	556	0	10	8	1	28	47	52	1.2
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49 56	.591	32	32	PMS	1620	210	680	5	18	10	1	25	59	54	.2
P003	452+0.819	BA88	GLACIER	2	56 56	3.787	24	28	RMS	954	186	523	3	17	9	3	25	57	56	1.6
P010	97+0.042	7.6 N HILL CO	HILL	2	28 53	7.369	22	24	RMS	1148	149	510	0	15	7	10	26	58	56	3.1
P001	429+0.077	0.6 E FAS 376	BLAINE	2	36 62	5.241	28	30	RMS	1025	133	453	5	16	10	2	26	59	58	2.1
P001	354+0.598	1.0 E GILOFORD	HILL	2	36 59	8.956	26	31	RMS	987	128	530	5	17	10	1	26	59	58	3.7
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63 63	4.884	32	32	PMS	980	187	485	4	17	10	4	24	59	58	2.0
P001	383+0.799	HAVRE	HILL	2	46 54	7.206	24	30	PMS	2349	305	655	7	21	10	4	23	65	58	2.5
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40 56	5.091	28	30	PMS	1656	215	663	6	16	10	7	25	64	59	1.8
P001	404+0.087	CHINOOK	BLAINE	2	44 56	4.248	28	30	PMS	2010	261	663	6	17	10	8	24	65	59	1.5
P010	90+0.926	1.5 N HILL CO	HILL	2	30 73	6.098	22	26	RMS	1034	134	535	4	17	7	6	26	60	59	2.4
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60 60	.368	68	68	PMS	1293	193	3440	4	16	10	4	29	63	60	.1
P001	372+0.142	8.6 E KREMLIN	HILL	2	60 60	7.002	32	32	PMS	2099	272	648	4	18	10	10	24	66	60	2.4
P001	209+0.252	JCT SPUR RTE 1	GLACIER	2	63 63	.874	32	32	PMS	1170	223	478	7	22	10	1	23	63	61	.3
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47 60	7.280	26	26	RMS	689	89	442	5	17	10	2	27	61	62	2.8
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38 59	9.717	24	30	RMS	2172	282	663	5	18	10	11	24	68	62	3.1
P003	438+0.515	8.2 N FAS 445	GLACIER	2	58 64	6.011	44	44	PMS	1054	205	273	8	24	10	2	19	63	62	2.2
P003	400+0.021	9.2 S FAP RTE 1	GLACIER	2	51 51	2.132	26	28	RMS	645	155	454	5	17	10	4	25	61	63	.8
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52 70	6.390	26	26	PMS	850	162	330	6	22	10	2	23	63	63	2.4
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35 71	6.447	24	24	BST	982	127	469	3	18	6	11	26	64	63	2.3
P001	228+0.797	BLACKFOOT	GLACIER	2	57 57	1.050	24	32	RMS	1373	219	680	4	16	10	11	25	66	63	.4
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39 62	2.572	26	31	RMS	1529	198	663	6	16	10	10	26	68	64	.8
P001	391+0.007	BLAINE CO	BLAINE	2	46 54	2.849	24	31	PMS	2088	271	655	5	22	10	9	24	70	64	.9
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72 72	2.128	50	50	PMS	1605	240	272	10	30	10	2	17	69	65	.7
P001	363+0.532	KREMLIN FAS 450	HILL	2	36 70	8.591	28	32	RMS	1293	168	648	7	20	10	5	26	68	65	2.7
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47 60	6.466	26	26	RMS	764	99	500	7	18	10	4	27	66	67	2.2
P001	254+0.578	CUT BANK	GLACIER	2	55 55	.229	42	42	PMS	3076	369	817	5	17	10	20	23	75	68	.1
P010	109+0.571	1.8 S FAP 1	HILL	2	52 52	1.796	32	32	RMS	1641	213	580	5	18	10	18	24	75	71	.4
P001	307+0.040	LIBERTY CO	LIBERTY	2	57 62	.983	32	32	PMS	661	85	629	5	18	10	10	28	71	72	.3
P001	223+0.702	1.9 E FAP 3	GLACIER	2	60 60	.184	32	32	PMS	2239	427	464	8	23	10	20	16	77	72	
P001	332+0.634	HILL CO	HILL	2	71 71	9.281	40	40	PMS	1030	133	184	10	30	10	4	19	73	72	2.5
P003	402+0.350	7.1 S FAP RTE 1	GLACIER	2	60 60	7.233	32	32	PMS	717	172	529	5	21	10	10	25	71	72	2.1
P003	448+0.813	4.3 N ST MARYS	GLACIER	2	56 64	4.001	32	32	PMS	972	189	630	9	25	10	3	26	73	72	1.1

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P003	457+0.487	4.7 N BABB	GLACIER	2	52	52	5.856	22	28	RMS	415	80	500	3	15	10	12	28	68	73	1.9
P001	424+0.712	HARLEM	BLAINE	2	68	68	4.358	40	40	PMS	1799	233	281	10	29	10	10	18	77	73	1.0
P001	246+0.564	11.1 E FAS 444	GLACIER	2	61	61	.492	32	35	RMS	1277	191	680	5	14	10	20	26	75	73	.1
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1542	231	264	8	23	10	19	17	77	74	1.6
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1216	182	544	4	17	10	20	25	76	74	1.7
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1348	215	530	6	17	10	20	24	77	74	.3
P001	667+0.454	JCT FAP 1 E GLAC	GLACIER	2	29	72	2.287	24	24	PMS	379	76	728	7	28	5	1	28	69	74	.7
P003	444+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1061	206	597	9	25	10	6	25	75	74	1.1
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1187	154	569	4	19	10	18	26	77	75	2.7
P001	670+0.214	2.8 N EAST GLAC	GLACIER	2	29	72	8.761	24	24	PMS	287	57	728	7	28	5	0	29	69	76	2.7
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	897	116	599	3	18	10	20	27	78	78	1.8
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1258	188	320	8	23	10	20	21	82	80	
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	731	95	569	3	19	10	20	27	79	80	1.5
P003	456+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	784	152	554	7	22	10	17	26	82	82	.2
P003	394+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	633	152	504	10	28	10	9	25	82	83	1.1
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1134	170	720	10	24	10	14	26	84	83	1.2
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1713	222	304	9	28	10	20	19	86	86	.1
P010	104+0.365	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	1336	173	320	9	24	10	20	22	85	83	.8
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	966	125	672	8	22	10	18	27	85	84	1.0
P003	388+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	38	PMS	612	147	529	10	27	10	10	26	83	84	1.0
P001	341+0.907	RUOYARD FAS 231	HILL	2	60	60	5.813	32	32	PMS	1200	156	666	8	23	10	20	26	87	86	.8
P010	89+0.607	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1108	144	720	10	28	10	13	27	88	87	.2
P010	89+0.418	HILL CO	HILL	2	30	70	.189	30	30	RMS	1089	141	702	8	25	10	20	27	90	89	
P001	669+0.592	2.2 N EAST GLAC	GLACIER	2	29	72	.622	24	24	PMS	359	72	611	8	28	10	12	28	86	89	.1
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1545	200	720	10	30	10	20	26	96	95	.3
		DISTRICT TOTAL					347.114													35	121.9



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 3
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	541+0.099	0.3 W GLASGOW	VALLEY	3	48	48	.328	24	26	RMS	5788	781	728	0	15	8	20	14	57	43	.1
P042	73+0.246	JCT FAS RTE 247	VALLEY	3	34	58	2.174	22	26	RMS	1297	207	367	0	13	9	2	22	46	43	1.2
P025	46+0.911	JCT FAP 32	ROOSEVELT	3	30	56	5.474	24	24	RMS	954	124	371	0	13	7	2	25	47	46	2.9
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	30	56	.412	20	24	RMS	948	123	220	0	12	10	3	22	47	46	.2
P001	537+0.621	3.7 W GLASGOW	VALLEY	3	48	48	3.338	24	26	RMS	2048	276	500	0	11	10	10	22	53	47	1.6
P022	90+0.037	0.5 S CULBERTSON	ROOSEVELT	3	33	58	1.859	20	24	RMS	600	90	311	0	9	7	2	26	44	47	1.0
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	36	9.226	20	24	RMS	904	135	352	0	14	9	2	24	49	49	4.7
P016	309+0.524	JCT FAS RTE 363	PHILLIPS	3	38	42	1.399	24	26	RMS	945	158	374	0	14	8	4	24	50	49	.7
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3	46	50	5.368	24	32	RMS	759	98	302	0	12	9	2	25	48	49	2.8
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	577	92	324	0	12	7	1	26	46	49	6.1
P042	70+0.530	2.7 S FAS 247	VALLEY	3	34	34	2.725	22	26	RMS	778	124	442	0	11	9	3	26	49	50	1.4
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	35	4.599	20	24	BST	307	42	203	0	11	5	1	27	44	51	2.6
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	35	2.587	20	24	BST	433	60	203	0	12	8	1	26	47	52	1.4
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	399	59	184	0	12	8	1	25	46	52	5.5
P001	526+0.524	14.1 W GLASGOW	VALLEY	3	50	55	11.121	24	27	PMS	1089	147	308	4	16	10	2	23	55	53	5.0
P022	29+0.335	ARCHER FAS 374	SHERIDAN	3	37	37	11.850	20	24	RMS	620	93	406	0	13	9	3	27	52	54	5.7
P032	7+0.507	3.8 N FAP 1	ROOSEVELT	3	33	36	6.626	20	24	BST	373	52	357	0	9	9	2	28	48	54	3.4
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	35	7.041	20	24	BST	297	41	357	0	10	7	2	28	47	55	3.7
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3	33	36	3.750	20	24	BST	498	69	372	0	12	9	3	27	51	55	1.8
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	394	55	290	0	12	7	3	27	49	55	5.2
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	795	103	414	0	15	10	3	26	54	55	1.5
P001	543+0.809	JCT FAS RTE 247	VALLEY	3	62	62	2.430	36	36	PMS	1500	202	288	6	21	10	4	19	60	56	1.0
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	383	53	315	0	13	8	2	27	50	56	1.4
P032	35+0.227	DANIELS CO	DANIELS	3	33	35	4.667	20	24	BST	310	43	185	0	13	8	2	27	50	57	2.3
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1092	147	586	0	13	10	10	26	59	57	.6
P001	454+0.550	DODSON	PHILLIPS	3	49	49	3.137	24	26	RMS	1145	148	500	3	14	8	9	26	60	58	1.3
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	237	35	249	0	12	8	1	28	49	58	1.5
P016	301+0.379	8.1 S FAS 363	PHILLIPS	3	38	42	8.114	24	26	RMS	325	54	319	0	12	8	4	27	51	58	4.0
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	36	4.759	20	24	BST	274	38	220	0	14	8	1	27	50	58	2.4
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	36	9.277	20	24	BST	317	44	203	0	17	7	1	27	52	59	4.5
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	35	3.711	20	24	BST	336	47	372	0	12	8	5	28	53	60	1.7
P016	278+0.473	6.3 N IND RES	PHILLIPS	3	47	47	5.924	25	25	BST	216	36	459	0	8	8	5	29	50	60	3.0
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.117	24	27	PMS	1004	135	471	3	18	10	4	26	61	60	2.0
P016	284+0.393	12.2 N IND RES	PHILLIPS	3	42	42	6.398	20	24	RMS	217	36	561	0	10	8	4	29	51	61	3.1
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	259	36	290	0	14	8	2	28	52	61	5.0
P016	296+0.098	13.6 S FAS 363	PHILLIPS	3	42	61	5.278	22	24	RMS	244	40	220	0	15	9	2	27	53	62	2.5
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	36	1.033	20	24	RMS	1790	268	564	0	14	10	20	23	67	62	.3
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	342	51	435	0	14	9	5	28	56	63	3.7
P016	290+0.795	18.9 S FAS 363	PHILLIPS	3	42	61	5.281	22	24	RMS	230	38	622	0	10	8	6	29	53	63	2.5
P001	546+0.252	2.4 E FAS 247	VALLEY	3	53	53	8.404	24	30	RMS	1276	172	631	2	18	10	11	26	67	64	2.8
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1029	138	526	5	18	10	8	26	67	66	1.9
P001	639+0.785	4.3 W CULBERTSON	ROOSEVELT	3	52	52	2.725	24	30	RMS	845	109	414	0	12	10	18	26	66	66	.9
P016	247+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	9.711	28	28	PMS	322	54	462	0	11	10	10	28	59	66	4.0
P016	242+0.067	PHILLIPS CO	PHILLIPS	3	60	60	5.581	28	28	PMS	330	55	372	0	12	10	9	28	59	66	2.3
P016	272+0.176	FT BEL IND RES	PHILLIPS	3	49	49	6.252	22	22	BST	214	35	374	0	10	7	10	29	56	66	2.8
P022	89+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	648	97	560	7	16	10	5	27	65	67	.2
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1041	140	500	0	13	9	20	26	68	67	2.1
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1391	187	616	3	15	10	17	25	70	67	2.8
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	1747	209	648	7	20	10	10	25	72	68	1.6
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	63	9.025	32	32	PMS	1082	140	621	6	21	10	7	27	71	69	2.6
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	2855	385	2112	6	24	10	9	27	76	69	.3
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	1345	161	720	6	22	10	8	27	73	70	2.6
P016	264+0.333	8.1 N FAS 376	PHILLIPS	3	57	59	7.800	24	29	PMS	217	36	312	3	16	10	3	28	60	70	3.1
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	33	36	3.765	20	24	BST	349	48	345	0	13	10	13	28	64	70	1.4
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	763	103	580	8	19	10	6	27	70	71	1.6

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY DRN	SUFFICIENCY SAF	SUFFICIENCY CAP	SUFFICIENCY TOT	SUFFICIENCY ADJ	DEFIC MILES
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	967	125	428	2	14	10	20	26	72	71	.5
P001	638+0.084	6.0 W CULBERTSON	ROOSEVELT	3	52	52	1.723	24	30	RMS	795	103	663	0	16	10	17	28	71	71	.5
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1285	154	648	6	18	10	13	26	73	71	1.2
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	8.184	32	32	PMS	1145	154	720	6	23	10	7	27	73	71	2.2
P001	573+0.032	FRAZER	VALLEY	3	58	61	8.057	24	32	PMS	1117	150	680	3	14	10	20	27	74	72	2.1
P001	466+0.722	12.1 E OOOSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1390	180	554	2	18	10	20	25	75	72	1.2
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	3.299	24	30	RMS	757	98	414	2	14	10	20	26	72	73	.9
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.604	32	32	PMS	803	108	453	8	21	10	10	26	75	75	1.4
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1140	153	696	8	25	10	8	27	78	76	1.9
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	732	109	456	4	16	10	20	26	76	77	1.7
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1102	148	266	8	24	10	15	22	79	78	2.1
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1087	146	296	7	25	10	15	23	80	79	1.5
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1296	168	304	7	24	10	18	22	81	79	2.6
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1170	157	544	9	26	10	11	26	82	80	.1
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	931	125	680	7	17	10	20	27	81	80	.6
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1224	159	266	10	27	10	14	21	82	80	1.6
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	762	102	680	6	17	10	20	28	81	81	1.6
P016	257+0.224	0.9 N FAS 376	PHILLIPS	3	57	59	3.664	24	29	PMS	245	41	462	0	16	10	20	29	75	82	.9
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	63	71	4.885	24	24	BST	56	7	333	4	17	10	2	30	63	82	1.8
P016	260+0.891	4.6 N FAS 376	PHILLIPS	3	57	59	3.479	24	29	PMS	229	38	486	3	18	10	17	29	77	84	.8
P022	73+0.876	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	615	92	576	10	28	10	8	28	84	85	.3
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1023	132	281	9	28	10	16	23	86	85	1.0
P032	51+0.737	SCOBEY	DANIELS	3	58	68	9.190	24	26	PMS	168	23	456	10	26	10	2	29	77	85	2.1
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1078	140	281	9	26	10	20	23	88	87	.9
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	627	94	640	10	28	10	11	28	87	88	.7
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	604	90	672	8	25	10	16	28	87	88	.9
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	661	99	672	7	23	10	20	28	88	89	1.3
P022	63+0.803	JCT FAS 515	SHERIDAN	3	63	63	.265	32	32	PMS	598	89	896	7	23	10	20	29	89	90	
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1181	159	528	9	27	10	20	25	91	90	
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.893	30	36	RMS	208	33	688	9	27	10	14	29	89	93	.3
P022	71+0.860	ROOSEVELT CO	ROOSEVELT	3			2.018	UNDER CONSTRUCTION													
P022	64+0.348	MEDICINE LAKE	SHERIDAN	3			7.508	UNDER CONSTRUCTION													
		DISTRICT TOTAL					484.552													35	169.0

N

SUFFICIENCY RATING BY FINANCIAL DISTRICT 4

RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	SECTION IM	LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P022	121+0.331	3.6 N SIONEY	RICHLAND	4	37	49	3.663	24	26	RMS	1977	296	277	0	14	9	3	14	40	34	2.2
P020	58+0.614	6.1 N SIONEY	RICHLAND	4	35	35	3.906	20	24	RMS	1619	210	302	0	12	5	2	20	39	35	2.4
P020	52+0.570	SIONEY	RICHLAND	4	35	35	6.066	20	24	RMS	2136	277	453	0	13	5	5	21	44	37	3.4
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	34	58	2.597	20	24	RMS	1096	142	201	0	12	8	1	19	40	38	1.6
P025	44+0.762	1.8 S ROOSEVELT	MCCONE	4	30	36	1.745	20	24	BST	753	97	126	0	13	6	1	18	38	39	1.1
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1205	156	377	0	12	8	2	24	46	43	4.9
P025	7+0.759	7.6 N CIRCLE	MCCONE	4	36	55	13.141	20	25	RMS	591	76	315	0	8	6	1	26	41	44	7.8
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	603	78	315	0	8	8	1	26	43	45	4.3
P022	112+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	759	113	277	0	11	8	4	24	47	48	2.5
P022	108+0.288	4.6 N FAS 201	RICHLAND	4	40	49	4.649	24	26	RMS	630	94	255	0	11	8	3	24	46	48	2.5
P022	117+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	882	132	387	0	11	8	5	25	49	49	1.9
P015	296+0.861	7.1 E DAWSON CO	DAWSON	4	33	50	5.168	20	24	RMS	478	62	406	0	7	8	2	28	45	49	2.8
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	33	36	.775	20	24	BST	901	117	420	0	13	10	1	26	50	50	.4
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	547	71	357	0	10	7	3	27	47	50	3.9
P026	0+0.775	0.8 E JCT FAP 20	RICHLAND	4	33	55	6.758	20	24	RMS	348	45	480	0	8	5	2	29	44	50	3.8
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	558	72	392	0	10	7	4	27	48	51	3.7
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	619	80	185	0	18	6	3	24	51	53	4.5
P022	91+0.986	RICHLAND CO	RICHLAND	4	34	36	1.650	20	24	BST	564	84	515	0	8	10	4	28	50	53	.8
P015	267+0.492	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	489	74	278	0	14	10	2	26	52	56	5.3
P015	369+0.000	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	3315	397	336	6	19	8	20	12	65	56	.1
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	982	127	434	0	14	10	8	26	58	57	1.8
P015	262+0.332	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	344	52	258	0	13	8	3	27	51	58	2.5
P015	302+0.037	12.3 E DAWSON CO	DAWSON	4	33	50	4.463	20	24	RMS	542	70	686	0	8	8	11	28	55	58	2.0
P015	248+0.632	JCT FAP 42	MCCONE	4	40	54	8.009	24	24	RMS	313	47	217	0	13	9	2	27	51	58	3.9
P015	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.801	24	24	RMS	338	51	237	0	15	9	1	27	52	59	2.8
P017	31+0.365	4.0 W TERRY	PRAIRIE	4	31	57	4.030	24	30	RMS	212	27	530	0	14	6	1	29	50	60	2.0
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1050	136	301	2	17	10	11	23	63	62	2.1
P022	100+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.091	24	26	BST	598	89	448	0	8	8	16	27	59	62	3.3
P022	93+0.586	1.7 S RICHLAND CO	RICHLAND	4	37	41	3.258	24	26	BST	570	85	470	0	10	7	16	27	60	63	1.3
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1481	192	222	8	25	10	8	17	68	64	1.4
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1444	187	896	8	21	10	1	27	67	64	.1
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	163	26	510	0	10	10	4	29	53	65	2.9
P015	316+0.710	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	902	117	629	4	17	10	8	27	66	66	2.7
P017	38+0.695	2.1 E TERRY	PRAIRIE	4	31	49	5.120	24	24	RMS	87	12	312	0	14	5	1	29	49	66	2.6
P017	22+0.374	PRAIRIE CO LINE	PRAIRIE	4	31	57	7.332	22	26	RMS	88	11	456	0	13	6	2	30	51	68	3.6
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	57	10.781	26	30	BST	208	29	565	0	12	10	7	29	58	68	4.5
P051	49+0.250	LAMBERT	RICHLAND	4	56	56	10.645	25	25	BST	320	44	400	0	15	10	9	28	62	69	4.0
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	128	20	510	0	8	10	8	29	55	69	2.8
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	902	117	184	7	25	10	8	20	70	70	1.7
P020	31+0.502	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1202	156	281	10	30	10	2	22	74	72	.4
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	121	19	560	0	9	10	10	29	58	72	4.8
P015	279+0.794	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1286	196	592	8	28	10	4	25	75	73	.3
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	121	19	340	0	14	10	7	29	60	74	2.2
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	58	5.840	28	32	BST	196	27	428	4	16	10	6	29	65	75	2.0
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	186	26	371	4	17	10	6	29	66	76	3.3
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	3525	458	1720	10	30	10	6	26	82	76	.3
P017	43+0.815	7.2 E TERRY	PRAIRIE	4	49	49	1.041	24	32	RMS	67	8	616	5	16	8	0	30	59	77	.4
P015	369+0.222	0.5 W GLENDIVE	DAWSON	4	69	69	.126	32	32	PMS	3315	397	432	9	29	10	20	16	84	78	
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1639	213	281	10	30	10	12	19	81	78	1.5
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	55	4.437	25	25	BST	351	49	377	4	18	10	13	28	73	78	1.2
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	184	25	342	4	18	10	7	29	68	78	2.7
P051	64+0.382	6.7 W FAP 20	RICHLAND	4	55	55	6.760	25	25	BST	519	72	508	3	17	10	20	28	78	80	1.5
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	475	61	401	10	27	10	2	28	77	80	.5
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	911	118	643	8	26	10	9	27	80	80	1.4
P017	36+0.554	TERRY	PRAIRIE	4	31	57	1.294	24	30	RMS	105	14	951	0	11	5	20	30	66	80	.4

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	SUFFICIENCY CAP	SUFFICIENCY TOT	SUFFICIENCY ADJ	DEFIC MILES
P027	66+0.022	10.3 N FAS 413	W18AUX	4	65	65	5.304	28	28	PMS	416	54	621	9	26	10	4	29	78	81	1.2
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	129	20	560	0	10	10	20	29	69	81	2.7
P015	368+0.630	GLENDIVE	DAWSON	4	60	60	.374	72	88	PMS	3316	397	2840	7	22	10	20	28	87	82	
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	153	24	501	6	25	10	3	29	73	83	1.1
P051	0+0.000	JCT FAP 15	MCCONE	4	60	61	3.326	30	30	PMS	322	45	655	8	25	10	6	29	78	83	.7
P027	73+0.386	5.7 S W18AUX	W18AUX	4	65	65	5.731	28	28	PMS	514	66	592	9	26	10	9	28	82	84	1.0
P027	54+0.746	W18AUX CO	W18AUX	4	65	65	11.265	28	28	PMS	361	46	643	8	26	10	7	29	80	84	2.3
P015	289+0.829	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	470	61	448	7	24	10	13	28	82	84	1.3
P015	306+0.479	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	706	91	296	7	23	10	20	25	85	85	1.5
P017	29+0.626	5.6 W TERRY	PRAIRIE	4	66	66	1.561	28	28	RMS	110	14	531	8	23	10	2	30	73	85	.4
P051	3+0.340	3.3 E JCT FAP 15	MCCONE	4	60	61	5.001	30	30	PMS	245	34	463	8	24	10	8	29	79	85	1.1
P051	27+0.527	RICHEY	DAWSON	4	58	58	5.039	28	32	BST	247	34	580	5	18	10	20	29	82	87	.9
P015	369+0.348	0.6 W GLENDIVE	DAWSON	4	69	69	.279	24	24	PMS	3315	397	805	10	28	10	20	23	91	87	
P015	287+0.711	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	495	64	403	7	22	10	20	28	87	89	.3
P022	96+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	581	87	360	8	24	10	20	26	88	89	.4
P017	37+0.851	1.3 E TERRY	PRAIRIE	4	55	55	.844	24	32	RMS	104	15	424	6	16	9	20	29	80	90	.2
P015	280+0.777	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	627	81	621	8	25	10	20	28	91	91	.6
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	120	19	352	7	27	10	16	29	89	94	1.3
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	199	27	702	9	25	10	20	29	93	95	.1
		DISTRICT TOTAL					393.428													38	147.7

N

SUFFICIENCY RATING BY FINANCIAL DISTRICT 5
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P043	0+0.626	LEWISTOWN LIMITS	FERGUS	5	21	21	1.143	18	24	PCC	2399	311	319	0	13	7	8	15	43	36	.7
P015	212+0.181	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1020	156	263	0	14	8	2	21	45	44	.1
P043	1+0.761	1.1 N LEWISTOWN	FERGUS	5	50	50	7.722	24	28	RMS	1312	170	318	0	14	10	2	22	48	45	4.0
P015	94+0.354	11.1 E LEWISTOWN	FERGUS	5	40	52	8.960	24	30	RMS	788	102	604	0	9	9	1	27	46	47	4.8
P015	88+0.246	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	910	118	333	0	14	8	1	25	48	48	3.1
P015	131+0.060	7.8 E PETROLEUM CO	PETROLEUM	5	31	58	4.553	20	24	RMS	314	48	406	0	9	7	1	28	45	52	2.5
P015	103+0.270	20.2 E LEWISTOWN	FERGUS	5	40	54	9.667	24	32	RMS	768	117	599	0	12	9	4	27	52	53	4.6
P015	206+0.822	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	344	52	396	0	10	7	1	28	46	53	2.9
P015	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	340	52	217	0	11	8	1	26	46	53	6.6
P015	171+0.262	8.1 W SAND SPRINGS	GARFIELD	5	47	58	8.146	24	24	PMS	279	42	438	0	8	7	1	29	45	53	4.5
P016	192+0.688	6.5 S FAP 15	FERGUS	5	41	65	4.893	24	30	RMS	629	81	333	0	14	9	2	26	51	53	2.4
P015	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.790	20	24	RMS	287	43	634	0	10	4	3	29	46	54	4.2
P015	73+0.550	8.5 E FAP 45	FERGUS	5	47	54	3.349	24	31	PMS	1609	191	340	6	19	9	3	22	59	54	1.4
P015	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.093	24	24	RMS	313	47	393	0	9	9	1	28	47	54	3.2
P015	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	337	51	479	0	10	8	1	28	47	54	4.2
P045	81+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	861	111	312	4	14	9	2	25	54	54	1.5
P015	121+0.740	8.7 E FAP 16	FERGUS	5	29	58	1.467	18	24	PMS	278	42	414	0	9	5	5	28	47	55	.8
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	53	10.488	20	24	RMS	167	21	470	0	8	5	1	29	43	55	6.0
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	53	10.392	20	24	RMS	167	21	448	0	7	7	1	29	44	56	5.8
P015	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	49	7.662	24	24	PMS	299	45	243	0	11	9	1	27	48	56	4.0
P015	364+0.400	SPUR RTE 15	FERGUS	5	49	61	1.750	24	28	RMS	879	104	469	3	15	8	3	27	56	56	.8
P015	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	290	44	441	0	9	9	1	29	48	56	3.6
P015	218+0.066	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	347	53	237	0	13	8	2	27	50	57	4.3
P015	213+0.088	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	406	62	438	0	14	8	2	28	52	57	2.4
P015	136+0.507	WINNETT	PETROLEUM	5	31	69	1.123	22	24	PMS	390	59	416	0	11	10	2	28	51	57	.6
P018	58+0.985	COHAGEN	GARFIELD	5	29	35	4.390	20	24	BST	186	24	364	0	10	5	2	29	46	57	2.4
P045	64+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	876	113	442	3	15	10	3	26	57	57	1.3
P015	238+0.926	JCT FAS 462 & 465	GARFIELD	5	38	54	2.537	24	24	RMS	330	50	278	0	13	9	2	27	51	58	1.2
P015	112+0.982	JCT FAP RTE 16	FERGUS	5	51	51	8.723	24	24	BST	337	51	396	0	13	9	1	28	51	58	4.3
P015	79+0.286	JCT SPUR FAP 15	FERGUS	5	47	54	1.761	24	31	RMS	1520	176	676	7	18	9	3	26	63	59	.7
P015	76+0.912	11.9 E FAP 45	FERGUS	5	47	54	2.367	24	31	PMS	1903	226	522	7	20	9	4	24	64	59	.9
P043	9+0.491	JCT FAS RTE 235	FERGUS	5	50	50	5.335	24	28	RMS	747	97	318	2	14	10	10	25	61	62	2.1
P016	237+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	326	54	584	0	9	10	8	29	56	63	2.0
P016	187+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	477	62	333	3	14	10	7	27	61	65	1.9
P015	83+0.164	LEWISTOWN	FERGUS	5	42	72	5.079	24	30	PMS	1055	137	415	4	19	10	8	25	66	65	1.7
P016	197+0.570	1.6 S FAP 15	FERGUS	5	62	62	1.554	32	32	PMS	735	123	569	4	18	10	6	27	65	66	.5
P045	70+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	885	115	266	2	12	9	20	24	67	67	.4
P016	199+0.150	JCT FAP RTE 15	FERGUS	5	62	62	9.657	30	30	PMS	326	54	554	0	12	10	10	29	61	68	3.8
P015	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	351	53	384	0	13	10	11	28	62	68	4.2
P016	208+0.837	9.7 N JCT FAP 15	FERGUS	5	61	61	11.832	30	30	PMS	317	53	583	0	12	10	11	29	62	69	4.5
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	297	38	414	3	14	10	6	29	62	69	4.0
P016	180+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	414	53	333	7	19	10	1	28	65	70	.4
P016	224+0.499	3.9 N JCT FAP 43	FERGUS	5	59	64	12.938	28	28	RMS	323	54	510	0	11	10	15	28	64	71	4.7
P045	71+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	PMS	792	102	349	8	25	10	2	26	71	71	2.0
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	324	42	600	3	16	10	7	29	65	71	2.6
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	320	41	600	5	18	10	3	29	65	72	2.2
P045	67+0.899	FERGUS CO	FERGUS	5	47	73	1.926	24	24	PMS	850	110	494	3	14	10	19	27	73	73	.5
P016	181+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	435	56	392	7	21	10	7	28	73	77	1.6
P015	66+0.986	2.0 E FAP 45	FERGUS	5	47	54	6.539	24	31	PMS	1504	178	522	6	20	9	20	25	80	77	1.3
P016	220+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	326	54	333	3	16	10	16	28	73	78	1.1
P042	0+0.000	JCT FAP RTE 15	GARFIELD	5	60	64	1.990	24	40	BST	131	20	793	0	8	10	20	30	68	80	.6
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	268	34	442	5	18	10	12	29	74	80	1.0
P016	175+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	442	57	504	7	21	10	12	28	78	81	1.0
P015	241+0.448	2.5 E FAS 462	GARFIELD	5	68	68	1.021	36	36	RMS	324	49	190	8	24	10	10	26	78	83	.2
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	286	37	472	7	25	10	6	29	77	83	2.2

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	8T	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	----SUFFICIENCY PATINGS---- FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P015	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1350	160	621	10	30	10	10	26	86	84	.1
P015	64+0.958	JCT FA RTE 45	FERGUS	5	71	71	2.016	32	32	PMS	1422	169	621	10	30	10	13	26	89	87	.2
P015	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	287	43	450	6	23	10	16	29	84	88	1.5
P015	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	336	51	567	10	30	10	7	29	86	89	.2
P018	63+0.369	4.4 N CDHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	221	28	702	8	24	10	17	29	88	92	1.2
P015	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	275	42	400	10	30	10	15	28	93	95	.8
P015	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	330	50	567	10	30	10	20	29	99	99	
		DISTRICT TOTAL					352.216													40	140.1



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 6
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IN	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P011	217+0.349	FAS RTES 227 & 228	CASCADE	6	39	71	.996	32	32	RMS	3593	467	340	5	20	10	2	9	46	36	.5
P015	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	50	6.610	22	25	RMS	1197	142	243	0	11	6	2	21	40	38	4.0
P003	319+0.191	TETON CO	TETON	6	21	32	2.966	20	22	BST	1334	173	397	0	13	4	1	23	41	38	1.7
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6	36	36	.677	24	24	RMS	1105	143	239	0	10	8	1	21	40	38	.4
P010	52+0.381	LOMA	CHOUTEAU	6	34	63	2.763	22	24	RMS	1133	147	380	0	9	8	2	24	43	41	1.6
P011	211+0.469	7.0 N FAS 331	CASCADE	6	42	52	5.894	26	31	RMS	2702	351	434	3	16	10	3	18	50	42	2.9
P015	54+0.311	MOCCASIN	JUDITH BASIN	6	58	71	2.337	22	24	RMS	1378	163	302	2	15	7	1	22	47	43	1.2
P003	340+0.952	CHOTEAU	TETON	6	21	32	12.944	20	22	BST	768	185	397	0	13	5	1	23	42	43	7.5
P003	322+1.038	FAIRFIELD	TETON	6	21	45	1.492	20	24	BST	737	95	440	0	12	3	0	27	42	43	.9
P003	299+0.631	I 15 VAUGHN	CASCADE	6	55	71	1.235	28	32	RMS	3289	427	396	5	18	10	6	14	53	43	.6
P015	41+0.824	5.2 E FAS 230	JUDITH BASIN	6	36	36	12.442	20	24	RMS	1289	153	364	0	13	6	4	24	47	44	6.6
P024	116+0.833	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	971	145	308	0	13	7	2	23	45	44	5.8
P015	33+0.205	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	1364	162	522	0	11	9	3	25	48	45	1.8
P003	374+0.208	DUPUYER	PONDERA	6	32	51	8.382	20	24	RMS	414	99	627	0	7	4	1	28	40	45	5.0
P003	358+0.625	4.6 N BYNUM	TETON	6	32	32	8.589	20	24	BST	418	100	246	0	10	6	1	24	41	46	5.1
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.766	22	24	RMS	1049	136	702	0	10	8	3	27	48	46	4.6
P010	63+0.939	11.6 N LOMA	CHOUTEAU	6	34	51	8.465	22	24	RMS	959	124	672	0	9	8	3	27	47	46	4.5
P015	36+0.650	JCT FAS RTE 230	JUDITH BASIN	6	37	37	5.169	24	30	RMS	1415	168	286	0	12	9	9	21	51	47	2.5
P011	218+0.360	2.0 E GREAT FALLS	CASCADE	6	39	71	2.019	32	32	RMS	3784	491	411	5	18	10	13	12	58	47	.8
P024	138+0.485	SUN RIVER	CASCADE	6	36	71	1.321	25	31	RMS	1741	243	522	3	16	9	1	23	52	47	.6
P021	44+0.825	3.0 S CONRAD	PONDERA	6	64	64	2.935	24	26	RMS	727	94	264	0	13	8	1	25	47	48	1.5
P003	367+0.264	PONDERA CO	PONDERA	6	32	51	6.905	20	24	RMS	439	105	448	0	12	4	1	26	43	48	3.9
P003	353+0.948	BYNUM	TETON	6	32	32	4.648	20	24	BST	494	119	364	0	11	6	2	25	44	48	2.6
P003	292+0.026	0.1 W FAI 15	CASCADE	6	38	49	7.270	24	30	RMS	924	115	554	0	11	8	3	27	49	48	3.7
P003	258+0.974	JCT I 15 CASCADE S	CASCADE	6	33	53	.173	24	28	RMS	478	145	317	0	12	10	0	23	45	49	.1
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6	33	41	3.370	20	24	BST	1081	140	476	0	13	7	6	26	52	50	1.6
P011	200+0.003	JCT FAP RTE 15	CASCADE	6	55	55	3.606	40	40	RMS	1714	222	340	3	17	10	6	20	56	51	1.6
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6	34	51	6.871	22	24	RMS	994	129	390	0	14	8	6	25	53	52	3.2
P003	317+0.076	2.1 S TETON CO	CASCADE	6	21	32	2.110	20	22	BST	1037	134	397	0	14	4	11	25	54	53	1.0
P003	307+0.105	JCT FAP 24	CASCADE	6	36	61	7.139	24	31	RMS	975	126	469	0	15	8	5	26	54	53	3.3
P015	21+0.888	GEYSER	JUDITH BASIN	6	36	50	4.693	22	25	RMS	1231	146	431	0	12	7	12	25	56	53	2.1
P045	69+0.837	JUDITH BASIN CO	JUDITH BASIN	6	47	62	.581	24	24	RMS	862	112	414	3	13	10	1	26	53	53	.3
P024	142+0.160	2.6 W FAP 24	CASCADE	6	34	37	2.969	20	24	BST	296	42	422	0	12	4	1	29	46	54	1.6
P003	324+0.541	1.5 N FAIRFIELD	TETON	6	21	45	2.698	20	24	BST	705	91	453	0	12	3	11	27	53	54	1.3
P003	300+0.866	1.4 W VAUGHN	CASCADE	6	36	36	6.230	25	31	RMS	2975	386	631	3	15	8	16	21	63	54	2.3
P009	43+0.145	TETON CO	TETON	6	35	35	2.846	20	24	RMS	457	73	270	0	14	8	1	26	49	54	1.5
P009	46+0.003	JCT FAS 408	TETON	6	35	35	7.848	20	24	RMS	390	62	325	0	13	8	1	27	49	55	4.0
P009	53+0.840	7.8 N FAS 408	TETON	6	36	36	6.133	22	25	RMS	427	68	345	0	14	8	1	27	50	55	3.1
P024	139+0.705	JCT FAP RTE 24	CASCADE	6	34	67	2.628	24	24	RMS	333	48	429	0	13	4	3	28	48	55	1.4
P015	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.138	24	32	RMS	1383	164	503	4	14	10	5	25	58	55	.5
P003	242+0.130	CASCADE CO	CASCADE	6	33	33	2.226	24	26	RMS	107	17	416	0	11	3	1	29	44	59	1.2
P003	246+0.952	NOVAK CR BRIDGE	CASCADE	6	33	33	3.973	20	24	RMS	122	18	307	0	12	4	1	29	46	60	2.1
P003	256+0.365	I 15 SEPARATION	CASCADE	6	33	53	1.999	20	24	RMS	94	14	277	0	9	7	1	29	46	62	1.1
P003	251+0.599	0.6 N HARDY CR SEP	CASCADE	6	33	53	1.492	20	24	RMS	110	16	205	0	12	6	1	29	48	63	.8
P003	299+0.296	0.3 E VAUGHN INT	CASCADE	6	61	61	.335	24	30	RMS	822	106	780	6	16	10	3	28	63	63	.1
P003	253+0.688	0.2 N TINT INTCH	CASCADE	6	33	53	1.210	24	28	RMS	105	15	156	0	12	6	1	29	48	63	.6
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.794	24	26	RMS	1114	144	567	0	13	7	19	26	65	63	1.7
P010	3+0.530	GREAT FALLS	CASCADE	6	40	71	3.633	28	28	RMS	1960	254	562	7	27	9	2	23	68	63	1.2
P011	167+0.998	NEIHART	CASCADE	6	52	52	10.526	22	26	RMS	521	78	492	6	17	8	2	28	61	64	4.1
P011	182+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	468	70	306	3	18	9	4	27	61	65	2.6
P011	204+0.514	JCT FAS RTE 331	CASCADE	6	52	55	6.955	24	32	RMS	2459	319	482	6	18	10	17	20	71	65	2.0
P015	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	RMS	1300	154	403	7	21	10	6	24	68	65	2.4
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.490	30	30	RMS	1477	192	414	4	16	10	16	23	69	65	2.0
P003	327+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	730	94	600	0	17	7	12	28	64	65	4.4
P003	262+0.040	1.8 N CASCADE	CASCADE	6	24	53	12.577	24	24	RMS	78	11	396	0	13	4	1	30	48	66	6.5

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BY IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36 36	4.014	22	25	RMS	545	87	518	0	15	8	13	27	63	66	1.5
P015	0+0.000	JCT FAP RTE 11	CASCADE	6	60 60	5.418	32	32	PMS	1423	169	380	4	18	10	14	23	69	66	1.7
P015	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61 61	3.343	32	32	PMS	1403	166	448	6	22	10	8	24	70	67	1.0
P024	133+0.232	5.7 E SPUR RTE 24	CASCADE	6	64 64	5.275	32	32	PMS	1667	233	653	5	23	10	9	25	72	68	1.5
P003	260+0.248	CASCADE	CASCADE	6	24 54	1.792	22	24	RMS	75	11	476	0	13	3	4	30	50	68	.9
P010	20+0.057	3.8 N CHOUTEAU CO	CHOUTEAU	6	63 63	9.726	32	32	PMS	1595	207	640	6	22	10	10	25	73	69	2.6
P015	5+0.302	5.3 E FAP 11	CASCADE	6	61 61	1.770	32	32	PMS	1404	167	448	6	21	10	12	24	73	70	.5
P011	178+0.469	MONARCH	CASCADE	6	52 52	4.235	22	26	PMS	553	82	193	8	21	8	6	24	67	70	1.4
P011	157+0.700	CASCADE CO	CASCADE	6	59 63	7.208	26	26	PMS	399	59	252	8	21	10	1	26	66	71	2.5
P021	47+2.078	CONRAD	PONDERA	6	51 65	8.734	32	32	RMS	274	35	428	4	16	10	4	29	63	71	3.2
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51 57	3.832	30	30	PMS	1480	192	565	4	16	10	19	25	74	71	1.0
P003	255+0.078	1.4 N TINT INTCH	CASCADE	6	63 63	1.287	24	24	PMS	100	15	432	5	14	8	1	29	57	72	.6
P003	314+0.375	7.3 N FAP 24	CASCADE	6	42 42	1.479	24	30	RMS	936	121	600	4	14	8	20	27	73	72	.4
P045	80+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46 59	.876	24	24	RMS	757	98	518	3	15	8	18	27	71	72	.3
P003	291+0.921	JCT FAI 15	CASCADE	6	67 67	.105	30	30	PMS	1065	133	576	9	26	10	2	27	74	73	
P015	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64 64	3.967	32	32	PMS	1280	152	592	8	24	10	9	26	77	75	.9
P024	127+0.465	JCT SPUR RTE 24	CASCADE	6	59 59	5.720	32	32	PMS	1572	220	748	8	26	10	9	26	79	76	1.2
P045	67+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47 73	.678	24	24	PMS	848	110	518	4	16	10	20	27	77	77	.2
P045	78+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41 70	2.021	24	24	RMS	763	99	463	8	25	10	8	27	78	78	.4
P010	29+0.727	13.5 N CHOUTEAU CO	CHOUTEAU	6	64 64	9.834	32	32	PMS	1770	230	720	7	24	10	15	25	81	78	1.9
P003	315+0.870	8.8 N FAP 24	CASCADE	6	62 62	1.232	35	35	BST	978	127	616	4	19	10	20	27	80	79	.2
P015	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71 71	6.520	32	32	PMS	1330	158	621	9	27	10	10	26	82	80	1.2
P011	189+0.343	10.7 N MONARCH	CASCADE	6	69 69	2.036	40	40	PMS	409	61	464	10	28	10	1	28	77	81	.5
P021	44+0.000	11.5 S CONRAD	PONDERA	6	72 72	.825	40	40	PMS	541	70	616	10	30	10	2	28	80	82	.2
P003	382+0.648	8.4 N DUPUYER	PONDERA	6	66 66	5.576	34	34	PMS	589	141	640	10	26	10	8	27	81	82	1.1
P010	39+0.560	0.4 N FT BENTON	CHOUTEAU	6	74 74	12.039	32	32	PMS	1050	136	621	10	30	10	6	27	83	82	2.0
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70 70	1.223	32	32	PMS	1091	141	720	10	29	10	8	27	84	83	.2
P021	57+0.096	JCT FAS 216	PONDERA	6	72 72	.523	34	34	PMS	464	60	720	10	30	10	3	29	82	84	.1
P010	7+0.159	3.6 N GREAT FALLS	CASCADE	6	40 71	2.469	28	28	PMS	1501	195	666	8	28	9	16	26	87	85	.3
P003	246+0.660	CANYON INT APPR	CASCADE	6	68 68	.292	24	24	PMS	129	19	211	10	27	10	0	29	76	86	.1
P003	245+0.850	3.7 N CASCADE CO	CASCADE	6	68 68	.810	24	24	PMS	166	25	193	10	30	10	2	28	80	88	.2
P003	250+0.925	HARDY CR SEP	CASCADE	6	68 68	.674	24	24	PMS	113	16	404	10	29	10	1	29	79	89	.1
P003	244+0.350	2.2 N CASCADE CO	CASCADE	6	72 72	1.501	26	26	PMS	143	22	416	10	30	10	2	29	81	89	.3
P011	191+0.279	9.2 SO. FAP 15	CASCADE	6	69 69	9.085	40	40	PMS	407	61	568	10	28	10	12	28	88	90	1.1
P003	258+0.364	0.6 S CASCADE INTC	CASCADE	6	63 63	.610	24	24	PMS	91	27	400	10	28	10	20	29	97	98	
P003	253+0.450	TINTINGER INTCH	CASCADE	6	63 63	.238	24	24	PMS	107	16	533	10	27	10	20	30	97	98	
DISTRICT TOTAL						399.469														41 162.7



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 7
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTPICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	OPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	46+0.476	HELENA	LEWIS AND CLARK	7	36	36	2.094	24	30	PMS	7343	881	524	0	14	3	3	5	25	13	1.6
P008	27+0.617	LEWIS & CLARK CO	LEWIS AND CLARK	7	31	35	6.567	24	30	PMS	1382	179	207	0	13	3	1	17	34	31	4.3
P008	34+0.269	1.1 E ENO FHR 28	LEWIS AND CLARK	7	33	54	5.345	22	30	RMS	1682	218	326	0	15	8	2	20	45	40	2.9
P008	49+0.860	EAST HELENA	LEWIS AND CLARK	7	36	36	2.962	24	30	PMS	2674	409	500	3	17	7	5	18	50	42	1.5
P024	109+0.052	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.789	24	26	PMS	919	137	308	0	13	8	2	23	46	45	4.2
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	36	1.336	22	24	RMS	830	132	711	0	14	7	1	27	49	49	.7
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	PMS	975	146	164	5	19	8	2	17	51	50	2.9
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.791	18	24	PMS	304	45	449	0	10	5	1	28	44	51	3.2
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	432	64	134	2	16	5	1	23	47	52	5.2
P014	6+0.411	4.0 E FAS 284	BROADWATER	7	37	52	7.187	20	25	RMS	378	56	338	0	10	7	2	28	47	53	3.8
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.505	24	25	PMS	972	145	266	4	16	8	4	22	54	53	1.6
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	36	9.091	20	24	BST	334	53	182	0	12	7	1	26	46	53	4.9
P009	39+0.890	JCT SPUR FAP 24	LEWIS AND CLARK	7	35	36	3.248	22	24	PMS	463	74	360	0	12	8	2	27	49	53	1.7
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	62	6.155	22	26	RMS	408	53	238	0	10	7	4	27	48	53	3.2
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7	32	36	8.470	20	24	BST	314	50	406	0	10	7	2	28	47	54	4.5
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	PMS	322	41	396	0	10	7	2	28	47	54	2.3
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.788	24	24	PMS	1426	235	328	6	21	10	4	19	60	56	2.7
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7	31	40	2.000	24	31	PMS	449	58	219	0	13	10	2	26	51	56	1.0
P024	145+0.109	LEWIS & CLARK CO	LEWIS AND CLARK	7	34	62	5.554	24	24	RMS	277	40	301	0	15	5	1	28	49	57	2.8
P003	227+0.885	WOLF CREEK JCT	LEWIS AND CLARK	7	35	47	8.527	24	26	RMS	153	48	205	0	12	6	1	26	45	57	4.7
P024	100+0.526	JCT FAS PTE 434	LEWIS AND CLARK	7	51	51	8.522	25	25	BST	958	143	243	0	17	8	13	21	59	58	3.5
P024	86+0.129	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.094	28	30	PMS	975	146	177	8	22	10	1	18	59	58	2.1
P024	150+0.680	5.6 W L & C CO	LEWIS AND CLARK	7	35	36	9.902	22	24	RMS	271	39	420	0	12	6	3	29	50	58	5.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	271	42	286	0	14	8	1	28	51	59	2.6
P003	236+0.392	CRAIG JCT	LEWIS AND CLARK	7	33	47	1.782	24	26	RMS	122	38	499	0	11	4	1	29	45	59	1.0
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.887	24	24	PMS	1244	186	331	7	22	10	2	22	63	60	2.2
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	580	75	75	8	25	10	1	15	59	62	.1
P003	240+0.680	1.4 S CASCADE CO	LEWIS AND CLARK	7	69	69	1.470	24	24	PMS	90	17	515	0	11	4	1	30	46	62	.8
P003	183+0.377	1.6 N CLANCY	JEFFERSON	7	30	69	.424	24	24	PMS	302	39	379	5	18	6	0	28	57	64	.2
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	946	122	128	10	28	10	1	16	65	64	.1
P008	107+0.893	JCT FAI 90	BROADWATER	7	68	63	.308	40	40	PMS	946	122	128	10	28	10	1	16	65	64	.1
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	304	47	378	3	17	8	1	28	57	64	.4
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1536	230	549	6	21	10	7	24	68	64	1.2
P008	78+0.114	TOWNSEND	BROADWATER	7	39	39	9.673	24	32	RMS	1445	187	680	0	12	10	20	26	68	65	3.1
P008	107+0.697	0.2 N FAI 90	BROADWATER	7	68	68	.196	40	40	PMS	1820	236	320	10	28	10	4	19	71	66	.1
P003	220+0.183	SPRING CP INTCH	LEWIS AND CLARK	7	35	35	7.702	20	24	PMS	57	17	482	0	10	5	2	29	46	66	4.2
P003	184+0.095	2.3 N CLANCY	JEFFERSON	7	30	69	.517	24	24	PMS	302	39	431	5	18	7	1	29	60	67	.2
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1197	155	539	4	16	10	13	26	69	67	3.5
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1009	151	410	8	22	10	6	24	70	69	1.2
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.748	24	28	RMS	1531	199	427	3	17	10	20	23	73	70	2.4
P003	186+0.199	1.5 S MONT CITY	JEFFERSON	7	39	69	1.462	24	36	PMS	302	39	264	5	20	8	3	28	64	71	.5
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	PMS	426	55	193	0	13	10	20	26	69	73	.3
P003	184+0.612	2.8 N CLANCY	JEFFERSON	7	69	69	1.412	24	24	PMS	302	39	156	8	24	9	0	26	67	74	.5
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	1928	250	696	9	25	10	9	25	78	74	2.5
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.514	40	40	PMS	2265	346	283	10	27	10	20	12	79	74	.3
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	2449	374	344	9	26	10	20	14	79	74	.4
P008	108+0.202	0.3 S FAI 90	BROADWATER	7	52	52	.653	24	28	PMS	946	122	599	4	17	10	20	27	78	77	.1
P003	182+0.809	1.0 N CLANCY	JEFFERSON	7	69	69	.568	24	24	PMS	302	39	280	9	24	10	1	28	72	78	.2
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	1811	235	504	8	24	10	17	23	82	79	1.5
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	273	43	511	5	21	10	8	29	73	79	2.1
P014	2+0.398	JCT FAS RTE 284	BROADWATER	7	64	64	3.999	32	32	PMS	447	67	487	8	25	10	5	28	76	79	1.0
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	291	46	324	8	24	10	5	28	75	81	.2
P008	55+0.995	BROADWATER CO	BROADWATER	7	69	69	1.139	40	40	PMS	1792	232	320	9	27	10	20	19	85	82	.2
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	331	52	697	9	27	10	2	29	77	82	.5
P003	182+0.598	0.8 N CLANCY	JEFFERSON	7	30	69	.211	24	24	PMS	302	39	301	4	19	6	20	28	77	82	

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P003	181+1.118	CLANCY INTCH	JEFFERSON	7 69 69	.801	28	28	PMS	302	39	318	10	28	10	1	28	77	82	.2
P003	187+0.661	0.2 S MONT CITY	JEFFERSON	7 69 69	.162	34	34	PMS	302	39	512	10	28	10	1	29	78	83	
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7 59 59	10.453	32	32	PMS	324	51	482	7	23	10	12	28	80	84	2.1
P003	238+0.174	1.8 N CRAIG	LEWIS AND CLARK	7 67 67	.419	24	24	PMS	114	30	322	10	28	10	1	29	78	88	.1
P014	0+0.888	TOWNSEND	BROADWATER	7 64 64	1.513	32	32	PMS	1141	171	569	9	25	10	20	25	89	88	.2
P013	93+0.067	0.3 W FAP 8	BROADWATER	7 68 68	.296	40	40	RMS	348	45	96	9	26	10	20	23	88	90	
P003	183+0.801	2.0 N CLANCY	JEFFERSON	7 69 69	.314	24	24	PMS	302	39	218	8	24	10	20	27	89	92	
P003	238+0.593	2.2 N CRAIG	LEWIS AND CLARK	7 69 69	2.058	24	24	PMS	106	27	289	10	28	10	7	29	84	92	.3
P003	240+0.090	1.8 S CASCADE CO	LEWIS AND CLARK	7 69 69	.590	24	24	PMS	97	20	248	9	27	10	20	29	95	98	
P003	219+0.218	JCT FAI 15	LEWIS AND CLARK	7 65 65	.440	24	24	PMS	40	12	296	10	25	10	20	29	94	99	
		DISTRICT TOTAL			259.754													41	106.5


SANDERS
Thompson Falls
36
6
90
2
Superior
MINERAL
2
MISSOULA
5
90
Missoula
24
2
POWELL
90
Drummond
90
8
N
1
19
2
GRANITE
Deer Lodge
90
Philipsburg
Hamilton
19
35
Darby
RAVALLI
1
46
Percent Sufficient
0 - 40
41 - 60
61 - 100
Under Construction As Of December 31, 1974
SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 8
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	OEFIC MILES
P002	705+0.494	EJT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	1547	255	120	0	8	6	2	0	16	13	3.2
P005	0+0.240	0.2 N FAI 90	MISSOULA	8	34	55	3.470	20	24	RMS	3792	553	277	0	13	7	1	0	21	14	2.7
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	1748	288	186	0	10	5	2	7	24	20	3.5
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	3747	547	220	2	15	7	6	0	30	21	1.1
P007	44+0.554	JCT FAP 35	RAVALLI	8	34	59	2.060	22	24	RMS	3589	466	672	0	10	4	3	20	37	27	1.3
P007	48+0.000	HAMILTON	RAVALLI	8	40	40	1.731	24	30	RMS	4118	535	780	0	10	4	5	20	39	28	1.1
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.039	30	30	RMS	2099	346	258	3	17	4	1	10	35	29	2.6
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	18	24	RMS	2099	272	285	0	12	6	2	16	36	30	7.5
P008	27+0.319	0.3 W L & C CO	POWELL	8	31	55	.298	24	30	RMS	1283	166	214	0	11	4	1	18	34	31	.2
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1226	182	238	0	12	3	0	19	34	32	1.5
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1775	264	259	0	11	3	8	15	37	32	.2
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8	41	49	4.023	25	25	BST	1459	240	182	0	8	7	11	10	36	32	2.6
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	1.883	20	24	PMS	1673	244	290	0	12	6	3	17	38	33	1.2
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1764	229	300	0	11	6	2	19	38	33	2.5
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	803	119	281	0	8	3	0	24	35	35	1.1
P006	53+0.427	2.1 E THOMP FALLS	SANDERS	8	35	36	2.680	20	24	RMS	1433	213	255	0	12	8	4	17	41	37	1.6
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	813	121	378	0	9	3	0	25	37	37	.7
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	980	146	406	0	8	4	1	25	38	37	4.4
P007	43+0.041	1.5 S FAP 35	RAVALLI	8	49	49	1.501	30	30	BST	2498	324	374	4	15	9	1	17	46	38	.8
P008	0+0.000	JCT FAI 90	POWELL	8	31	53	3.913	24	24	RMS	1153	149	220	0	13	6	1	20	40	38	2.3
P006	88+0.718	3.6 E JCT FAS 461	SANDERS	8	24	38	1.869	20	24	RMS	697	103	307	0	11	4	0	25	40	41	1.1
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.128	20	24	RMS	1128	168	406	0	13	5	1	24	43	41	3.5
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	981	127	305	0	11	6	2	24	43	42	1.7
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1235	184	408	0	12	6	4	23	45	42	1.7
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	785	116	406	0	9	4	2	26	41	42	1.7
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	993	147	233	0	15	4	3	21	43	42	2.2
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	64	9.496	36	36	PMS	3612	527	510	4	15	10	9	15	53	42	4.5
P005	0+0.000	JCT FAI 90	MISSOULA	8	66	66	.240	36	36	PMS	3825	558	424	8	23	10	2	10	53	42	.1
P006	56+0.095	4.8 E THOMP FALLS	SANDERS	8	35	49	1.717	20	24	RMS	1069	159	184	0	13	5	9	17	44	42	1.0
P008	11+0.267	AVON	POWELL	8	33	58	11.942	22	24	RMS	1258	163	512	0	9	8	3	25	45	42	6.6
P024	26+0.710	5.2 W FAS 209	MISSOULA	8	49	49	5.188	25	25	BST	1395	230	438	0	9	8	7	22	46	42	2.8
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	631	91	507	0	9	3	1	27	40	42	3.0
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	532	77	732	0	7	3	2	28	40	43	5.5
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	716	106	364	0	10	3	3	26	42	43	.7
P006	85+0.066	JCT FAS 461	SANDERS	8	31	51	3.604	20	24	RMS	687	102	391	0	11	4	1	26	42	44	2.1
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	848	110	288	0	12	7	2	24	45	45	1.9
P035	32+0.154	6.3 E GRANITE CO	GRANITE	8	23	23	6.475	11	11	GRV	95	15	135	0	0	3	0	28	31	45	4.5
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	898	116	288	0	13	7	2	24	46	46	1.9
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	716	93	390	0	13	5	1	26	45	46	4.1
P006	57+0.868	6.5 E THOMP FALLS	SANDERS	8	34	49	6.899	20	24	RMS	942	140	233	0	13	5	8	21	47	46	3.7
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	692	89	390	0	13	5	0	27	45	47	.1
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	2581	335	648	3	13	10	7	22	55	47	3.2
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	589	85	287	0	12	6	0	26	44	47	1.8
P035	14+0.578	11.2 W GRANITE CO	RAVALLI	8	24	24	11.240	11	11	GRV	77	12	135	0	0	3	0	29	32	47	7.6
P035	25+0.875	GRANITE CO LINE	GRANITE	8	23	23	6.280	11	11	GRV	71	11	135	0	0	3	0	29	32	48	4.3
P024	31+0.869	JCT FAS RTE 209	MISSOULA	8	54	54	3.799	24	30	RMS	1181	194	235	0	11	10	11	18	50	48	1.9
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	950	123	249	0	14	7	5	23	49	48	1.6
P007	82+0.746	LOLO	MISSOULA	8	68	68	.492	44	44	PMS	4604	598	192	10	30	10	10	0	60	48	.2
P007	74+0.821	FLORENCE	RAVALLI	8	74	74	2.051	38	38	PMS	3749	487	304	10	30	10	3	6	59	48	.8
P006	64+0.701	13.4 E THOMP FALLS	SANDERS	8	39	39	3.997	26	26	BST	941	140	374	2	16	6	2	24	50	49	2.0
P002	707+0.000	SUPERIOR	MINERAL	8	31	52	.064	22	24	RMS	230	29	716	0	6	5	0	29	40	49	
P035	39+0.473	13.4 E GRANITE CO	GRANITE	8	36	36	6.135	28	28	GRO	124	19	525	0	0	6	2	29	37	50	3.9
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	406	60	288	0	10	6	2	27	45	50	3.5
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	453	67	206	0	10	6	4	25	45	50	2.1

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	FNO	SRF	DRN	SAF	CAR	TOT	ADJ	DEFIC MILES
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	530	79	283	0	11	7	3	26	47	50	1.9
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	765	99	280	0	10	6	9	25	50	51	3.0
P007	76+0.872	MISSOULA CO	MISSOULA	8	74	74	6.047	38	38	PMS	4069	528	304	10	30	10	8	4	62	51	2.3
P024	55+0.670	JCT FAS RTE 271	POWELL	8	61	61	9.806	24	26	PMS	1182	195	184	6	21	10	2	14	53	51	4.6
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	2968	385	648	2	13	10	15	21	61	52	.9
P035	0+0.000	FAP RTE 7	RAVALLI	8	41	55	5.576	20	24	RMS	427	59	536	0	10	6	4	28	48	53	2.9
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	449	67	138	0	12	6	8	23	49	54	1.2
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1272	185	271	7	16	9	5	20	57	54	.3
P002	705+0.694	1.0 W SUPERIOR	MINERAL	8	31	52	1.036	22	24	RMS	200	26	544	0	6	5	4	29	44	54	.6
P006	95+0.631	PERMA FAS 382	SANDERS	8	57	57	3.633	32	32	BST	763	113	655	0	9	8	10	27	54	55	1.7
P036	26+0.128	7.2 N SPUR FAR 36	SANDERS	8	40	40	4.999	20	25	BST	489	73	266	0	13	7	5	26	51	55	2.4
P002	189+0.034	DEER LODGE	POWELL	8	48	48	1.062	24	32	RMS	1890	245	896	3	13	10	11	26	63	58	.4
P002	76+0.550	ALBERTON	MINERAL	8	26	34	.790	20	20	BST	167	21	257	0	13	3	1	29	46	58	.4
P019	34+0.421	2.7 N JCT RTE 35	GRANITE	8	57	57	4.157	32	32	BST	475	68	514	0	11	10	5	28	54	58	1.9
P024	0+0.000	JCT FA1 90	MISSOULA	8	74	74	.975	44	44	PMS	2441	402	471	10	28	10	2	17	67	60	.3
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1106	182	299	6	19	10	6	21	62	60	4.8
P019	30+0.851	.8 S JCT FA RTE 35	GRANITE	8	57	57	.817	32	32	BST	500	72	383	3	16	10	1	27	57	61	.4
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	503	73	312	5	14	9	3	26	57	61	1.0
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1176	194	316	7	21	10	5	21	64	62	2.7
P036	46+0.741	SPUR RTE 36	SANDERS	8	41	41	1.746	20	26	BST	890	133	685	0	9	6	20	27	62	62	.7
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	1961	323	450	8	22	10	9	19	68	63	.8
P019	31+0.677	JCT FAP RTE 35	GRANITE	8	57	57	2.729	32	32	BST	499	72	866	0	9	10	11	29	59	63	1.1
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	501	73	371	6	16	8	2	27	59	63	.9
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	693	101	536	3	17	9	7	27	63	64	3.2
R024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	2275	375	471	10	30	10	2	18	70	64	.3
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	822	122	538	0	10	8	20	27	65	65	.7
P035	5+0.606	5.6 E FAP RTE 7	RAVALLI	8	58	58	4.522	26	26	BST	141	19	264	0	13	9	1	29	52	65	2.2
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	507	74	283	5	15	9	7	26	62	66	1.4
P002	78+0.778	1.5 E MISSOULA CO	MISSOULA	8	63	63	.670	24	24	RMS	300	39	220	5	17	10	0	27	59	66	.3
P002	147+0.035	7.6 W ORUMMOND	GRANITE	8	36	36	3.657	22	32	BST	65	8	201	0	11	6	1	29	47	66	1.9
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	591	86	264	7	17	10	6	25	65	67	.4
R002	77+0.340	MISSOULA CO LINE	MISSOULA	8	26	34	1.263	20	20	BST	203	26	186	0	7	3	20	28	58	68	.5
R002	79+0.448	2.2 E MISSOULA CO	MISSOULA	8	64	64	.585	24	24	RMS	353	45	289	7	16	10	1	28	62	68	.2
P002	142+0.345	4.4 E BEARMOUTH	GRANITE	8	33	34	1.595	24	28	RMS	58	7	379	0	10	6	3	30	49	69	.8
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	713	104	569	5	20	9	7	27	68	69	2.6
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	579	84	342	8	19	10	5	26	68	70	.3
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	815	118	378	8	24	10	3	25	70	70	.7
P007	59+0.036	VICTOR FAS 370	RAVALLI	8	56	61	7.721	32	32	PMS	2578	335	720	10	25	10	8	23	76	70	1.9
R007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	74	.667	44	44	PMS	3609	469	320	10	30	10	20	8	78	71	.1
P002	137+0.538	0.2 E BEARMOUTH	GRANITE	8	33	34	3.680	22	28	RMS	55	7	414	0	12	7	2	30	51	71	1.8
P036	18+0.961	JCT SRUR FAP 36	SANDERS	8	63	63	7.161	28	28	PMS	654	98	586	6	19	10	7	27	69	71	2.2
P036	16+0.265	JCT FAS RTE 382	SANDERS	8	63	63	2.732	28	28	PMS	688	103	599	5	20	10	8	27	70	71	.8
P002	151+0.444	3.2 W ORUMMOND	GRANITE	8	36	36	1.494	22	32	BST	69	8	336	2	12	7	3	30	54	72	.7
P008	3+0.914	JCT FAS 407	POWELL	8	57	64	7.362	32	32	PMS	1258	163	448	8	25	10	6	25	74	72	1.9
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	733	107	672	4	22	10	7	28	71	72	1.8
P007	83+0.246	0.5 N LOLO	MISSOULA	8	68	68	.388	32	32	PMS	809	120	571	9	26	10	1	27	73	73	.1
P002	78+0.603	1.3 E MISSOULA CO	MISSOULA	8	36	45	6.898	68	68	PMS	5743	746	1800	10	28	10	10	24	82	74	1.2
P002	83+0.169	0.3 W NINE MILE	MISSOULA	8	64	64	.175	24	30	RMS	264	34	199	0	12	7	20	27	66	74	.1
P002	80+0.033	3.4 W NINE MILE	MISSOULA	8	39	61	.315	30	30	RMS	525	68	199	10	26	10	0	25	71	74	.1
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	3.136	24	30	RMS	485	63	486	3	14	7	20	28	72	75	.9
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	6.777	32	32	PMS	3147	409	720	10	25	10	15	21	81	75	1.3
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	.628	40	40	PMS	712	103	258	10	27	10	4	24	75	76	.2
R019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	8.606	32	32	PMS	660	96	428	7	23	10	9	27	76	77	2.1
P024	16+0.029	POTOMAC	MISSOULA	8	68	68	9.701	32	32	PMS	561	81	482	6	19	10	14	27	76	78	2.3
							6.575	40	40	PMS	1500	247	420	9	25	10	16	21	81	78	1.2

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY FND	SUFFICIENCY SRF	SUFFICIENCY DRN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS ADJ	DEFIC MILES
P008	23+0.218	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1230	159	1800	10	30	10	2	29	81	79	.4
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.033	28	28	RMS	510	74	371	8	18	10	14	27	77	80	.5
P035	45+0.607	8.3 W JCT FAP 19	GRANITE	8	56	72	1.199	22	30	RMS	144	23	604	0	10	10	20	29	69	80	.4
P035	10+0.035	10.1 E FAP RTE 7	RAVALLI	8	66	66	4.539	28	28	BST	100	14	154	6	21	10	1	29	67	81	1.5
P006	10+0.279	JCT FAS 202	SANDERS	8	52	52	1.095	24	28	RMS	562	82	283	7	16	10	20	26	79	81	.2
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	750	109	510	5	19	10	20	27	81	81	.2
P002	152+0.938	1.6 W ORUMMOND	GRANITE	8	64	64	1.554	24	24	PMS	72	9	193	7	19	10	1	29	66	82	.5
P019	63+0.222	0.6 S ORUMMOND	GRANITE	8	66	66	.449	32	32	PMS	733	106	774	10	26	10	9	28	83	83	.1
P035	38+0.629	12.7 E GRANITE CO	GRANITE	8	74	74	.840	30	30	GRV	108	17	702	10	0	10	20	30	70	83	.3
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	279	41	626	10	28	10	0	29	77	83	
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	604	88	501	8	18	10	20	27	83	84	.2
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1244	161	1800	10	30	10	7	29	86	84	.2
P007	74+0.242	0.4 S FLORENCE	RAVALLI	8	74	74	.579	64	64	PMS	3720	483	2160	10	30	10	12	27	89	84	.1
P002	145+0.524	9.1 W ORUMMOND	GRANITE	8	36	36	.964	22	32	RMS	62	8	388	0	12	7	20	30	69	85	.3
P002	144+0.557	10.1 W DRUMMOND	GRANITE	8	36	36	.250	22	32	RMS	60	7	432	0	9	10	20	30	69	86	.1
P002	143+0.940	6.0 E BEARMOUTH	GRANITE	8	70	70	.617	30	30	PMS	60	7	291	7	22	10	1	30	70	86	.2
P002	144+0.807	9.8 W DRUMMOND	GRANITE	8	70	70	.672	30	30	PMS	61	7	226	8	23	10	1	30	72	88	.2
P002	187+0.042	N DEER LODGE INT	POWELL	8	62	62	.928	32	32	PMS	1715	222	667	9	26	10	20	25	90	88	.1
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	796	118	694	8	26	10	20	27	91	91	.1
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	707	105	470	9	27	10	18	27	91	91	.3
P035	46+0.806	7.1 W JCT FAP 19	GRANITE	8	66	66	7.042	30	30	PMS	149	23	463	10	27	10	9	29	85	91	1.1
P002	150+0.700	3.9 W DRUMMOND	GRANITE	8	70	70	.422	30	30	PMS	68	8	459	5	16	10	20	30	81	92	.1
P002	151+0.095	3.5 W DRUMMOND	GRANITE	8	64	64	.349	24	24	PMS	68	8	391	7	15	10	20	30	82	93	.1
P002	137+0.782	BEARMOUTH WEST INT	GRANITE	8	70	70	.156	30	30	PMS	53	6	604	10	30	10	0	30	80	93	
P002	141+0.609	3.9 E BEARMOUTH	GRANITE	8	70	70	.520	30	30	PMS	57	7	291	7	22	5	20	30	84	94	.1
P002	75+0.194	ALBERTON INTCH I90	MINERAL	8	63	63	.005	28	28	PMS	750	97	621	10	27	10	20	28	95	95	
P002	146+0.488	8.1 W DRUMMOND	GRANITE	8	70	70	.508	30	30	PMS	63	8	448	8	23	10	20	30	91	97	

DISTRICT TOTAL 459.404 46 209.5



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 9
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P003	463+0.467	OILLON	BEAVERHEAD	9			.699	NON EXISTENT													
P029	83+0.477	JCT FAS 393	SILVER BOW	9			2.500	NON EXISTENT													.7
P050	98+0.016	MADISON CO LINE	MADISON	9			2.448	NON EXISTENT													2.5
P029	49+0.920	6.6 N TWIN BRIDGES	MADISON	9	36	36	8.509	18	24	RMS	946	141	138	0	12	6	1	15	34	33	2.4
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.280	24	30	RMS	1320	171	292	0	12	8	2	21	43	40	5.6
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	36	46	3.798	20	24	RMS	1099	142	255	0	12	8	2	22	44	42	1.9
P029	34+0.188	SHERIDAN	MADISON	9	39	39	8.029	20	24	RMS	944	198	486	0	11	8	6	24	49	48	2.1
P029	19+0.904	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	710	149	390	0	13	8	3	24	48	49	4.1
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	797	115	222	3	14	7	2	22	48	49	2.7
P013	67+0.511	11.1 N MCALLISTER	MADISON	9	34	34	9.526	20	24	RMS	450	69	233	0	12	7	1	26	46	51	1.8
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	60	2.337	24	30	RMS	766	99	504	0	14	7	2	27	50	51	5.1
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	556	72	243	0	15	7	0	26	48	51	1.2
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.930	20	24	RMS	770	161	435	0	12	8	6	24	50	51	1.5
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.488	22	24	RMS	316	47	479	0	10	5	1	29	45	52	4.0
P019	12+0.378	ANACONDA	DEER LODGE	9	51	59	4.529	28	28	PMS	1765	255	508	4	16	10	5	22	57	52	.8
P003	133+0.875	N BUTTE LIMITS	SILVER BOW	9	50	50	.292	24	36	PMS	640	83	501	0	11	8	3	28	50	52	1.9
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	641	99	311	3	15	7	2	25	52	54	.1
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	601	120	453	0	12	8	5	26	51	54	2.5
P013	77+0.047	FAS 359	MADISON	9	34	52	3.748	22	24	RMS	272	42	253	0	12	5	1	28	46	54	4.5
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	788	122	431	0	15	8	4	26	53	54	2.0
P029	14+0.827	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	657	137	315	4	18	5	2	23	52	54	3.4
P013	61+0.592	5.2 N MCALLISTER	MADISON	9	34	34	5.907	20	24	RMS	495	76	237	3	15	8	1	25	52	56	2.5
P049	0+0.579	OILLON	BEAVERHEAD	9	36	62	2.422	26	26	RMS	1257	163	567	0	17	7	10	26	60	57	2.8
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	830	107	249	2	17	10	5	24	58	58	1.0
P029	0+0.245	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	673	141	420	5	18	7	2	25	57	59	2.9
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.634	20	24	RMS	1052	157	345	0	13	5	20	23	61	60	2.3
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	499	74	550	4	17	6	1	28	56	60	2.6
P049	13+0.657	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	836	108	377	2	16	8	8	26	60	60	3.6
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1183	236	564	0	14	9	15	24	62	60	1.0
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	1025	148	514	0	18	8	9	26	61	60	.6
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	425	85	762	0	10	9	9	28	56	61	.9
P003	116+0.183	LIMA	BEAVERHEAD	9	33	56	7.602	22	24	RMS	119	15	780	0	10	4	4	30	48	62	4.8
P029	5+0.697	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	483	101	243	5	17	8	5	24	59	63	4.0
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	28	28	PMS	1318	191	478	4	17	10	13	24	68	65	2.1
P049	0+0.335	OILLON	BEAVERHEAD	9	36	73	.102	40	40	RMS	2659	345	896	5	18	6	20	24	73	66	1.6
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	369	55	415	5	18	8	2	28	61	67	2.4
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	53	10.659	24	28	RMS	1022	132	629	4	16	8	13	27	68	67	3.4
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	386	77	792	0	10	7	20	29	66	71	.9
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.992	20	26	RMS	1074	150	501	3	16	8	20	26	73	72	1.6
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	276	41	508	6	18	10	2	29	65	72	2.0
P046	76+0.452	0.6 W OLVIDE	SILVER BOW	9	34	57	.490	32	32	BST	520	78	830	5	17	10	10	29	71	74	.1
P046	64+0.520	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	473	70	589	9	24	10	1	28	72	75	.1
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	218	32	478	6	19	10	2	29	66	75	.4
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	223	33	501	7	21	9	2	29	68	77	3.0
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	283	42	194	9	23	10	1	27	70	77	.9
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	297	44	672	8	21	10	4	29	72	78	1.5
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5553	721	2184	10	26	10	15	25	86	79	.2
P013	0+0.000	IDAHO LINE	MADISON	9	62	62	8.564	32	32	BST	249	49	546	4	17	10	13	29	73	80	2.3
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	458	68	596	9	28	10	2	28	77	80	.3
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	495	103	194	6	19	10	20	22	77	80	.5
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.932	30	33	PMS	260	39	639	8	21	10	6	29	74	81	.2
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	3017	392	2184	9	28	10	12	27	86	81	.4
P003	23+0.785	DELL	BEAVERHEAD	9	33	65	13.236	24	26	RMS	55	7	965	0	10	5	20	30	65	83	4.6
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	423	63	649	8	27	10	7	29	81	84	.3
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	316	47	501	9	26	10	7	29	81	85	1.8

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	OEFIC MILES
P046	36+0.681	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	223	33	496	8	23	10	11	29	81	87	.9
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3777	491	2184	9	26	10	20	27	92	88	.2
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	223	33	561	7	18	10	20	29	84	89	
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	236	35	684	8	22	10	20	29	89	92	.6
P003	37+0.026	0.2 S REO ROCK INT	BEAVERHEAD	9	72	72	.211	28	28	PMS	60	7	356	10	30	10	0	30	80	92	
P013	21+0.332	9.3 S FAS 527	MADISON	9	71	71	2.992	40	40	PMS	386	77	511	10	28	10	15	28	91	93	.3
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	292	43	594	8	23	10	20	29	90	93	.4
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	331	49	697	8	24	10	20	29	91	93	.8
P013	16+0.388	7.7 N FAS 499	MADISON	9	69	69	4.975	40	40	PMS	385	77	568	10	26	10	20	28	94	95	.3
P013	8+0.630	JCT FAS RTE 499	MADISON	9	66	66	7.813	40	40	PMS	302	60	596	10	27	10	20	28	95	96	.4
P046	77+0.114	DIVIDE EAST	SILVER BOW	9			.784	UNDER CONSTRUCTION													
		DISTRICT TOTAL					302.366													38	114.0

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Const. As Of Dec. 31, 1974

SUFFICIENCY RATING BY FINANCIAL DISTRICT 10 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRE	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SUFFICIENCY RATINGS SRE	SUFFICIENCY RATINGS ORN	SUFFICIENCY RATINGS SAE	SUFFICIENCY RATINGS CAP	SUFFICIENCY RATINGS TOT	SUFFICIENCY RATINGS ADJ	DEFIC MILES
P050	93+0.837	3.0 W PTE 50	GALLATIN	10			6.627	NON EXISTENT													6.6
P050	81+0.910	JCT FAS 289 291	GALLATIN	10	60	60	5.208	36	36	PMS	4363	654	283	8	26	10	6	0	50	38	2.6
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	24	24	RMS	1724	398	739	0	12	3	6	22	43	38	.3
P002	315+0.970	4.3 E BELGRADE	GALLATIN	10	37	37	3.683	24	30	PMS	3254	423	601	4	16	10	2	19	51	41	1.8
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2359	306	610	0	15	7	4	22	48	41	1.1
P050	80+0.057	1.9 S FAS 289 291	GALLATIN	10	64	64	1.857	36	36	PMS	2771	468	264	8	25	10	5	3	51	42	.9
P045	0+0.536	BIG TIMBER LIMITS	SWEET GRASS	10	34	56	2.201	22	24	RMS	968	125	451	0	10	5	3	26	44	43	1.2
P050	90+0.824	SPUR RTE 50	GALLATIN	10	72	72	3.000	34	34	GRV	890	131	476	0	5	10	4	26	45	45	1.7
P045	2+0.759	JCT FAS RTE 479	SWEET GRASS	10	35	55	4.588	20	24	RMS	519	67	184	0	12	4	1	25	42	46	2.7
P045	8+0.030	5.3 N FAS 479	SWEET GRASS	10	42	42	7.745	20	24	PMS	391	50	255	0	11	4	1	27	43	49	4.4
P050	47+0.941	JCT SPUR RTE 50	GALLATIN	10	55	55	12.950	28	28	PMS	1382	216	283	5	19	9	1	19	53	49	6.1
P002	311+0.654	BELGRADE	GALLATIN	10	22	58	4.314	24	24	RMS	2086	271	514	4	17	8	4	22	55	49	1.9
P011	75+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	624	93	608	0	9	8	4	28	49	51	2.6
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	34	10.825	20	24	BST	421	54	599	0	9	7	1	29	46	51	5.8
P045	45+0.329	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	819	106	289	2	14	9	2	24	51	51	1.8
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	622	80	399	0	13	8	2	27	50	52	.6
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	PMS	418	54	702	0	10	6	2	29	47	52	1.1
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1231	284	354	5	17	10	5	18	55	52	1.0
P011	117+0.536	JCT FAP RTE 14	MEAGHER	10	33	36	8.182	20	24	RMS	670	100	421	0	13	8	4	26	51	53	4.0
P014	68+0.503	23.4 E FAP 11	MEAGHER	10	36	52	4.875	22	24	RMS	373	48	249	0	12	7	1	27	47	53	2.6
P045	58+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	822	106	333	2	14	10	2	25	53	53	2.0
P011	64+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	853	127	431	0	14	9	5	26	54	54	4.7
P002	294+0.899	3.6 E FAI 90	GALLATIN	10	31	31	4.747	22	28	RMS	387	50	489	0	12	8	1	28	49	55	2.4
P014	63+0.148	18.1 E FAP 11	MEAGHER	10	37	48	5.333	20	25	RMS	356	46	255	0	12	8	2	27	49	55	2.7
P002	291+0.572	0.7 E FAI 90	GALLATIN	10	23	52	2.948	22	26	RMS	387	50	493	0	13	8	1	28	50	56	1.5
P002	302+0.201	MANHATTAN	GALLATIN	10	22	56	5.494	24	28	RMS	476	61	520	0	14	8	2	28	52	56	2.6
P050	60+0.889	14.7 S FAS RTE 345	GALLATIN	10	67	67	9.312	28	28	PMS	1581	248	203	9	28	10	1	12	60	56	3.7
P045	63+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	906	117	289	6	17	10	1	24	58	58	.3
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	287	37	431	0	12	7	2	29	50	58	2.3
P045	15+0.771	13.0 N FAS 479	SWEET GRASS	10	48	48	7.042	24	31	BST	337	43	414	0	13	9	1	28	51	58	3.5
P011	109+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	285	42	302	0	13	8	1	28	50	58	4.0
P011	105+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	294	44	469	0	13	8	1	29	51	59	2.1
P002	307+0.688	3.0 W BELGRADE	GALLATIN	10	23	59	3.045	24	24	RMS	599	77	603	0	15	6	7	28	56	59	1.3
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	46	4.430	24	26	BST	242	31	561	0	9	9	3	29	50	59	2.2
P013	80+0.762	GALLATIN CO LINE	GALLATIN	10	34	52	2.279	22	24	RMS	258	39	252	0	13	8	2	28	51	60	1.1
P011	100+0.703	2.8 MEAGHER CO	MEAGHER	10	31	73	4.600	22	24	PMS	210	31	252	0	12	6	5	28	51	61	2.3
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1336	308	680	6	18	10	9	23	66	63	2.0
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	241	54	308	4	18	6	0	27	55	64	3.9
P014	108+0.042	7.1 E FAP 45	WHEATLAND	10	53	53	8.427	24	28	RMS	918	119	558	4	16	10	9	27	66	65	2.9
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	402	60	308	5	18	9	1	27	60	65	4.0
P045	28+0.273	WHEATLAND CO	WHEATLAND	10	46	46	5.073	25	26	BST	224	29	398	0	13	10	3	29	55	65	2.3
P045	49+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	721	93	469	3	17	10	9	27	66	67	3.2
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1339	174	808	2	14	8	20	27	71	68	.2
P011	62+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1005	150	453	0	15	9	20	25	69	68	.7
P011	75+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	635	95	582	0	11	8	20	28	67	69	
P002	299+0.653	1.7 W MANHATTAN	GALLATIN	10	31	31	1.705	22	28	RMS	456	59	603	0	11	8	17	29	65	69	.6
P050	40+0.132	8.9 N PARK BDY	GALLATIN	10	60	60	7.823	28	28	PMS	948	148	436	7	22	10	6	25	70	69	2.3
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1264	278	720	8	23	10	7	24	72	70	.3
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	826	129	436	7	23	10	4	26	70	70	2.7
P011	154+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	40	40	PMS	395	59	890	6	19	10	1	29	65	70	1.2
P011	60+0.481	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1100	165	580	7	18	10	12	26	73	71	.5
P014	73+0.390	28.3 E FAP 11	MEAGHER	10	36	52	1.779	22	24	RMS	384	49	510	0	12	7	18	29	66	71	.6
P050	8+0.373	JCT FAS RTE 499	GALLATIN	10	64	64	.151	52	52	PMS	783	122	296	9	26	10	2	24	71	71	
P050	8+0.524	0.2 N FAS 499	GALLATIN	10	62	72	1.955	32	32	PMS	778	122	182	10	30	10	1	20	71	71	.6
P050	0+0.557	WEST YELLOWSTONE	GALLATIN	10	68	68	7.126	40	40	PMS	1472	323	288	9	25	10	18	13	75	72	1.8

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY END	SUFFICIENCY SRF	SUFFICIENCY DRN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS AOJ	DEFIC MILES
P050	76+0.436	0.7 N FAS 345	GALLATIN	10	64	64	3.598	32	32	PMS	2184	414	720	8	26	10	12	21	77	72	.8
P002	324+0.334	BOZEMAN	GALLATIN	10	52	54	1.498	24	32	RMS	371	48	860	5	18	8	7	29	67	72	.5
P002	290+0.332	JCT FAI RTE 90	GALLATIN	10	64	69	.852	32	32	PMS	456	59	681	7	21	10	1	29	68	72	.3
P011	97+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	235	35	774	0	10	8	18	29	65	74	1.0
P014	55+0.903	10.8 E FAP 11	MEAGHER	10	56	58	7.271	28	28	PMS	336	43	371	3	18	10	9	28	68	74	2.3
P050	15+0.000	6.7 N FAS 499	GALLATIN	10	63	63	1.642	32	32	PMS	768	120	182	6	18	10	20	20	74	74	.4
P050	70+0.196	5.6 S FAS 345	GALLATIN	10	58	60	6.250	32	32	PMS	1734	303	696	9	25	10	11	23	78	74	1.4
P011	126+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	742	111	320	9	23	10	8	25	75	76	.6
P011	40+0.712	3.5 N FAS 476	PARK	10	65	65	9.177	32	32	PMS	1062	228	748	9	28	10	6	25	78	77	2.0
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	703	151	546	10	28	10	2	26	76	77	1.4
P014	100+0.898	JCT FAP RTE 45	WHEATLAND	10	65	65	7.126	40	40	PMS	895	116	281	8	25	10	11	24	78	78	1.6
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	594	77	629	3	16	10	20	28	77	79	.3
P014	116+0.455	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	854	111	281	9	25	10	12	24	80	80	1.2
P011	138+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	360	54	418	8	23	10	6	28	75	80	1.8
P014	88+0.033	JCT FAS RTE 296	WHEATLAND	10	66	66	4.784	40	40	PMS	453	58	320	8	23	10	10	27	78	81	1.1
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	592	76	320	9	25	10	11	26	81	82	1.2
P050	16+0.625	8.3 N FAS 499	GALLATIN	10	63	63	14.593	32	32	PMS	765	120	599	6	19	10	20	27	82	82	2.6
P011	1+0.362	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	780	167	511	9	27	10	12	25	83	83	.7
P011	146+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	377	56	418	8	24	10	9	28	79	83	1.7
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1717	369	748	9	25	10	19	23	86	83	.3
P002	319+0.633	8.0 E BELGRADE	GALLATIN	10	66	66	.198	68	68	PMS	6500	845	1840	9	27	10	20	23	89	83	
P011	30+0.977	JCT FAS RTE 362	PARK	10	61	61	9.708	32	32	PMS	884	190	748	9	27	10	13	26	85	85	1.5
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	705	151	596	10	28	10	11	26	85	85	.8
P011	80+0.487	5.1 N CLYDE PARK	PARK	10	73	73	8.993	32	32	PMS	436	65	643	10	30	10	6	28	84	86	1.4
P011	129+0.138	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	349	52	472	10	30	10	4	28	82	86	1.7
P002	325+0.832	1.5 E BOZEMAN	GALLATIN	10	71	71	.696	28	28	PMS	340	44	554	9	27	10	7	29	82	86	.1
P050	10+0.485	2.4 N FAS 499	GALLATIN	10	63	63	4.378	32	32	PMS	770	120	470	7	23	10	20	26	86	86	.6
P014	45+0.148	JCT FAP RTE 11	MEAGHER	10	65	65	3.943	40	40	PMS	329	42	226	7	22	10	20	27	86	89	.6
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	1337	173	457	9	28	10	20	24	91	90	
P011	19+0.339	11.6 S FAS 362	PARK	10	61	61	11.618	32	32	PMS	762	163	748	9	27	10	17	27	90	90	1.2
P011	16+0.633	14.3 S FAS 362	PARK	10	61	61	2.712	32	32	PMS	704	151	748	10	28	10	18	27	93	93	.2
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1312	170	872	10	27	10	20	27	94	93	
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	485	63	672	10	26	10	17	29	92	93	.5
P045	7+0.339	4.6 N FAS 479	SWEET GRASS	10	69	69	.695	30	30	RMS	449	58	549	9	26	10	20	28	93	94	
P045	22+0.798	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	269	34	329	10	28	10	20	28	96	97	
P011	89+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.381	32	32	PMS	243	36	643	10	30	10	17	29	96	97	.3
P011	0+0.000	YELL PARK BORY	PARK	10			1.362	UNDER CONSTRUCTION													
P014	48+0.995	3.9 E FAP 11	MEAGHER	10			6.935	UNDER CONSTRUCTION													
		DISTRICT TOTAL					445.532														34 151.1



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

SUFFICIENCY RATING BY FINANCIAL DISTRICT II

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	IM	SECTION LENGTH	WIDTH	SUF SRF	ROY	TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P016	311+0.617	LODGE GRASS	BIG HORN	11			1.000	NON EXISTENT														1.0
P016	312+0.617	WYOLA	BIG HORN	11			1.300	NON EXISTENT														1.3
P048	0+1.906	HARDIN	BIG HORN	11			.492	NON EXISTENT														.5
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11	22	39	1.591	24	30	RMS	4646	603	652	3	15	7	2	16	43	31	.9
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11	33	56	.969	26	30	RMS	2512	326	780	0	10	6	1	24	41	33	.6
P016	108+0.821	FAP 2 N BILLINGS	YELLOWSTONE	11	34	51	5.074	20	24	BST	1590	206	396	0	10	5	1	22	38	34	3.1
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	55	3.979	21	24	RMS	1025	133	159	0	13	6	1	17	37	36	2.5
P016	113+0.903	5.0 N FAP 2	YELLOWSTONE	11	34	51	11.673	20	24	BST	1163	151	255	0	11	6	1	21	39	37	7.1
P016	150+0.202	KLEIN	MUSSELSHELL	11	32	32	1.838	20	24	BST	1636	212	283	0	14	8	1	19	42	37	1.1
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	1934	251	453	0	12	6	4	22	44	38	3.6
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	1763	246	134	7	23	10	1	2	43	38	.2
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11	23	68	.593	55	55	RMS	2267	294	326	3	18	8	1	16	46	39	.3
P016	129+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	22	24	RMS	1132	147	296	0	11	6	1	23	41	39	2.7
R053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	1203	156	185	0	16	8	1	17	42	40	5.6
P016	161+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	35	35	9.033	20	24	BST	829	107	392	0	7	4	4	26	41	41	5.3
P016	127+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1122	145	272	0	13	7	1	22	43	41	1.0
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	34	59	.893	24	24	RMS	3402	442	664	0	8	4	20	20	52	42	.4
R004	53+0.834	3.0 N YELLOWST CO	YELLOWSTONE	11	22	39	.439	24	30	RMS	5002	650	624	7	22	10	4	14	57	44	.2
P016	170+0.113	15.0 N ROUNDUP	MUSSELSHELL	11	35	35	5.780	20	24	BST	649	84	392	0	9	5	2	27	43	45	3.3
P028	70+0.311	RED LODGE	CARBON	11	21	54	11.712	22	24	RMS	1205	241	595	0	11	8	5	24	48	45	6.1
P028	64+0.237	4.5 S RED LODGE	CARBON	11	34	57	4.147	22	22	RMS	632	142	591	0	8	8	1	26	43	45	2.4
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.172	20	24	RMS	878	114	220	0	15	7	1	22	45	45	1.2
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	811	109	217	0	11	8	5	22	46	46	4.2
P014	137+0.000	6.5 E PYEGATE	GOLDEN VALLEY	11	37	55	9.103	21	24	RMS	921	119	353	0	11	8	3	25	47	46	4.8
P004	50+0.813	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	4121	535	616	4	18	9	9	17	57	46	.6
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1090	218	453	0	13	8	5	23	49	47	4.6
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11	48	48	6.295	24	28	BST	925	120	289	0	15	8	1	24	48	47	3.3
P053	18+0.839	JCT FAS RTE 328	YELLOWSTONE	11	48	48	12.745	20	24	RMS	971	126	354	0	13	9	3	25	50	49	6.4
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	2.957	20	24	RMS	1005	130	354	0	14	9	4	24	51	50	1.4
P037	24+0.492	BUSBY	BIG HORN	11	54	54	8.560	24	24	PMS	892	120	593	0	6	10	8	27	51	51	4.2
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11	54	54	9.342	24	24	PMS	759	102	418	0	10	8	7	26	51	52	4.6
P048	1+0.344	0.8 N HARDIN	BIG HORN	11	41	41	5.460	20	24	RMS	1061	148	390	0	14	8	8	24	54	52	2.5
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	26	RMS	267	34	393	0	9	4	2	29	44	52	3.2
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	26	RMS	254	33	393	0	9	4	1	29	43	52	2.0
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11	39	65	5.582	21	24	RMS	451	58	210	0	12	8	1	26	47	52	3.0
R004	42+0.765	JCT FAP 28	CARBON	11	68	68	.159	40	40	PMS	3669	476	432	9	27	10	3	13	62	52	.1
R004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.084	55	55	RMS	2446	317	937	5	18	8	4	25	60	53	.8
P016	155+0.020	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	1045	135	308	0	14	10	7	23	54	53	2.7
P014	160+0.456	7.1 W FAR RTE 16	MUSSELSHELL	11	36	50	7.063	21	25	RMS	428	55	608	0	10	6	4	29	49	54	3.6
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	443	57	354	0	11	8	2	28	49	54	2.3
P002	433+0.400	5.9 W PARK CITY	STILLWATER	11	28	55	5.699	24	26	RMS	335	43	585	0	12	4	2	29	47	54	3.0
P002	419+0.341	1.5 W COLUMBUS	STILLWATER	11	31	56	1.535	22	30	PMS	405	52	427	0	13	7	1	28	49	54	.8
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	338	43	357	0	9	8	3	28	48	55	1.7
P014	170+0.161	ROUNDUP	MUSSELSHELL	11	39	39	11.871	20	24	RMS	577	75	333	0	14	10	2	27	53	56	5.6
P004	42+0.924	0.2 N FAP 28	CARBON	11	49	65	7.960	24	32	RMS	3773	490	580	5	18	10	16	17	66	56	2.7
P002	426+0.083	2.4 E KEATING RD	STILLWATER	11	28	57	6.780	22	26	RMS	249	32	462	0	13	5	2	29	49	58	3.5
R028	68+0.573	RED LODGE	CARBON	11	34	57	.117	22	24	RMS	1266	284	595	0	10	8	20	23	61	58	
P002	548+0.875	8.0 E HYSHAM	TREASURE	11	33	56	2.508	22	24	RMS	155	20	280	0	11	6	1	29	47	59	1.3
R053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	2324	302	546	9	21	10	4	22	66	59	.7
P002	423+0.152	1.5 W COLUMBUS	STILLWATER	11	35	53	2.940	24	28	RMS	186	24	348	0	13	7	1	29	50	61	1.5
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	46	1.991	24	24	BST	364	57	620	0	10	10	6	29	55	61	.9
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	53	2.478	21	24	RMS	1108	144	377	0	13	6	20	24	63	61	.9
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	384	49	354	0	12	9	7	28	56	62	3.7
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	809	105	558	3	16	10	6	27	62	62	1.7
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1544	308	288	10	30	10	2	14	66	62	1.6

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P002	412+0.351	0.3 E SPRINGT INT	STILLWATER	11 31 59	5.347	24	30	RMS	213	27	522	2	15	5	1	29	52	62	2.6
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.297	24	24	PMS	783	105	369	0	7	8	20	26	61	62	2.8
P002	417+0.827	2.9 W COLUMBUS	STILLWATER	11 51 51	1.376	34	34	BST	267	34	426	3	14	8	1	29	55	63	.6
P028	101+0.121	0.6 S FAP 4	CARBON	11 68 68	.587	40	40	PMS	1622	324	288	7	25	10	12	13	67	63	.2
P004	57+0.986	2.7 E LAUREL	YELLOWSTONE	11 64 64	.213	30	30	PMS	2214	287	572	10	28	10	0	22	70	64	.1
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11 56 56	2.851	24	28	RMS	276	35	530	0	10	9	10	29	58	66	1.2
P048	0+2.579	HARDIN	BIG HORN	11 70 70	.161	40	40	RMS	2796	391	340	7	23	10	20	13	73	66	
P048	6+0.777	6.1 N HARDIN	BIG HORN	11 45 45	4.865	20	24	RMS	398	55	377	0	14	9	10	28	61	66	1.9
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11 56 56	4.843	30	30	BST	979	127	355	0	13	10	20	25	68	67	1.5
P037	33+0.065	5.6 W ROSEBUD CO	BIG HORN	11 74 74	5.621	40	40	PMS	943	127	135	10	25	10	8	16	69	68	1.7
P002	421+0.620	COLUMBUS	STILLWATER	11 47 63	1.520	24	30	RMS	244	31	348	4	15	8	3	29	59	68	.6
P002	540+0.855	HYSHAM	TREASURE	11 33 56	8.004	22	24	RMS	244	31	544	0	13	7	11	29	60	69	3.2
P004	0+0.000	WYOMING LINE	CARBON	11 49 49	.516	24	30	RMS	870	113	648	8	21	10	5	27	71	71	.1
P028	90+0.985	BOYD	CARBON	11 74 74	4.433	40	40	PMS	1147	229	288	10	30	10	5	18	73	71	1.2
P028	47+0.309	2.3 N WYO BORY	CARBON	11 65 65	6.415	28	28	PMS	375	84	394	7	23	10	0	27	67	72	2.1
P004	13+0.436	13.4 N WYO LINE	CARBON	11 59 59	5.773	32	32	PMS	868	112	599	0	15	10	20	27	72	72	1.6
P004	33+0.199	FROMBERG	CARBON	11 54 54	.599	24	32	RMS	1840	239	828	4	16	10	20	26	76	72	.1
P004	23+0.235	2.4 S BRIDGER	CARBON	11 72 72	2.441	40	40	PMS	1468	190	266	9	28	10	10	19	76	73	.6
P028	53+0.726	8.7 N WYO BORY	CARBON	11 65 65	6.274	28	28	PMS	414	93	532	8	22	10	1	27	68	73	2.0
P053	46+0.272	LAVINA	GOLDEN VALLEY	11 56 56	.417	30	30	BST	904	117	535	3	13	10	20	27	73	73	.1
P028	45+0.000	MONT WYO BORY	CARBON	11 65 65	2.331	28	28	PMS	349	78	335	8	22	10	1	27	68	74	.7
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11 56 56	2.482	24	28	RMS	295	38	586	3	15	10	10	29	67	74	.8
P004	0+0.516	0.5 N WYO LINE	CARBON	11 56 63	12.924	32	32	PMS	866	112	569	4	19	10	14	27	74	74	3.4
P002	538+0.370	I94 S HYSHAM	TREASURE	11 64 64	2.514	30	30	PMS	673	87	664	6	24	10	5	28	73	74	.7
P016	133+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11 66 66	8.466	32	32	PMS	1168	151	548	9	25	10	7	26	77	75	1.9
P016	142+0.172	8.0 MI S KLEIN	MUSSELSHELL	11 65 65	8.038	32	32	PMS	1234	160	720	8	24	10	10	27	79	77	1.7
P004	33+0.798	0.6 N FROMBERG	CARBON	11 68 68	8.920	40	40	PMS	1915	248	643	8	25	10	14	24	81	77	1.7
P048	0+0.000	JCT FAI 90	BIG HORN	11 71 71	.294	40	40	PMS	3402	442	464	9	28	10	20	16	83	77	
P048	11+0.643	11.0 N HARDIN	BIG HORN	11 54 54	6.665	24	24	RMS	252	35	494	4	16	10	10	29	69	77	2.1
P002	439+0.123	PARK CITY	STILLWATER	11 67 67	.237	34	34	PMS	373	48	383	10	26	10	2	28	76	80	.1
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11 64 64	.224	68	68	PMS	4896	636	1392	9	25	10	20	23	87	81	
P002	432+0.872	6.5 W PARK CITY	STILLWATER	11 55 55	.530	24	32	RMS	295	38	731	3	14	10	20	29	76	82	.1
P016	125+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11 68 68	1.739	40	40	PMS	1128	146	403	9	28	10	12	25	84	83	.3
P048	18+0.320	4.4 S YELLOWSTONE	BIG HORN	11 63 63	4.388	28	28	PMS	199	27	353	9	27	10	2	29	77	84	1.0
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11 74 74	.302	34	34	PMS	311	43	399	10	30	10	2	28	80	85	.1
P002	412+0.090	SPRINGTIME INTCH	STILLWATER	11 72 72	.261	30	30	PMS	168	21	289	10	30	10	0	29	79	87	.1
P004	19+0.206	6.5 S BRIDGER	CARBON	11 72 72	4.035	32	32	PMS	937	121	448	9	28	10	16	26	89	88	.4
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11 67 67	2.375	40	40	PMS	838	108	296	8	25	10	20	25	88	88	.3
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11 63 63	3.103	28	28	PMS	252	35	579	10	27	10	9	29	85	89	.5
P028	60+0.000	8.7 S REO LODGE	CARBON	11 69 69	4.227	34	34	PMS	441	99	522	9	26	10	20	27	92	93	.3
P002	713+0.306	COLUMBUS	STILLWATER	11 72 72	.433	44	44	PMS	1641	213	795	10	30	10	20	26	96	95	
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11 63 63	3.682	28	28	PMS	186	26	332	9	27	10	18	29	93	96	.3
		DISTRICT TOTAL			406.757													43	174.5

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 12
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1974

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SUFFICIENCY RATINGS SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	77+0.911	1.5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1332	193	250	0	13	4	1	18	36	33	.8
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	22	25	RMS	1191	154	324	0	13	8	1	23	45	43	1.8
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	826	111	120	3	16	8	1	16	44	44	4.0
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	754	109	425	0	10	7	2	26	45	46	5.0
P027	29+0.146	JCT FAS RTE 322	FALLON	12	48	48	5.510	25	25	BST	605	78	441	0	7	9	2	27	45	47	3.0
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	48	66	5.620	22	22	BST	296	38	284	0	4	7	1	28	40	47	3.4
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12	31	56	2.448	20	24	RMS	613	88	203	0	14	7	3	23	47	49	1.3
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12	32	60	3.713	18	24	RMS	326	47	316	0	9	4	1	28	42	49	2.2
P002	680+0.897	PLEVNA	FALLON	12	39	39	11.725	24	30	RMS	771	100	259	0	13	10	2	24	49	50	6.0
P023	33+0.348	17.2 N POWDER R CO	CUSTER	12	31	47	10.796	20	24	BST	330	47	469	0	8	4	4	28	44	51	6.0
P037	42+0.067	LAME DEER	ROSEBUD	12	54	54	4.470	24	24	PMS	989	133	237	0	14	9	8	22	53	52	2.1
P023	27+0.819	25.6 S FAI RTE 94	CUSTER	12	31	47	5.528	20	24	BST	369	53	492	0	8	7	4	28	47	53	2.9
P002	578+0.211	JCT FAS 446	ROSEBUD	12	31	47	1.731	20	26	RMS	236	30	335	0	9	5	1	29	44	53	1.0
P002	616+0.886	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	589	76	210	0	15	9	1	25	50	53	3.2
P002	576+0.702	0.6 W FAS 447	ROSEBUD	12	31	47	.571	20	26	RMS	163	21	291	0	8	5	0	29	42	54	.3
P002	577+0.299	JCT FAS 447	ROSEBUD	12	31	47	.926	20	26	RMS	233	30	218	0	11	5	2	28	46	55	.5
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	366	47	469	0	10	9	2	28	49	55	3.4
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.380	24	24	BST	440	63	438	2	10	8	2	28	50	55	1.7
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	346	50	217	0	11	9	1	27	48	55	4.6
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	209	27	448	0	8	7	1	29	45	55	6.0
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12	53	53	10.019	24	28	RMS	597	86	266	0	14	10	4	25	53	56	4.7
P023	79+0.733	BROADUS	POWDER RIVER	12	40	40	3.380	24	24	RMS	1013	146	297	0	14	9	11	23	57	56	1.5
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	308	40	243	0	11	10	1	28	50	57	2.4
P023	64+0.575	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	365	52	258	0	11	10	3	27	51	57	4.1
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	1447	188	280	0	13	8	20	20	61	57	
P002	571+0.225	JCT I 94 E FORSYTH	ROSEBUD	12	28	52	.521	20	20	RMS	109	14	620	0	9	3	0	30	42	57	.3
P002	614+0.727	MILES CITY	CUSTER	12	50	50	1.527	20	24	RMS	1554	202	487	3	17	10	8	24	62	58	.6
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	BST	184	23	422	0	10	7	1	29	47	58	1.7
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	219	28	627	0	9	8	3	29	49	59	2.0
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	325	42	243	0	13	10	2	27	52	59	5.0
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	238	37	203	0	12	10	1	27	50	59	2.4
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.967	24	28	PMS	722	97	435	4	16	10	2	27	59	60	.8
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	284	36	289	0	13	10	2	28	53	61	4.3
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	260	41	333	0	12	10	2	28	52	61	2.5
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	335	43	431	0	11	10	4	29	54	61	3.2
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	229	29	655	0	8	8	6	29	51	61	1.0
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.704	22	28	PMS	292	42	196	0	12	10	4	27	53	61	1.3
P027	44+0.455	8.6 N BAKER	FALLON	12	58	58	10.261	30	30	BST	372	48	683	0	9	10	8	29	56	62	4.5
P017	19+0.177	0.6 E DIAMOND INT	CUSTER	12	29	41	3.286	24	26	BST	138	17	567	0	11	5	3	30	49	62	1.7
P002	574+0.812	4.2 W ROSEBUD	ROSEBUD	12	31	40	1.397	22	26	RMS	94	12	761	0	10	5	1	30	46	62	.8
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	756	102	258	6	20	9	2	24	61	62	3.4
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	589	79	289	0	15	10	8	26	59	62	2.2
P002	560+0.881	JCT EAS 315	ROSEBUD	12	41	41	4.285	24	31	RMS	648	84	434	0	15	7	12	27	61	63	1.7
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	259	41	258	0	13	10	3	28	54	63	2.4
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	205	32	290	0	13	9	4	28	54	64	5.9
P017	0+0.000	MILES CITY LIMITS	CUSTER	12	48	48	6.194	28	30	RMS	684	88	631	2	17	10	7	28	64	65	2.2
P002	565+0.190	1.6 W FORSYTH	ROSEBUD	12	50	56	.768	24	32	PMS	940	122	696	5	18	8	8	27	66	65	.3
P002	580+0.697	0.3 E JCT FAI 94	ROSEBUD	12	31	47	7.024	20	26	RMS	75	9	468	0	11	4	2	30	47	65	3.7
P002	551+0.386	ROSEBUD CO.	ROSEBUD	12	36	42	5.503	26	30	RMS	152	19	672	0	11	7	5	30	53	66	2.6
P002	556+0.882	4.0 W FAS 315	ROSEBUD	12	41	41	4.019	24	31	RMS	217	28	705	0	14	8	6	29	57	67	1.7
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	608	79	371	2	14	10	12	27	65	67	3.0
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	299	43	378	0	12	10	10	28	60	67	2.1
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.171	32	32	BST	1735	225	504	6	21	10	12	23	72	68	.3
P002	694+0.000	BAKER	FALLON	12	68	68	5.058	40	40	PMS	815	105	526	5	20	10	6	27	68	68	1.6
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	591	85	462	0	13	10	17	27	67	69	2.0

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TDT	ADJ	DEFIC MILES
P014	252+0.337	VANADA	ROSEBUD	12 54 54	7.161	24	24	RMS	214	34	258	3	16	10	2	28	59	69	2.9
P014	259+0.489	7.2 E VANADA	PDSEBUD	12 54 54	5.580	24	24	RMS	218	34	450	2	14	10	5	29	60	70	2.2
P017	6+0.191	5.8 E MILES CITY	CUSTER	12 54 54	2.171	24	32	PMS	204	26	680	0	16	10	5	29	60	70	.9
P037	82+0.659	CUSTER FOR BORY	POWDER RIVER	12 67 67	2.083	28	28	PMS	431	58	289	5	16	10	8	27	66	70	.7
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12 62 62	10.568	30	30	PMS	424	61	510	5	16	10	8	28	67	71	3.5
P002	609+0.902	I94 W MILES CITY	CUSTER	12 62 62	.908	32	32	PMS	1127	127	567	7	20	10	9	27	73	71	.2
P014	268+0.759	16.3 E VANADA	ROSEBUD	12 57 57	1.760	32	32	BST	485	77	362	5	19	10	7	27	68	72	.6
P002	598+0.068	3.7 W HATHAWAY	ROSEBUD	12 31 73	3.767	24	24	BST	75	9	575	0	14	4	8	30	56	74	1.7
P002	699+0.045	5.1 E BAKER	FALLON	12 68 68	6.441	40	40	PMS	561	72	552	5	20	10	10	28	73	75	1.7
P018	2+0.159	JCT FAS RTE 489	CUSTER	12 64 64	10.901	30	30	PMS	376	48	600	5	18	10	8	29	70	75	3.3
P023	101+0.585	CARTER CO	CARTER	12 54 54	6.878	24	28	RMS	549	79	462	2	13	10	20	27	72	75	1.9
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12 63 63	5.000	30	30	PMS	268	34	663	4	16	10	10	29	69	76	1.6
P023	25+0.192	23.0 S FAI RTE 94	CUSTER	12 62 62	2.619	30	30	PMS	417	60	485	7	18	10	9	28	72	76	.7
P002	571+1.106	7.0 W ROSEBUD	ROSEBUD	12 28 52	2.843	20	20	RMS	102	13	593	0	10	3	20	30	63	77	1.1
P002	544+0.095	2.6 E LOCATE	CUSTER	12 65 65	11.760	40	40	PMS	395	51	500	6	18	10	11	28	73	77	3.2
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12 67 67	9.659	28	28	PMS	439	59	435	4	17	10	14	28	73	77	2.6
P014	265+0.115	12.6 E VANADA	ROSEBUD	12 57 57	3.627	32	32	BST	256	40	552	4	16	10	12	29	71	78	1.1
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12 48 63	7.269	25	25	RMS	229	36	408	0	12	10	20	29	71	79	2.1
P023	108+0.475	HAMMOND	CARTER	12 55 73	11.000	28	28	PMS	616	89	486	3	17	10	20	27	77	79	2.5
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12 67 67	3.381	28	28	PMS	426	57	117	5	17	10	20	23	75	79	.8
P023	119+0.471	20.4 N WYO LINE	CARTER	12 55 55	10.845	28	28	BST	627	90	510	4	19	10	20	27	80	81	2.2
P037	95+0.715	EPSIE	POWDER RIVER	12 58 69	7.908	28	28	PMS	478	64	368	9	28	10	5	27	79	82	1.7
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12 58 69	10.980	28	28	PMS	445	60	480	8	25	10	10	28	81	84	2.1
P023	130+0.301	9.6 N WYO LINE	CARTER	12 65 65	9.551	40	40	PMS	634	95	260	4	24	10	20	25	83	84	1.6
P002	661+0.731	FALLON CO	FALLON	12 67 67	6.054	40	40	PMS	412	53	180	7	21	10	17	26	81	84	1.2
P014	242+0.413	AHLES	ROSEBUD	12 50 63	9.949	20	24	RMS	221	35	354	3	17	9	20	29	78	85	2.2
P017	8+0.358	8.0 E MILES CITY	CUSTER	12 62 62	.659	32	32	PMS	169	21	365	10	27	10	1	29	77	85	.2
P002	576+0.230	2.8 W RDSEBUD	ROSEBUD	12 71 71	.472	28	28	PMS	91	11	277	9	30	7	0	29	75	87	.1
P002	655+0.880	5.9 W FALLON CO	CUSTER	12 67 67	5.873	40	40	PMS	403	52	165	7	22	10	20	25	84	87	.9
P002	616+0.197	I 94 E MILES CITY	CUSTER	12 62 62	.689	32	32	PMS	622	80	270	7	23	10	20	26	86	87	.1
P017	18+0.598	DIAMOND RING INTCH	CUSTER	12 71 71	.579	26	26	PMS	138	17	671	10	30	10	0	30	80	88	.1
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12 69 69	1.530	28	28	PMS	1049	152	276	9	28	10	20	22	89	88	.2
P002	623+0.171	7.0 E JCT FAI 94	CUSTER	12 70 70	7.734	34	34	PMS	490	63	400	10	28	10	12	28	88	89	.9
P002	587+0.721	4.0 W HATHAWAY	ROSEBUD	12 71 71	.347	28	28	PMS	75	9	356	10	30	10	0	30	80	91	.1
P002	580+0.354	JCT FAI 94	ROSEBUD	12 71 71	.343	24	28	PMS	75	9	277	10	30	10	0	30	80	91	.1
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12 74 74	5.910	30	30	PMS	296	38	388	10	30	10	11	29	90	92	.6
P002	667+0.771	JCT. FAS RTE. 320	FALLON	12 58 72	12.363	32	32	PMS	504	65	520	8	27	10	19	28	92	93	1.0
P054	9+0.128	BIDDLE	POWDER RIVER	12 68 68	8.767	30	32	PMS	281	36	470	8	26	10	20	29	93	95	.6
P002	637+0.490	4.1 W LOCATE	CUSTER	12 73 73	6.280	34	34	PMS	418	54	400	10	30	10	20	28	98	98	.1
P002	571+0.746	WEIGH ST FORSYTH E	ROSEBUD	12 71 71	.360	28	28	PMS	107	13	720	10	30	10	20	30	100	100	
P002	579+0.967	0.4 W JCT FAI 94	ROSEBUD	12 71 71	.387	28	28	PMS	113	14	990	10	30	10	20	30	100	100	
P002	630+0.911	10.6 W LOCATE	CUSTER	12	6.533	UNDER CONSTRUCTION													
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	3.380	UNDER CONSTRUCTION													
		DISTRICT TOTAL			522.611													36	189.6
		SYSTEM TOTAL			4862.040													391906.5	

Urban Deficiency Ratings by Federal Aid Route And City

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	.	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
1	13	947	1	TROY	1.33	2	24	30	3	6	2590	24	44	3	12	0	0	0	133	200	32	36.5	0.48
1	31	889	1	LIBBY	0.29	4	68	68	3	12	5910	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32	180	1	LIBBY	0.13	4	50	50	3	12	10320	50	68	3	12	0	0	0	0	0	26	2.6	0.00
1	32	313	1	LIBBY	0.43	4	50	50	3	12	10750	50	68	3	12	0	0	0	0	0	26	2.6	0.01
1	119	622	1	KALISPELL	0.57	4	48	48	3	12	2830	48	68	3	12	0	0	0	0	0	29	2.9	0.01
1	120	185	1	KALISPELL	0.21	4	80	80	3	12	5700	80	80	3	12	0	0	0	0	0	0	0.0	0.00
1	120	397	1	KALISPELL	0.51	4	45	61	3	12	9930	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	120	903	1	KALISPELL	0.64	4	45	61	3	12	14450	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	121	631	1	KALISPELL	0.18	4	52	52	3	12	15120	52	68	3	12	0	0	0	0	0	24	2.4	0.00
1	121	813	1	KALISPELL	0.70	4	66	66	3	12	14910	66	68	3	12	0	0	0	0	0	3	0.3	0.00
1	122	354	1	KALISPELL	0.56	4	64	64	3	12	14700	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	122	916	1	KALISPELL	1.30	2	44	44	3	12	6770	48	68	3	12	0	0	0	25	0	35	6.0	0.07
1	221	881	2	BROWNING	0.48	4	64	64	3	12	6500	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	221	1362	2	BROWNING	0.30	4	68	68	3	12	6060	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	254	524	2	CUT BANK	0.05	3	42	42	3	10	2300	42	56	3	12	0	100	93	50	50	25	31.8	0.01
1	254	807	2	CUT BANK	0.28	2	60	60	3	10	3880	60	60	3	12	0	0	0	50	50	0	10.0	0.02
1	255	134	2	CUT BANK	0.61	2	50	50	3	10	6640	50	68	3	12	0	0	0	50	50	26	12.6	0.07
1	255	741	2	CUT BANK	0.29	2	48	48	3	12	4320	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	279	228	2	SHELBY	0.21	2	57	60	3	12	4270	57	68	3	12	0	0	0	50	0	12	6.2	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ .					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	279	437	2 SHELBY	0.27	2	52	52	3	12	5670	52	68	3	12	0	0	0	50	0	24	7.4	0.02
1	279	709	2 SHELBY	0.07	2	24	44	3	12	6100	48	68	3	12	0	0	0	175	0	35	21.0	0.01
1	279	778	2 SHELBY	0.18	2	24	31	3	12	3990	24	44	3	12	0	0	0	50	0	30	8.0	0.01
1	279	958	2 SHELBY	0.15	2	32	32	3	12	1880	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	321	758	2 CHESTER	0.65	2	40	40	3	10	2370	40	44	3	12	0	0	0	200	217	9	42.6	0.27
1	322	394	2 CHESTER	0.21	2	20	24	3	5	1460	24	44	3	12	0	0	24	231	258	45	55.8	0.11
1	347	718	2 HINGHAM	0.50	2	32	32	3	12	1190	32	44	3	12	0	0	0	0	0	27	2.7	0.01
1	380	679	2 HAVRE	0.83	3	40	40	2	12	4290	40	56	3	12	0	0	0	167	100	29	29.6	0.24
1	381	507	2 HAVRE	0.62	2	40	40	2	12	4290	48	68	3	12	0	0	0	189	100	41	33.0	0.20
1	382	125	2 HAVRE	0.35	2	56	56	3	6	11565	56	68	3	12	0	0	0	100	200	18	31.8	0.11
1	382	477	2 HAVRE	0.15	2	48	56	2	10	13740	48	68	3	12	0	0	0	167	133	18	31.8	0.04
1	382	630	2 HAVRE	0.44	2	48	48	2	8	10230	48	68	3	12	0	0	0	100	100	29	22.9	0.10
1	383	54	2 HAVRE	0.74	2	24	30	3	12	8983	48	68	3	12	0	0	0	175	0	56	23.1	0.17
1	403	595	2 CHINOOK	0.50	2	48	48	3	12	2382	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	424	649	2 HARLEM	0.06	2	40	40	3	12	1856	40	44	3	12	0	0	0	0	0	9	0.9	0.00
1	453	653	3 DODSON	0.09	2	40	40	3	12	1076	48	48	3	12	0	0	0	50	0	17	6.7	0.00
1	453	747	3 DODSON	0.68	2	24	30	2	6	1076	24	44	3	12	0	0	0	167	200	32	39.9	0.27
1	471	689	3 MALTA	0.08	2	24	42	2	12	2132	24	44	3	12	0	0	0	167	100	5	27.2	0.02
1	471	769	3 MALTA	0.11	2	30	30	2	8	3270	30	44	3	12	0	0	0	167	167	32	36.6	0.04

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIOTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOT	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	471 884	3	MALTA	0.48	2	41	41	3	12	2250	41	44	3	12	0	0	0	0	0	7	0.7	0.00
1	499 130	3	SACO	0.18	2	24	32	3	8	1187	24	44	3	12	0	0	0	133	167	27	32.7	0.05
1	499 313	3	SACO	0.74	2	24	28	2	12	1160	24	44	3	12	0	0	0	167	100	36	30.3	0.22
1	540 985	3	GLASGOW	0.11	2	24	26	3	12	4736	24	44	3	12	0	0	0	50	0	41	9.1	0.01
1	541 427	3	GLASGOW	0.21	2	24	32	3	12	6840	48	68	3	12	0	0	0	217	100	53	37.0	0.07
1	541 639	3	GLASGOW	0.08	4	48	68	3	12	8685	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	541 718	3	GLASGOW	0.80	4	48	68	3	12	9040	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	555 152	3	NASHUA	0.75	2	32	32	3	12	1164	32	44	3	12	0	0	0	0	0	27	2.7	0.02
1	555 994	3	NASHUA	0.14	2	32	32	3	12	1181	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	590 383	3	WLF POINT	0.22	4	68	84	3	12	2046	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590 602	3	WLF POINT	0.36	4	68	84	3	12	6930	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590 960	3	WOLF POINT	0.45	4	48	68	3	12	3845	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	611 551	3	POPLAR	0.08	2	34	60	3	12	1613	34	60	3	12	0	0	0	0	0	0	0.0	0.00
1	611 636	3	POPLAR	0.29	2	62	62	3	12	4730	62	62	3	12	0	0	0	0	0	0	0.0	0.00
1	625 605	3	BROCKTON	0.53	2	42	42	3	7	1229	42	44	3	12	0	0	0	0	125	5	13.0	0.06
1	644 245	3	CLBERTSON	0.30	2	32	44	3	12	1034	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	644 550	3	CLBERTSON	0.46	2	32	44	3	12	2400	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	679 184	2	SHELBY	0.46	2	24	30	3	7	3420	24	44	3	12	0	0	0	133	183	32	34.8	0.16
1	679 650	2	SHELBY	0.25	2	22	30	3	5	2740	24	44	3	12	0	0	0	147	217	32	39.6	0.09

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
				TOTAL FAP 1	22.64																	13.3	3.00
2	75	199	8	ALBERTON	0.13	2	28	28	3	12	750	28	44	3	12	0	0	0	100	100	36	23.6	0.03
2	75	332	8	ALBERTON	0.84	2	32	46	1	6	857	32	48	3	12	0	0	0	253	200	4	45.7	0.38
2	76	204	8	ALBERTON	0.35	2	20	20	1	3	190	24	48	3	12	0	0	0	261	250	58	56.9	0.19
2	154	492	8	ORUMMOND	0.06	2	32	32	3	12	170	32	48	3	12	0	0	0	100	100	33	23.3	0.01
2	154	548	8	ORUMMOND	0.04	2	32	32	3	12	910	32	44	3	12	0	0	0	0	0	27	2.7	0.00
2	154	586	8	ORUMMOND	0.23	2	28	28	3	12	940	28	44	3	12	0	0	0	0	0	36	3.6	0.00
2	154	820	8	ORUMMOND	0.71	2	24	46	3	5	1220	24	46	3	12	0	0	0	100	217	0	31.7	0.22
2	155	528	8	ORUMMOND	0.05	2	32	32	3	12	680	32	44	3	12	0	0	0	0	0	27	2.7	0.00
2	187	970	8	DEER LODGE	0.25	2	32	32	3	12	1915	32	44	3	12	0	0	0	0	0	27	2.7	0.00
2	188	220	8	DEER LODGE	0.49	4	75	75	2	6	5990	75	75	3	12	0	0	0	150	150	0	30.0	0.14
2	188	707	8	DEER LODGE	0.26	4	70	70	2	7	5040	70	70	3	12	0	0	0	100	125	0	22.5	0.05
2	188	963	8	DEER LODGE	0.07	2	24	32	2	6	1890	24	44	3	12	0	0	0	100	150	27	27.7	0.01
2	301	360	10	MANHATTAN	0.39	2	40	40	3	6	478	40	44	3	12	0	0	0	100	200	9	30.9	0.12
2	301	751	10	MANHATTAN	0.23	2	40	60	3	6	1930	40	60	3	12	0	0	0	100	200	0	30.0	0.06
2	301	982	10	MANHATTAN	0.22	2	40	40	2	9	469	40	44	3	12	0	0	0	200	150	9	35.9	0.07
2	310	744	10	BELGRADE	0.38	2	24	28	3	5	2033	24	44	3	12	0	0	0	100	217	36	35.3	0.13
2	311	119	10	BELGRADE	0.15	2	40	40	3	5	3536	40	44	3	12	0	0	0	100	217	9	32.6	0.05
2	311	273	10	BELGRADE	0.38	2	26	40	3	5	2752	26	44	3	12	0	0	0	100	217	9	32.6	0.12

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
2	322	833	10	BOZEMAN	0.29	4	76	76	3	12	587	76	76	3	12	0	0	0	0	0	0	0.0	0.00
2	323	123	10	BOZEMAN	1.21	2	24	32	3	12	490	24	44	3	12	0	0	0	100	100	27	22.7	0.27
2	420	913	11	COLUMBUS	0.22	2	44	62	2	10	1720	44	62	3	12	0	0	0	167	133	0	30.0	0.06
2	421	183	11	COLUMBUS	0.21	2	42	52	2	8	2530	42	52	3	12	0	0	0	167	167	0	33.4	0.07
2	421	398	11	COLUMBUS	0.22	2	28	40	3	8	327	28	44	3	12	0	0	0	100	167	9	27.6	0.06
2	610	813	12	MILES CTY	0.63	2	24	30	3	11	1200	24	44	3	12	0	0	0	50	25	32	10.7	0.06
2	611	448	12	MILES CTY	0.69	2	22	28	3	11	2400	24	44	3	12	0	0	0	147	117	36	30.0	0.20
2	612	315	12	MILES CTY	0.33	2	20	24	3	11	4035	24	44	3	12	0	0	0	161	117	45	32.3	0.10
2	612	467	12	MILES CTY	0.19	4	54	54	3	5	5670	54	68	3	12	0	0	0	100	217	21	33.8	0.06
2	612	662	12	MILES CTY	0.44	4	54	54	3	6	9576	54	68	3	12	0	0	0	133	200	21	35.4	0.15
2	613	99	12	MILES CTY	0.55	4	22	36	3	8	5610	48	68	3	12	0	0	0	224	167	47	43.8	0.24
2	613	650	12	MILES CTY	1.08	2	24	32	2	12	4570	24	44	3	12	0	0	0	167	100	27	29.4	0.31
2	680	140	12	PLEVNA	0.35	2	24	30	1	6	486	24	44	3	12	0	0	0	267	200	32	49.9	0.17
2	680	494	12	PLEVNA	0.40	2	22	30	1	6	750	24	44	3	12	0	0	0	269	200	32	50.1	0.20
2	692	616	12	BAKER	0.44	2	43	43	3	12	1121	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	693	54	12	BAKER	0.71	2	43	43	3	12	3090	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	693	763	12	BAKER	0.22	2	44	44	3	12	2070	44	44	3	12	0	0	0	100	100	0	20.0	0.04
2	706	730	8	SUPERIOR	0.27	2	22	24	2	5	209	24	44	3	12	0	0	0	254	258	45	55.7	0.15
2	707	64	8	SUPERIOR	0.83	2	22	24	3	5	260	24	44	3	12	0	0	0	224	258	45	52.7	0.43

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
2	708	0	8	MISSOULA	0.94	2	42	42	3	12	3220	42	44	3	12	0	0	0	0	0	5	0.5	0.00
2	709	192	8	MISSOULA	0.07	2	30	30	3	12	2220	30	44	3	12	0	0	0	0	0	32	3.2	0.00
2	709	258	8	MISSOULA	1.19	4	72	88	3	12	11220	72	88	3	12	0	0	0	0	0	0	0.0	0.00
2	710	449	8	MISSOULA	0.76	4	68	72	3	12	14944	68	72	3	12	0	0	0	0	0	0	0.0	0.00
2	711	209	8	MISSOULA	0.86	4	62	62	3	8	13521	62	68	3	12	0	0	0	50	100	9	15.9	0.13
2	712	68	8	MISSOULA	0.59	4	62	62	3	8	10038	62	68	3	12	0	0	0	50	100	9	15.9	0.09
2	712	658	8	MISSOULA	0.21	4	72	72	3	12	13980	72	72	3	12	0	0	0	0	0	0	0.0	0.00
2	712	873	8	MISSOULA	0.14	4	48	68	3	12	12060	48	68	3	12	0	0	0	0	0	0	0.0	0.00
2	713	15	11	COLUMBUS	0.29	2	44	44	3	12	1210	44	44	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 2	19.56																	22.3	4.37
3	15	170	9	LIMA	0.10	2	18	20	2	12	489	24	48	3	12	0	0	0	180	100	58	33.8	0.03
3	15	273	9	LIMA	0.93	2	22	24	3	5	489	24	48	3	12	0	0	0	117	217	50	38.4	0.35
3	127	240	9	BUTTE	0.33	4	66	72	3	12	2930	66	72	3	12	0	0	0	0	0	0	0.0	0.00
3	128	0	9	BUTTE	0.60	4	70	70	3	12	13620	70	70	3	12	0	0	0	50	0	0	5.0	0.02
3	129	258	9	BUTTE	0.34	4	60	60	3	5	11695	60	68	3	12	0	0	0	100	217	12	32.9	0.11
3	129	596	9	BUTTE	0.41	4	60	60	3	5	6938	60	68	3	12	0	0	0	100	217	12	32.9	0.13
3	130	10	9	BUTTE	0.56	2	48	48	3	6	9770	48	68	3	12	0	0	0	0	150	29	17.9	0.09
3	130	567	9	BUTTE	0.59	2	24	24	2	9	7560	48	68	3	12	0	0	0	250	150	65	46.5	0.27
3	130	1156	9	BUTTE	0.49	2	24	24	2	9	5410	48	68	3	12	0	0	0	250	150	65	46.5	0.22

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
3	130	1642	9	BUTTE	0.54	2	24	30	2	6	4340	24	44	3	12	0	0	0	100	150	32	28.2	0.15
3	131	442	9	BUTTE	2.43	2	24	42	2	6	1610	24	44	3	12	0	0	0	100	150	5	25.5	0.62
3	259	147	6	CASCADE	0.47	2	20	24	3	3	478	24	44	3	12	0	0	0	133	250	45	42.8	0.20
3	259	619	6	CASCADE	0.19	2	34	34	3	3	630	34	44	3	12	0	0	0	100	250	23	37.3	0.06
3	259	805	6	CASCADE	0.10	2	50	50	3	3	1330	50	50	3	12	0	0	0	100	250	0	35.0	0.03
3	259	905	6	CASCADE	0.20	2	34	34	3	3	1070	34	44	3	12	0	0	0	100	250	23	37.3	0.07
3	260	105	6	CASCADE	0.14	2	22	24	3	12	810	24	44	3	12	0	0	0	117	100	45	26.2	0.03
3	322	172	6	FAIRFIELD	0.11	2	20	22	3	6	1480	24	44	3	12	0	0	0	133	200	50	38.3	0.04
3	322	328	6	FAIRFIELD	0.19	2	22	40	3	6	1900	24	44	3	12	0	0	0	117	200	9	32.6	0.06
3	322	475	6	FAIRFIELD	0.23	2	72	72	3	6	3430	72	72	3	12	0	0	0	100	200	0	30.0	0.06
3	322	627	6	FAIRFIELD	0.15	2	22	32	3	6	1580	24	44	3	12	0	0	0	117	200	27	34.4	0.05
3	322	809	6	FAIRFIELD	0.18	2	20	22	3	6	800	24	44	3	12	0	0	0	133	200	50	38.3	0.06
3	339	483	6	CHOTEAU	0.61	2	24	36	3	9	1582	24	44	3	12	0	0	0	133	150	18	30.1	0.18
3	340	94	6	CHOTEAU	0.12	2	48	48	3	9	3910	48	48	3	12	0	0	0	133	150	0	28.3	0.03
3	340	214	6	CHOTEAU	0.46	2	70	70	3	3	2200	70	70	3	12	0	0	0	100	250	0	35.0	0.16
3	340	676	6	CHOTEAU	0.28	2	24	30	3	4	1790	24	44	3	12	0	0	0	100	233	32	36.5	0.10
3	463	366	9	OILLON	0.10	2	48	48	1	3	125	48	48	3	12	0	0	0	233	250	0	48.3	0.04
				TOTAL FAP 3	10.85																	29.1	3.16
4	25	676	11	BRIOGER	0.07	2	40	40	3	12	2118	40	44	3	12	0	0	0	0	0	9	0.9	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
4	25	748	11	BRIDGER	0.47	2	80	80	3	12	2344	80	80	3	12	0	0	0	0	0	0	0.0	0.00
4	26	214	11	BRIDGER	0.07	2	24	30	3	4	1947	24	44	3	12	0	0	0	100	233	32	36.5	0.02
4	32	773	11	FROMBERG	0.20	2	24	32	2	12	1946	24	44	3	12	0	0	0	100	0	27	12.7	0.02
4	32	973	11	FROMBERG	0.23	2	24	44	2	12	1946	24	44	3	12	0	0	0	100	0	0	10.0	0.02
4	54	531	11	LAUREL	0.16	2	24	34	2	5	4896	24	44	3	12	0	0	0	200	217	23	44.0	0.06
4	54	689	11	LAUREL	0.09	2	28	28	3	5	4896	28	44	3	12	0	0	0	100	217	36	35.3	0.03
4	54	784	11	LAUREL	0.52	2	60	83	3	4	6003	60	83	3	12	0	0	0	100	233	0	33.3	0.17
			T	TAL FAP 4	1.81																	17.7	0.32
5	32	613	1	ST IGNATS	0.15	2	32	32	3	12	2565	32	44	3	12	0	0	0	0	0	27	2.7	0.00
5	46	572	1	RONAN	0.77	2	44	44	3	12	4269	44	44	3	12	0	0	39	0	0	0	3.9	0.02
5	59	335	1	POLSON	0.98	2	40	40	3	12	6599	48	68	3	12	0	0	0	50	0	41	9.1	0.08
5	60	330	1	POLSON	0.39	2	40	40	3	12	5097	48	68	3	12	0	0	0	50	0	41	9.1	0.03
5	60	719	1	POLSON	0.29	2	40	40	3	12	2913	40	44	3	12	0	0	0	0	0	9	0.9	0.00
5	109	612	1	KALISPELL	1.37	2	38	38	2	12	6357	48	68	3	12	0	0	0	142	0	44	18.6	0.25
5	110	965	1	KALISPELL	0.61	2	38	38	2	12	6780	48	68	3	12	0	0	0	142	0	44	18.6	0.11
5	111	584	1	KALISPELL	0.41	4	48	60	3	12	13670	48	68	3	12	0	0	0	0	0	12	1.2	0.00
5	112	14	1	KALISPELL	0.67	4	48	60	3	12	7710	48	68	3	12	0	0	0	100	100	12	21.2	0.14
5	112	687	1	KALISPELL	0.39	4	64	70	3	12	8290	64	70	3	12	0	0	0	100	100	0	20.0	0.07
5	113	46	1	KALISPELL	0.78	4	48	64	3	12	6420	48	68	3	12	0	0	0	0	0	6	0.6	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
5	114	124	1	KALISPELL	0.74	2	36	36	3	12	4533	36	44	3	12	0	0	0	0	0	18	1.8	0.01
5	126	948	1	WHITEFISH	0.47	2	24	36	3	12	5413	48	68	3	12	0	0	0	150	0	47	19.7	0.09
5	127	433	1	WHITEFISH	0.28	2	40	40	3	12	5860	48	68	3	12	0	0	0	50	0	41	9.1	0.02
5	127	710	1	WHITEFISH	0.20	2	46	46	3	5	5440	48	68	3	12	0	0	0	108	217	32	35.7	0.07
5	127	909	1	WHITEFISH	0.16	2	22	30	3	5	4190	24	44	3	12	0	0	0	117	217	32	36.6	0.05
5	128	78	1	WHITEFISH	0.41	2	22	23	3	6	3081	24	44	3	12	0	0	0	208	250	48	50.6	0.20
5	178	89	1	EUREKA	0.48	2	22	24	2	5	1379	24	44	3	12	0	0	0	178	217	45	44.0	0.20
5	178	566	1	EUREKA	0.56	2	24	30	3	5	1550	24	44	3	12	3	25	27	133	217	32	43.7	0.24
5	179	175	1	EUREKA	0.19	2	24	50	3	6	2265	24	50	3	12	0	0	134	100	200	0	43.4	0.08
5	179	361	1	EUREKA	0.33	2	24	30	3	5	2693	24	44	3	12	14	0	15	100	217	32	37.8	0.12
				TOTAL FAP 5	10.63																	16.7	1.78
6	50	498	8	THMPSN FL	0.40	2	24	32	2	12	3598	24	44	3	12	0	0	0	167	100	27	29.4	0.11
6	50	901	8	THMPSN FL	0.65	2	40	40	3	5	1832	40	44	3	12	0	0	0	133	217	9	35.9	0.23
6	75	707	8	PLAINS	0.45	2	40	40	3	5	2110	40	44	3	12	0	0	0	0	175	9	18.4	0.08
6	76	158	8	PLAINS	0.10	2	20	30	3	3	3500	24	44	3	12	0	0	0	133	250	32	41.5	0.04
				TOTAL FAP 6	1.60																	28.8	0.46
7	30	484	8	OARBY	0.12	2	22	26	2	6	2430	24	44	3	12	0	0	0	208	200	41	44.9	0.05
7	30	603	8	OARBY	0.28	2	22	42	3	4	2715	24	44	3	12	0	0	0	117	233	5	35.5	0.10
7	30	887	8	DARBY	0.40	2	22	36	3	4	2255	24	44	3	12	0	0	0	224	267	18	50.9	0.20

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
7	46	619	8	HAMILTON	0.70	2	24	36	3	12	6671	48	68	3	12	0	0	0	200	100	47	34.7	0.24
7	47	307	8	HAMILTON	0.02	2	60	60	3	6	7643	60	68	3	12	0	0	0	100	200	12	31.2	0.00
7	47	325	8	HAMILTON	0.66	2	24	36	3	10	6989	48	68	3	12	0	0	0	200	133	47	38.0	0.25
7	90	152	8	MISSOULA	0.10	4	48	68	3	12	7920	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	90	250	8	MISSOULA	0.38	4	88	88	3	12	7920	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	90	627	8	MISSOULA	0.79	4	88	88	3	12	10668	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	91	411	8	MISSOULA	0.50	4	40	54	3	2	13024	48	68	3	12	0	0	0	133	267	21	42.1	0.20
7	91	909	8	MISSOULA	0.66	4	40	54	3	2	13386	48	68	3	12	0	0	0	133	267	21	42.1	0.27
7	92	832	8	MISSOULA	0.40	4	48	56	3	2	17290	48	68	3	12	0	0	0	100	267	18	38.5	0.15
7	93	218	8	MISSOULA	0.65	2	40	40	1	4	17070	48	68	3	12	0	0	0	272	233	41	54.6	0.35
7	93	868	8	MISSOULA	0.08	4	48	55	2	6	17070	48	68	3	12	0	0	0	100	150	19	26.9	0.02
7	94	41	8	MISSOULA	0.55	4	48	68	3	12	7351	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	94	596	8	MISSOULA	0.34	4	48	68	3	12	17150	48	68	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 7	6.63																	27.6	1.83
8	39	654	7	HELENA	0.93	2	20	30	2	2	2358	24	44	3	12	0	0	0	189	267	32	48.8	0.45
8	40	550	7	HELENA	0.14	4	72	72	3	12	2358	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	40	690	7	HELENA	1.29	4	72	72	3	12	5719	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	41	429	7	HELENA	1.10	4	72	72	3	12	10430	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	43	57	7	HELENA	0.45	4	74	74	3	12	15570	74	74	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT OISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
8	43 503	7	HELENA	0.54	4	60	60	3	12	14290	60	68	3	12	0	0	0	50	0	12	6.2	0.03
8	44 29	7	HELENA	0.57	4	64	64	3	12	14380	64	68	3	12	0	0	0	50	0	6	5.6	0.03
8	44 597	7	HELENA	1.06	4	48	72	3	12	15980	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	45 491	7	HELENA	0.03	4	48	80	3	12	10840	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	46 10	7	HELENA	0.47	4	30	30	3	6	6100	48	68	3	12	0	0	0	196	200	56	45.2	0.21
8	48 571	7	E HELENA	0.31	2	24	30	3	6	5860	48	68	3	12	0	0	0	217	200	56	47.3	0.14
8	48 886	7	E HELENA	0.69	2	59	59	3	6	7380	59	68	3	12	0	0	0	133	200	13	34.6	0.23
8	49 579	7	E HELENA	0.28	2	24	30	3	5	2997	24	44	3	12	0	0	0	133	217	32	38.2	0.10
8	76 982	7	TOWNSENO	0.56	2	32	32	3	10	2952	32	44	3	12	0	0	0	0	50	27	7.7	0.04
8	77 530	7	TOWNSENO	0.55	2	24	32	3	11	2025	24	44	3	12	0	0	0	50	25	27	10.2	0.05
			TOTAL FAP 8	8.97																	14.3	1.28
9	64 41	6	CHOTEAU	0.43	2	22	24	2	4	1100	24	44	3	12	0	20	11	208	233	45	51.7	0.22
9	64 476	6	CHOTEAU	0.12	2	24	36	2	4	1100	24	44	3	12	0	0	0	200	233	18	45.1	0.05
9	64 596	6	CHOTEAU	0.16	2	34	34	2	4	1468	34	44	3	12	0	0	0	200	233	23	45.6	0.07
9	64 756	6	CHOTEAU	0.03	2	34	48	2	4	1180	34	48	3	12	0	0	0	200	233	0	43.3	0.01
			TOTAL FAP 9	0.74																	47.3	0.35
10	0 0	6	GT FALLS	0.91	4	70	70	3	8	10679	70	70	3	12	0	0	0	0	100	0	10.0	0.09
10	0 915	6	GT FALLS	0.86	4	70	70	3	12	12330	70	70	3	12	0	0	0	0	0	0	0.0	0.00
10	1 777	6	GT FALLS	1.09	4	62	62	3	12	15815	62	68	3	12	0	0	0	0	0	9	0.9	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
10	3	279	6	GT FALLS	0.25	4	48	64	3	12	2620	48	68	3	12	0	0	0	0	0	6	0.6	0.00
10	79	360	6	BIG SANOY	0.22	2	22	24	1	5	2145	24	44	3	12	0	0	0	269	217	45	53.1	0.11
10	79	580	6	BIG SANDY	0.42	2	24	26	2	9	1545	24	44	3	12	0	0	0	200	150	41	39.1	0.16
			T	TAL FAP 10	3.75																	9.6	0.36
11	51	812	10	LVNGSTN	1.10	2	32	32	3	12	3075	32	44	3	12	0	0	0	0	0	27	2.7	0.02
11	52	915	10	LVNGSTN	0.14	2	68	68	3	12	3075	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	68	10	LVNGSTN	0.17	4	68	68	3	12	5730	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	242	10	LVNGSTN	0.51	2	24	42	3	12	6789	48	68	3	12	0	0	0	150	0	38	18.8	0.09
11	53	757	10	LVNGSTN	0.41	2	44	44	3	12	6789	48	68	3	12	0	0	0	25	0	35	6.0	0.02
11	54	122	10	LVNGSTN	0.26	2	46	46	3	12	7840	48	68	3	12	0	0	0	108	100	32	24.0	0.06
11	54	380	10	LVNGSTN	0.11	2	36	46	3	5	8055	48	68	3	12	0	0	0	150	217	32	39.9	0.04
11	54	495	10	LVNGSTN	0.51	2	36	42	3	6	6300	48	68	3	12	0	0	0	150	200	38	38.8	0.19
11	55	99	10	LVNGSTN	0.36	2	24	40	3	6	4550	24	44	3	12	0	0	0	100	200	9	30.9	0.11
11	55	366	10	LVNGSTN	0.51	2	20	24	3	3	2555	48	68	3	12	0	0	0	217	250	65	53.2	0.27
11	74	905	10	CLYD PARK	0.17	2	20	30	2	5	635	24	44	3	12	0	0	0	217	217	32	46.6	0.07
11	75	24	10	CLYD PARK	0.27	2	20	40	2	5	635	24	44	3	12	0	0	18	217	217	9	46.1	0.12
11	75	296	10	CLYO PARK	0.04	2	20	24	3	6	635	24	44	3	12	0	0	0	161	200	45	40.6	0.01
11	125	678	10	W SUL SPG	0.49	2	40	40	3	12	1059	40	40	3	12	0	0	0	0	0	0	0.0	0.00
11	126	207	10	W SUL SPG	0.50	2	55	55	3	12	2501	55	55	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
11	164 842	6	NEIHART	0.64	2	28	28	1	12	400	28	44	3	12	0	0	0	230	0	36	26.6	0.17
11	165 480	6	NEIHART	0.98	2	20	24	2	5	475	24	44	3	12	0	0	0	217	217	45	47.9	0.46
11	166 460	6	NEIHART	1.53	2	22	26	2	4	425	24	44	3	12	0	24	13	117	200	41	39.5	0.60
11	220 366	6	GT FALLS	0.08	2	48	62	3	12	3898	48	68	3	12	0	0	66	50	0	9	12.5	0.00
11	220 442	6	GT FALLS	1.15	4	48	62	3	12	8080	48	68	3	12	0	0	0	0	0	9	0.9	0.01
11	221 597	6	GT FALLS	1.37	4	48	62	3	12	24448	48	68	3	12	0	0	0	0	0	9	0.9	0.01
11	222 966	6	GT FALLS	0.50	4	61	76	3	12	25395	61	76	3	12	0	0	0	50	0	0	5.0	0.02
11	223 464	6	GT FALLS	0.82	4	64	80	3	12	27460	64	80	3	12	0	2	0	50	0	0	5.2	0.04
11	224 280	6	GT FALLS	0.18	4	48	70	2	12	25067	48	70	3	12	75	189	113	100	0	0	47.7	0.08
11	224 457	6	GT FALLS	0.40	2	28	28	2	12	13123	48	68	3	12	0	0	0	183	0	59	24.2	0.09
11	224 853	6	GT FALLS	0.45	4	48	68	2	12	13123	48	68	3	12	0	0	0	100	0	0	10.0	0.04
11	225 301	6	GT FALLS	0.22	4	48	68	2	12	13123	48	68	3	12	0	0	0	100	0	0	10.0	0.02
11	225 525	6	GT FALLS	0.10	4	48	70	2	12	13123	48	70	3	12	0	0	0	100	0	0	10.0	0.00
11	225 625	6	GT FALLS	0.09	4	48	68	2	12	7434	48	68	3	12	0	0	0	100	0	0	10.0	0.00
			TOTAL FAP 11	14.06																	18.1	2.54
12	8 618	10	W YLWSTN	0.67	2	18	50	3	2	2003	24	50	3	12	0	0	0	238	283	0	52.1	0.35
			TOTAL FAP 12	0.67																	52.2	0.35
13	48 642	9	ENNIS	0.62	2	70	70	2	4	1876	70	70	3	12	0	9	8	200	233	0	45.0	0.27
13	49 180	9	ENNIS	0.07	2	22	30	2	4	2220	24	44	3	12	0	0	0	208	233	32	47.3	0.03

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
13	95	730	10	TH FORKS	0.36	2	22	34	3	3	637	24	44	3	12	0	0	0	117	250	23	39.0	0.14
13	96	91	10	TH FORKS	0.46	2	72	72	3	5	1339	72	72	3	12	0	0	0	100	217	0	31.7	0.14
				TOTAL FAP 13	1.51																	38.4	0.58
14	0	0	7	TOWNSEND	0.34	2	56	56	3	12	5187	56	68	3	12	0	0	0	0	0	18	1.8	0.00
14	0	346	7	TOWNSEND	0.26	2	51	51	3	12	5587	51	68	3	12	0	0	0	0	0	25	2.5	0.00
14	0	605	7	TOWNSEND	0.28	2	32	32	3	12	1361	32	44	3	12	0	0	0	0	0	27	2.7	0.00
14	99	338	10	HARLOWTON	0.11	2	45	45	3	12	1010	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	99	450	10	HARLOWTON	0.89	2	45	45	3	12	2510	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	129	506	11	RYEGATE	1.00	2	28	30	1	12	1220	28	44	3	12	0	0	0	230	0	32	26.2	0.26
14	168	500	11	ROUNDUP	0.39	2	45	45	2	6	2950	45	45	3	12	0	5	13	200	200	0	41.8	0.16
14	168	895	11	ROUNDUP	0.28	2	66	66	3	6	4090	66	68	3	12	0	0	0	100	200	3	30.3	0.08
14	169	175	11	ROUNDUP	0.28	2	77	77	3	6	6000	77	77	3	12	0	7	18	133	200	0	35.8	0.09
14	169	452	11	ROUNDUP	0.71	2	21	26	3	9	1260	24	44	3	12	0	0	0	154	150	41	34.5	0.24
14	203	707	11	MELSTONE	0.40	2	24	26	2	11	715	24	44	3	12	0	0	0	153	117	41	31.1	0.12
14	204	111	11	MELSTONE	0.50	2	24	40	1	12	715	24	44	3	12	0	0	0	267	100	9	37.6	0.18
14	204	611	11	MELSTONE	0.55	2	24	30	1	12	715	24	44	3	12	0	0	0	267	100	32	39.9	0.22
14	270	502	12	FORSYTH	0.32	2	84	84	1	12	850	84	84	3	12	0	0	0	230	0	0	23.0	0.07
				TOTAL FAP 14	6.31																	22.5	1.42
15	80	824	5	LEWISTOWN	0.13	2	24	32	3	12	1800	24	44	3	12	0	0	0	50	0	27	7.7	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
15	80	957	5	LEWISTOWN	1.11	2	53	53	3	12	4510	53	53	3	12	0	0	0	0	0	0	0.0	0.00
15	82	56	5	LEWISTOWN	0.14	2	33	33	3	12	5840	48	68	3	12	0	0	0	94	0	51	14.5	0.02
15	82	196	5	LEWISTOWN	0.72	2	49	49	3	9	5040	49	68	3	12	0	3	28	0	75	28	13.4	0.09
15	135	594	5	WINNETT	0.18	2	21	24	3	3	326	24	44	3	12	0	0	0	125	250	45	42.0	0.07
15	135	776	5	WINNETT	0.71	2	22	24	3	3	400	24	44	3	12	0	0	0	117	250	45	41.2	0.29
15	212	449	5	JORDAN	0.48	2	52	52	3	5	1530	52	52	3	12	0	0	0	100	217	0	31.7	0.15
15	212	932	5	JOROAN	0.15	2	22	24	3	5	590	24	44	3	12	0	100	34	117	217	45	51.3	0.07
15	278	395	4	CIRCLE	0.33	2	24	24	2	6	752	24	44	3	12	0	0	0	187	200	45	43.2	0.14
15	278	727	4	CIRCLE	0.27	2	24	46	3	12	1488	24	46	3	12	0	0	0	0	0	0	0.0	0.00
15	278	999	4	CIRCLE	0.54	2	24	44	3	12	2303	24	44	3	12	0	0	0	0	0	0	0.0	0.00
15	279	535	4	CIRCLE	0.26	2	24	40	3	12	1012	24	44	3	12	0	66	39	0	0	9	11.4	0.02
15	324	644	4	GLENOIVE	1.33	2	32	36	3	12	3506	32	44	3	12	0	0	0	0	0	18	1.8	0.02
15	325	992	4	GLENDIVE	0.68	4	72	72	3	12	6330	72	72	3	12	0	0	0	0	0	0	0.0	0.00
15	326	665	4	GLENOIVE	0.05	4	72	72	3	12	8750	72	72	3	12	0	0	0	0	0	0	0.0	0.00
15	326	719	4	GLENOIVE	0.38	4	72	72	3	12	7692	72	72	3	12	0	0	0	0	0	0	0.0	0.00
15	327	93	4	GLENOIVE	0.67	2	56	56	3	12	7310	56	68	3	12	0	0	0	0	0	18	1.8	0.01
15	327	766	4	GLENOIVE	0.65	4	60	60	3	6	6290	60	68	3	12	0	0	0	0	150	12	16.2	0.10
15	328	439	4	GLENDIVE	0.90	4	56	56	3	12	2624	56	68	3	12	0	0	0	0	0	18	1.8	0.01
15	355	507	12	WIBAUX	0.17	2	24	44	3	12	688	24	44	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
15	355	680	12	WIBAUX	0.17	2	24	36	3	11	1225	24	44	3	12	0	0	0	133	117	18	26.8	0.04
15	356	162	12	WIBAUX	0.39	2	24	30	3	11	662	24	44	3	12	0	0	0	133	117	32	28.2	0.11
15	356	557	12	WIBAUX	0.13	2	24	44	3	12	650	24	44	3	12	0	0	0	0	0	0	0.0	0.00
15	366	150	5	LEWISTOWN	0.50	2	24	28	3	12	879	24	44	3	12	0	0	0	0	0	36	3.6	0.01
15	366	654	5	LEWISTOWN	0.25	2	24	30	3	12	1296	24	44	3	12	0	0	0	0	0	32	3.2	0.00
15	366	904	5	LEWISTOWN	0.26	2	24	28	3	12	2110	24	44	3	12	0	0	0	100	100	36	23.6	0.06
15	367	164	5	LEWISTOWN	0.25	2	24	36	3	12	2117	24	44	3	12	0	0	0	100	100	18	21.8	0.05
15	367	411	4	GLENDIVE	0.84	4	72	88	3	12	3320	72	88	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 15	12.64																	10.0	1.27
16	104	107	11	BILLINGS	0.24	4	64	80	3	12	11430	64	80	3	12	0	0	0	0	0	0	0.0	0.00
16	104	352	11	BILLINGS	0.19	2	36	36	3	12	11430	48	68	3	12	0	0	0	75	0	47	12.2	0.02
16	104	547	11	BILLINGS	0.83	2	28	40	2	6	11430	48	68	3	12	0	0	0	222	200	41	46.3	0.38
16	105	272	11	BILLINGS	0.28	4	44	46	3	12	11430	48	68	3	12	0	0	0	117	100	32	24.9	0.06
16	105	551	11	BILLINGS	0.06	4	61	61	3	12	17440	61	68	3	12	0	0	0	0	0	10	1.0	0.00
16	105	610	11	BILLINGS	2.06	4	56	56	3	12	17440	56	68	3	12	0	0	0	0	0	18	1.8	0.03
16	107	699	11	BILLINGS	1.09	2	32	32	2	11	13390	48	68	3	12	0	0	0	167	25	53	24.5	0.26
16	154	219	11	ROUNDUP	0.25	2	69	69	3	7	4440	69	69	3	12	0	30	40	133	183	0	38.6	0.09
16	154	469	11	ROUNDUP	0.26	2	22	36	3	7	3710	24	44	3	12	0	0	0	147	183	18	34.8	0.09
16	154	731	11	ROUNDUP	0.15	2	24	30	3	12	1066	24	44	3	12	0	0	0	133	100	32	26.5	0.04

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
16	310	919	3	MALTA	0.43	4	48	48	2	7	3313	48	48	3	12	0	0	0	167	183	0	35.0	0.15
16	311	360	3	MALTA	0.16	4	54	54	1	3	4689	54	54	3	12	0	0	0	267	250	0	51.7	0.08
16	311	522	3	MALTA	0.09	2	30	30	2	12	4540	30	44	3	12	0	0	0	100	0	32	13.2	0.01
				TOTAL FAP 16	6.09																	19.9	1.21
17	35	431	4	TERRY	1.00	2	24	30	3	7	1390	24	48	3	12	0	0	0	100	183	38	32.1	0.32
				TOTAL FAP 17	1.00																	32.0	0.32
18	0	0	12	MILES CITY	0.33	4	54	54	3	5	5630	54	68	3	12	0	0	0	100	217	21	33.8	0.11
18	0	339	12	MILES CITY	0.27	2	48	48	2	30	4870	48	48	3	12	0	0	0	200	0	0	20.0	0.05
18	0	611	12	MILES CITY	0.37	2	46	46	1	12	2980	46	46	3	12	0	0	0	230	0	0	23.0	0.08
				TOTAL FAP 18	0.97																	24.7	0.24
19	7	103	9	ANACONDA	1.81	4	48	68	3	12	9830	48	68	3	12	0	0	0	0	0	0	0.0	0.00
19	8	918	9	ANACONOA	0.46	4	50	50	3	12	5050	50	68	3	12	0	0	0	0	0	26	2.6	0.01
19	9	377	9	ANACONOA	0.55	4	93	93	2	10	8050	93	93	3	12	0	0	0	100	50	0	15.0	0.08
19	10	0	9	ANACONDA	0.11	2	24	28	3	12	8050	48	68	3	12	0	0	0	150	0	59	20.9	0.02
19	10	110	9	ANACONOA	2.28	2	24	28	3	12	5329	48	68	3	12	0	0	0	150	0	59	20.9	0.47
19	63	671	8	DRUMMONO	0.29	2	32	32	3	12	742	32	44	3	12	0	0	0	0	0	27	2.7	0.00
				TOTAL FAP 19	5.50																	10.5	0.58
20	0	0	4	GLENOIVE	0.60	2	24	40	3	12	3096	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	605	4	GLENOIVE	0.25	2	24	40	3	12	2700	24	44	3	12	0	0	0	0	0	9	0.9	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
20	0	857	4	GLENOIVE	0.90	2	40	44	3	12	2053	24	44	3	12	0	0	0	0	0	0	0.0	0.00
20	51	761	4	SIONEY	0.48	4	60	60	3	12	3715	60	68	3	12	0	0	0	0	0	12	1.2	0.00
20	52	226	4	SIONEY	0.21	4	58	58	3	6	6900	58	68	3	12	0	0	0	0	150	15	16.5	0.03
20	52	436	4	SIONEY	0.13	4	44	60	3	6	2860	48	68	3	12	0	0	0	117	200	12	32.9	0.04
20	62	525	4	FAIRVIEW	0.28	2	20	24	3	8	1930	24	44	3	12	0	0	0	161	167	45	37.3	0.10
20	62	807	4	FAIRVIEW	0.36	2	20	26	3	8	2620	24	44	3	12	0	0	0	161	167	41	36.9	0.13
20	63	204	4	FAIRVIEW	0.29	2	20	24	3	6	3370	24	44	3	12	0	0	0	161	200	45	40.6	0.11
20	63	494	4	FAIRVIEW	0.21	2	64	64	3	7	2980	64	64	3	12	0	0	0	50	125	0	17.5	0.03
20	63	709	4	FAIRVIEW	0.21	2	63	63	2	12	2840	63	63	3	12	0	0	0	100	0	0	10.0	0.02
				TOTAL FAP 20	3.92																	11.7	0.46
21	47	789	6	CONRAD	0.14	2	44	44	3	12	5390	48	68	3	12	0	0	0	25	0	35	6.0	0.00
21	47	930	6	CONRAO	0.38	2	56	56	3	12	5030	56	68	3	12	0	0	0	0	0	18	1.8	0.00
21	47	1308	6	CONRAO	0.47	2	44	44	3	12	6380	48	68	3	12	0	0	0	25	0	35	6.0	0.02
21	47	1775	6	CONRAO	0.06	2	32	32	3	12	5860	48	68	3	12	0	0	0	100	0	53	15.3	0.00
21	47	1833	6	CONRAO	0.17	2	44	44	3	12	5020	48	68	3	12	0	0	0	25	0	35	6.0	0.01
21	47	1852	6	CONRAD	0.07	2	32	32	3	12	5050	48	68	3	12	0	0	0	100	0	53	15.3	0.01
				TOTAL FAP 21	1.29																	3.1	0.04
22	0	0	3	SCOBEY	0.35	2	46	46	3	12	1900	46	46	3	12	0	0	0	0	0	0	0.0	0.00
22	0	348	3	SCOBEY	0.17	2	32	32	3	12	1350	32	44	3	12	0	0	0	0	0	27	2.7	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT OISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
22	41	167	3	PLENTYWD	1.19	2	47	47	3	12	5380	48	68	3	12	0	0	0	6	0	31	3.7	0.04
22	63	746	3	MEDICNE LK	0.06	2	32	36	3	12	670	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	75	3	MEDICNE LK	0.13	2	32	36	3	12	680	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	205	3	MEDICNE LK	0.14	2	20	24	1	5	680	24	32	3	12	0	0	0	272	217	25	51.4	0.07
22	75	857	3	FROID	0.02	2	32	32	3	12	713	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	88	489	3	CLBERTSON	0.13	2	43	43	3	12	899	43	44	3	12	0	0	0	0	0	2	0.2	0.00
22	88	690	3	CLBERTSON	0.55	2	44	44	3	12	1050	44	44	3	12	0	0	0	0	0	0	0.0	0.00
22	89	200	3	CL8ERTSON	0.32	2	32	32	3	12	1930	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	125	0	4	SIDNEY	0.68	2	24	36	3	6	3610	24	44	3	12	0	0	0	120	200	18	33.8	0.23
22	125	685	4	SIDNEY	0.35	2	48	48	3	11	5245	48	68	3	12	0	11	14	120	117	29	29.1	0.10
				TOTAL FAP 22	4.09																	10.8	0.44
23	0	0	12	MILES CTY	0.48	4	48	48	3	6	5430	48	68	3	12	0	0	0	100	200	29	32.9	0.15
23	0	489	12	MILES CTY	0.28	2	22	26	2	8	3930	24	44	3	12	0	0	0	208	167	41	41.6	0.11
23	1	135	12	MILES CTY	0.59	2	22	25	2	5	3930	24	44	3	12	5	15	51	208	217	43	53.9	0.31
23	1	722	12	MILES CTY	0.25	2	24	26	2	5	1830	24	44	3	12	0	0	0	200	217	41	45.8	0.11
23	1	972	12	MILES CITY	0.14	2	22	25	2	5	1454	24	44	3	12	0	0	0	208	217	43	46.8	0.06
23	79	165	12	BROADUS	0.23	2	20	24	1	2	1870	24	44	3	12	0	0	22	272	267	45	60.6	0.13
23	79	394	12	BROADUS	0.34	2	24	42	3	7	1910	24	44	3	12	0	6	29	100	183	5	32.3	0.10
				TOTAL FAP 23	2.31																	42.0	0.97

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
25	0	0	4	CIRCLE	0.05	2	30	30	3	12	854	30	44	3	12	0	0	96	0	0	32	12.8	0.00
25	52	376	3	WLF POINT	0.23	2	66	66	3	6	4890	66	66	3	12	0	0	0	133	200	0	33.3	0.07
25	52	608	3	WLF POINT	0.06	4	63	63	3	7	6820	63	68	3	12	0	0	0	133	183	7	32.3	0.01
25	52	667	3	WLF POINT	0.01	2	30	30	3	12	8150	48	68	3	12	0	0	0	113	0	56	16.9	0.00
25	52	679	3	WLF POINT	0.12	4	51	51	3	12	8150	51	68	3	12	0	0	0	0	0	25	2.5	0.00
25	52	798	3	WLF POINT	0.06	4	52	56	3	8	8150	52	68	3	12	0	0	0	0	100	18	11.8	0.00
				TOTAL FAP 25	0.53																	15.1	0.08
27	0	0	12	EKALAKA	0.35	2	22	24	2	12	440	24	44	3	12	48	0	0	178	100	45	37.1	0.13
27	34	643	12	BAKER	0.60	2	24	32	1	4	1400	24	44	3	12	0	0	8	253	233	27	52.1	0.31
27	35	236	12	BAKER	0.14	2	24	30	2	4	1790	24	44	3	12	0	0	69	167	233	32	50.1	0.07
27	35	380	12	BAKER	0.06	2	74	74	3	5	3580	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	445	12	BAKER	0.06	2	74	74	3	5	4630	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	510	12	BAKER	0.24	2	78	78	3	12	1740	78	78	3	12	0	0	0	100	100	0	20.0	0.04
27	79	102	12	WIBAUX	0.66	2	22	26	2	12	1725	24	44	3	12	0	0	8	178	100	41	32.7	0.21
27	79	763	12	WIBAUX	0.31	2	22	40	3	7	3260	24	44	3	12	0	0	16	147	183	9	35.5	0.11
				TOTAL FAP 27	2.42																	37.6	0.91
28	68	346	11	REO LODGE	0.23	2	22	24	2	5	1171	24	44	3	12	0	0	0	208	217	45	47.0	0.10
28	68	690	11	REO LODGE	0.63	2	22	26	3	4	3120	24	44	3	12	0	13	8	117	233	41	41.2	0.25
28	69	303	11	REO LODGE	0.48	2	50	50	3	5	4280	50	50	3	12	0	0	0	0	175	0	17.5	0.08

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
28	69	782	11	REO LOOGE	0.47	2	22	26	2	8	1960	24	44	3	12	0	33	32	208	167	41	48.1	0.22
28	95	389	11	JOLIET	1.05	2	44	44	3	12	1547	44	44	3	12	0	0	0	50	0	0	5.0	0.05
				TOTAL FAP 28	2.86																	24.5	0.70
29	0	0	9	ENNIS	0.08	2	22	26	2	4	1010	24	44	3	12	0	0	0	208	233	41	48.2	0.04
29	0	104	9	ENNIS	0.14	2	24	26	2	3	996	24	44	3	12	0	55	71	167	250	41	58.4	0.08
29	13	53	9	VRGNA CY	0.84	2	24	28	2	10	518	24	44	3	12	104	23	6	100	50	36	31.9	0.26
29	13	890	9	VRGNA CY	0.60	2	24	30	3	8	737	24	44	3	12	6	16	17	133	167	32	37.1	0.22
29	14	495	9	VRGNA CY	0.33	2	20	24	3	8	686	24	44	3	12	0	0	0	161	167	45	37.3	0.12
29	33	97	9	SHERIDAN	0.39	2	78	78	3	11	1789	78	78	3	12	0	0	0	133	117	0	25.0	0.09
29	33	483	9	SHERIOAN	0.72	2	20	24	3	7	1060	24	44	3	12	0	0	0	133	183	45	36.1	0.25
29	42	237	9	TWN 8ROGES	0.21	2	24	44	3	12	2119	24	44	3	12	0	0	0	0	0	0	0.0	0.00
29	42	452	9	TWN BROGES	0.39	4	52	72	3	12	2567	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	42	844	9	TWN 8ROGES	0.41	4	52	72	3	12	1748	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	85	977	9	8UTTE	0.70	2	22	22	1	3	4620	24	44	3	12	0	0	0	257	250	50	55.7	0.38
29	86	677	9	8UTTE	0.60	2	53	53	1	5	7140	53	53	3	12	0	0	0	253	217	0	47.0	0.28
29	87	277	9	BUTTE	0.12	4	64	70	4	12	4059	64	70	3	12	0	0	0	33	100	0	13.3	0.01
29	87	399	9	8UTTE	0.08	4	64	70	3	12	8990	64	70	3	12	0	0	0	0	0	0	0.0	0.00
29	87	479	9	8UTTE	0.31	4	70	70	3	12	8990	70	70	3	12	0	0	0	50	0	0	5.0	0.01
29	87	788	9	8UTTE	0.38	4	66	66	3	12	13530	66	68	3	12	0	0	0	50	0	3	5.3	0.02

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
				TOTAL FAP 29	6.30																	27.9	1.76
30	23	396	3	WEST8Y	0.47	2	20	26	2	7	860	24	40	3	12	0	0	0	217	183	35	43.5	0.20
30	23	870	3	WEST8Y	0.19	2	69	69	2	7	860	69	69	3	12	0	0	0	200	183	0	38.3	0.07
30	24	72	3	WEST8Y	0.15	2	22	26	2	6	860	24	44	3	12	0	0	0	208	200	41	44.9	0.06
				TOTAL FAP 30	0.81																	40.7	0.33
32	50	788	3	SCO8EY	0.05	2	44	44	3	8	850	44	44	3	12	0	0	0	0	100	0	10.0	0.00
32	50	838	3	SCO8EY	0.34	2	47	47	3	8	2180	47	47	3	12	0	0	0	0	100	0	10.0	0.03
32	51	179	3	SCO8EY	0.13	2	24	44	3	12	3355	24	44	3	12	0	0	0	0	0	0	0.0	0.00
32	51	317	3	SCO8EY	0.07	2	56	56	3	12	3050	56	56	3	12	0	0	0	0	0	0	0.0	0.00
32	51	393	3	SCO8EY	0.13	2	26	30	2	10	2080	26	44	3	12	0	0	0	167	133	32	33.2	0.04
32	51	521	3	SCO8EY	0.22	2	52	52	1	12	1110	52	52	3	12	0	0	0	253	100	0	35.3	0.07
				TOTAL FAP 32	0.94																	14.9	0.14
33	0	0	1	LI88Y	0.44	2	44	44	3	12	5380	48	68	3	12	0	0	0	25	0	35	6.0	0.02
33	0	453	1	LI88Y	0.20	2	37	37	1	12	5660	48	68	3	12	0	0	0	269	100	46	41.5	0.08
				TOTAL FAP 33	0.64																	15.6	0.10
36	47	760	8	HOT SPRGS	0.25	2	24	46	1	9	890	24	44	3	12	0	0	0	250	75	0	32.5	0.08
				TOTAL FAP 36	0.25																	32.0	0.08
38	6	405	1	CLM8A FLS	0.72	2	24	34	3	7	7880	48	68	3	12	0	0	0	217	183	50	45.0	0.32
38	7	125	1	CLM8A FLS	0.26	2	24	28	3	5	4280	24	44	3	12	0	43	38	133	217	36	46.7	0.12

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT OISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROAOWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
				TOTAL FAP 38	0.98																	44.9	0.44
42	75	417	3	GLASGOW	0.23	2	36	40	3	6	1870	36	44	3	12	0	0	0	100	200	9	30.9	0.07
42	75	646	3	GLASGOW	0.35	4	50	50	3	12	2590	50	68	3	12	0	0	0	133	100	26	25.9	0.09
42	76	0	3	GLASGOW	0.14	2	30	30	3	12	6870	48	68	3	12	0	0	0	175	100	56	33.1	0.04
				TOTAL FAP 42	0.72																	27.8	0.20
43	0	0	5	LEWISTOWN	0.30	4	50	50	3	12	5790	50	68	3	12	0	0	0	0	0	26	2.6	0.00
43	0	312	5	LEWISTOWN	0.21	2	22	28	3	6	4690	24	44	3	12	0	0	0	117	200	36	35.3	0.07
43	0	522	5	LEWISTOWN	0.10	2	20	24	3	6	2630	24	44	3	12	0	0	0	133	200	45	37.8	0.03
				TOTAL FAP 43	0.61																	16.4	0.10
45	0	0	10	BIG TMBR	0.52	2	20	24	3	4	900	24	44	3	12	0	0	0	231	267	45	54.3	0.28
45	43	874	10	HARLOWTON	0.06	2	44	44	3	12	970	44	44	3	12	0	0	156	0	0	0	15.6	0.00
45	62	860	10	JUDTH GAP	0.62	2	24	36	3	12	990	24	44	3	12	0	0	8	50	0	18	7.6	0.04
				TOTAL FAP 45	1.20																	26.7	0.32
48	0	1187	11	HAROIN	0.14	2	26	40	3	5	2365	26	44	3	12	0	0	0	133	217	9	35.9	0.05
48	0	1327	11	HAROIN	0.08	2	40	40	3	5	4130	40	44	3	12	0	0	0	100	217	9	32.6	0.02
48	0	1406	11	HAROIN	0.34	2	54	54	1	0	2360	54	54	3	12	0	0	0	267	300	0	56.7	0.19
48	0	1742	11	HARDIN	0.16	2	0	0	0	0	2270	24	48	3	12	100	100	91	300	300	100	99.1	0.16
48	0	2398	11	HARDIN	0.06	2	24	24	3	0	4590	24	44	3	12	0	0	0	200	300	45	54.5	0.03
48	0	2456	11	HARDIN	0.12	2	40	40	3	12	2800	40	44	3	12	0	0	0	0	0	9	0.9	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
				TOTAL FAP 48	0.90																	50.0	0.45
49	0	437	9	OILLON	0.14	2	40	40	3	12	3185	40	44	3	12	0	0	0	100	100	9	20.9	0.02
49	26	873	9	TWN BROGS	0.29	2	20	24	3	10	1041	24	44	3	12	0	0	0	133	133	45	31.1	0.09
49	27	161	9	TWN BROGS	0.31	2	32	32	3	10	1470	32	32	3	12	0	0	0	100	133	0	23.3	0.07
49	27	473	9	TWN BROGS	0.13	2	46	46	3	10	1470	46	46	3	12	0	0	0	100	133	0	23.3	0.03
				TOTAL FAP 49	0.87																	24.1	0.21
50	0	0	10	W YLOWSTON	0.36	2	48	60	2	3	3598	48	60	3	12	0	0	0	233	275	0	50.8	0.18
50	0	367	10	W YLWSTN	0.19	2	20	24	3	30	2340	24	44	3	12	0	0	0	161	0	45	20.6	0.03
50	87	95	10	BOZEMAN	0.12	4	52	52	3	12	6270	52	68	3	12	0	0	0	0	0	24	2.4	0.00
50	87	216	10	BOZEMAN	0.56	2	36	36	3	12	12330	48	68	3	12	0	0	0	75	0	47	12.2	0.06
50	87	781	10	BOZEMAN	0.54	4	90	90	3	12	22210	90	90	3	12	0	0	0	0	0	0	0.0	0.00
50	88	315	10	BOZEMAN	0.12	4	59	59	3	12	14240	59	59	3	12	0	0	0	0	0	0	0.0	0.00
50	88	833	10	BOZEMAN	0.70	4	52	72	3	12	14020	52	72	3	12	0	0	0	0	0	0	0.0	0.00
50	89	529	10	BOZEMAN	0.40	4	62	62	3	12	13520	62	68	3	12	0	0	0	0	0	9	0.9	0.00
50	90	101	10	BOZEMAN	0.53	4	68	82	3	12	14945	68	82	3	12	0	0	0	0	0	0	0.0	0.00
50	90	630	10	BOZEMAN	0.19	3	56	76	3	12	8680	56	76	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 50	3.71																	7.3	0.27
51	27	212	4	RICHEY	0.31	2	28	28	3	7	260	28	44	3	12	0	0	0	0	125	36	16.1	0.05
				TOTAL FAP 51	0.31																	16.1	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
53	0	0	11	BILLINGS	0.28	4	72	72	3	12	6310	72	72	3	12	0	0	0	0	0	0	0.0	0.00
53	0	276	11	BILLINGS	0.86	4	72	72	3	12	7770	72	73	3	12	0	0	0	0	0	1	0.1	0.00
53	0	1139	11	BILLINGS	0.23	4	50	50	3	5	11090	50	68	3	12	0	0	0	100	217	26	34.3	0.07
53	0	1368	11	BILLINGS	0.58	4	50	50	5	5	9550	50	68	3	12	0	0	0	0	217	26	24.3	0.14
53	1	579	11	BILLINGS	0.57	4	50	50	2	8	12740	50	68	3	12	0	0	0	167	167	26	36.0	0.20
53	2	119	11	BILLINGS	0.84	4	48	64	3	12	9210	48	68	3	12	0	0	0	0	0	6	0.6	0.00
53	2	959	11	BILLINGS	1.31	2	32	32	3	12	2300	32	44	3	12	0	0	0	0	0	27	2.7	0.03
53	31	558	11	BROADVIEW	0.48	2	22	24	2	8	1160	24	44	3	12	0	4	21	208	167	45	44.5	0.21
53	45	389	11	LAVINA	0.87	2	26	30	1	12	995	26	44	3	12	0	0	0	253	100	32	38.5	0.33
				TOTAL FAP 53	6.02																	16.3	0.98
	GRAND TOTAL FAP				177.61																		34.45

Sufficiency Ratings by Section - Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	SUF RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P002	705+0.494	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P003	463+0.467	DILLON	BEAVERHEAD	9			.699	NON EXISTENT													.7
P016	312+0.617	WYOLA	BIG HORN	11			1.300	NON EXISTENT													1.3
P016	311+0.617	LODGE GRASS	BIG HORN	11			1.000	NON EXISTENT													1.0
P029	83+0.477	JCT FAS 393	SILVER BOW	9			2.500	NON EXISTENT													2.5
P048	0+1.906	HARDIN	BIG HORN	11			.492	NON EXISTENT													.5
P050	98+0.016	MADISON CO LINE	MADISON	9			2.448	NON EXISTENT													2.4
P050	93+0.837	3.0 W RTE 50	GALLATIN	10			6.627	NON EXISTENT													6.6
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	1547	255	120	0	8	6	2	0	16	13	3.2
P008	46+0.476	HELENA	LEWIS AND CLARK	7	36	36	2.094	24	30	PMS	7343	881	524	0	14	3	3	5	25	13	1.6
P005	0+0.240	0.2 N FAI 90	MISSOULA	8	34	55	3.470	20	24	RMS	3792	553	277	0	13	7	1	0	21	14	2.7
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	1748	288	186	0	10	5	2	7	24	20	3.5
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	3747	547	220	2	15	7	6	0	30	21	1.1
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	3476	663	365	0	13	8	7	3	31	22	1.2
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	1.253	22	24	RMS	2964	414	263	0	12	7	6	6	31	23	.9
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	BST	1842	272	184	0	13	7	1	8	29	24	5.1
P038	4+0.151	0.3 W FAS 206	FLATHEAD	1	39	39	2.274	20	24	RMS	4273	598	642	0	9	8	3	16	36	25	1.5
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	35	70	2.399	24	32	RMS	3398	441	396	0	12	7	2	13	34	25	1.6
P001	221+2.488	0.8 S BROWNING	GLACIER	2	32	70	1.926	22	24	RMS	2648	511	254	4	18	9	2	0	33	26	1.3
P001	221+1.600	BROWNING	GLACIER	2	35	53	.888	24	24	RMS	3032	591	423	0	16	9	1	9	35	26	.6
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	1660	245	187	0	13	5	2	10	30	26	1.4
P007	44+0.554	JCT FAP 35	RAVALLI	8	34	59	2.060	22	24	RMS	3589	466	672	0	10	4	3	20	37	27	1.3
P007	48+0.000	HAMILTON	RAVALLI	8	40	40	1.731	24	30	RMS	4118	535	780	0	10	4	5	20	39	28	1.1
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.886	20	24	RMS	2073	395	415	0	13	5	1	16	35	29	7.1
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	RMS	2956	472	327	4	14	8	4	8	38	29	2.3
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	2033	300	177	0	14	10	6	5	35	29	1.3
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.039	30	30	RMS	2099	346	258	3	17	4	1	10	35	29	2.6
P052	32+0.237	1.7 S FAS 208	FLATHEAD	1	22	49	1.691	24	24	RMS	2262	334	431	0	11	6	2	18	37	30	1.1
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	62	4.437	24	24	RMS	2032	264	530	0	9	3	1	23	36	30	2.8
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	3373	492	507	0	12	8	5	15	40	30	2.1
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	18	24	RMS	2099	272	285	0	12	6	2	16	36	30	7.5
P008	27+0.319	0.3 W L & C CO	POWELL	8	31	55	.298	24	30	RMS	1283	166	214	0	11	4	1	18	34	31	.2
P008	27+0.617	LEWIS & CLARK CO	LEWIS AND CLARK	7	31	35	6.567	24	30	PMS	1382	179	207	0	13	3	1	17	34	31	4.3
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1248	168	303	0	7	4	1	22	34	31	4.6
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11	22	39	1.591	24	30	RMS	4646	603	652	3	15	7	2	16	43	31	.9
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	1182	153	202	0	10	4	1	19	34	32	4.1
P001	16+0.932	JCT FAS RTE 202	LINCOLN	1	34	38	4.574	20	24	RMS	1770	230	448	0	9	3	3	22	37	32	2.9
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1775	264	259	0	11	3	8	15	37	32	.2
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1226	182	238	0	12	3	0	19	34	32	1.5
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8	41	49	4.023	25	25	BST	1459	240	182	0	8	7	11	10	36	32	2.6
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1332	193	250	0	13	4	1	18	36	33	.8
P029	49+0.920	6.6 N TWIN BRIDGES	MADISON	9	36	36	8.509	18	24	RMS	946	141	138	0	12	6	1	15	34	33	5.6
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1303	192	187	0	13	6	2	15	36	33	2.1
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1764	229	300	0	11	6	2	19	38	33	2.5
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	1.883	20	24	RMS	1673	244	290	0	12	6	3	17	38	33	1.2
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11	33	56	.969	26	30	RMS	2512	326	780	0	10	6	1	24	41	33	.6
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	1958	254	357	0	11	8	1	19	39	33	.8
P005	24+0.366	9.3 N LAKE CO	LAKE	1	35	60	3.147	32	32	PMS	3394	495	302	6	18	10	4	5	43	33	1.8
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	50	50	5.797	24	30	RMS	3287	479	522	0	15	8	4	16	43	33	3.3
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	3180	464	103	5	21	10	7	0	43	34	.2
P003	430+0.315	JCT FAS RTE 445	GLACIER	2	28	40	8.213	18	24	RMS	856	166	280	0	9	4	0	21	34	34	5.4
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1371	185	335	0	10	4	1	22	37	34	4.0
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	700	133	199	0	10	3	0	20	33	34	2.4
P016	108+0.821	FAP 2 N BILLINGS	YELLOWSTONE	11	34	51	5.074	20	24	BST	1590	206	396	0	10	5	1	22	38	34	3.1
P022	121+0.331	3.6 N SIDNEY	RICHLAND	4	37	49	3.663	24	26	RMS	1977	296	277	0	14	9	3	14	40	34	2.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P052	33+0.928	JCT FAS RTE 208	FLATHEAD	1	34	55	7.644	22	24	RMS	1355	200	390	0	11	4	1	22	38	35	4.7
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	1651	244	174	0	13	5	13	9	40	35	1.2
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1614	238	390	0	11	4	3	21	39	35	2.4
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1462	216	301	0	11	7	2	19	39	35	3.4
P020	56+0.614	6.1 N SIONEY	RICHLAND	4	35	35	3.906	20	24	RMS	1619	210	302	0	12	5	2	20	39	35	2.4
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	803	119	281	0	8	3	0	24	35	35	1.1
P011	217+0.349	FAS RTES 227 & 228	CASCADE	6	39	71	.996	32	32	RMS	3593	467	340	5	20	10	2	9	46	36	.5
P014	133+0.033	2.5 E RYEGATE	GOLDEN VALLEY	11	37	55	3.979	21	24	RMS	1025	133	159	0	13	6	1	17	37	36	2.5
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2204	420	716	0	10	8	4	21	43	36	5.7
P043	0+0.626	LEWISTOWN LIMITS	FERGUS	5	21	21	1.143	18	24	PCC	2399	311	319	0	13	7	8	15	43	36	.7
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1481	236	324	0	12	8	2	19	41	37	2.9
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	3002	573	556	4	16	10	1	15	46	37	1.3
P005	168+0.294	FORTINE	LINCOLN	1	33	51	9.654	22	22	RMS	1114	144	396	0	8	5	1	25	39	37	5.9
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	6042	882	326	9	25	10	7	0	51	37	.2
P020	52+0.570	SIONEY	RICHLAND	4	35	35	6.066	20	24	RMS	2136	277	453	0	13	5	5	21	44	37	3.4
P016	113+0.903	5.0 N FAP 2	YELLOWSTONE	11	34	51	11.673	20	24	BST	1163	151	255	0	11	6	1	21	39	37	7.1
P016	150+0.202	KLEIN	MUSSELSHELL	11	32	32	1.838	20	24	BST	1636	212	283	0	14	8	1	19	42	37	1.1
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	813	121	378	0	9	3	0	25	37	37	.7
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	980	146	406	0	8	4	1	25	38	37	4.4
P006	53+0.427	2.1 E THOMP FALLS	SANDERS	8	35	36	2.680	20	24	RMS	1433	213	255	0	12	8	4	17	41	37	1.6
P008	0+0.000	JCT FAI 90	POWELL	8	31	53	3.913	24	24	RMS	1153	149	220	0	13	6	1	20	40	38	2.3
P007	43+0.041	1.5 S FAP 35	PAVALLI	8	49	49	1.501	30	30	BST	2498	324	374	4	15	9	1	17	46	38	.8
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	24	24	RMS	1724	398	739	0	12	3	6	22	43	38	.3
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6	36	36	.677	24	24	RMS	1105	143	239	0	10	8	1	21	40	38	.4
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	34	58	2.597	20	24	RMS	1096	142	201	0	12	8	1	19	40	38	1.6
P015	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	50	6.610	22	25	RMS	1197	142	243	0	11	6	2	21	40	38	4.0
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	1934	251	453	0	12	6	4	22	44	38	3.6
P003	319+0.191	TETON CO	TETON	6	21	32	2.966	20	22	BST	1334	173	397	0	13	4	1	23	41	38	1.7
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1368	218	478	0	12	5	1	23	41	38	1.3
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1442	187	198	0	14	8	4	16	42	38	4.0
P001	21+0.505	4.6 E FAS 202	LINCOLN	1	37	70	3.927	25	26	RMS	1908	248	528	0	9	4	8	23	44	38	2.2
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	1763	246	134	7	23	10	1	2	43	38	.2
P050	81+0.910	JCT FAS 289 291	GALLATIN	10	60	60	5.208	36	36	PMS	4363	654	283	8	26	10	6	0	50	38	2.6
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	2964	414	289	8	21	10	0	9	48	39	.1
P025	44+0.752	1.8 S ROOSEVELT	MCCONE	4	30	36	1.745	20	24	BST	753	97	126	0	13	6	1	18	38	39	1.1
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1626	317	546	0	15	7	1	21	44	39	.8
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11	23	68	.593	55	55	RMS	2267	294	326	3	18	8	1	16	46	39	.3
P016	129+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	22	24	RMS	1132	147	296	0	11	6	1	23	41	39	2.7
P008	34+0.269	1.1 E ENO FHR 28	LEWIS AND CLARK	7	33	54	5.345	22	30	RMS	1682	218	326	0	15	8	2	20	45	40	2.9
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1121	167	387	0	9	8	1	24	42	40	.5
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2147	289	544	0	12	10	3	22	47	40	1.5
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	PMS	1050	136	264	0	12	4	3	22	41	40	4.1
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	1781	231	365	0	12	5	7	21	45	40	.9
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.280	24	30	RMS	1320	171	292	0	12	8	2	21	43	40	1.9
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3090	401	397	6	17	10	1	15	49	40	.3
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	1203	156	185	0	16	8	1	17	42	40	5.6
P001	211+0.317	2.1 E SPUR RTE 1	GLACIER	2	39	54	9.156	26	30	RMS	1170	223	353	0	13	8	1	21	43	41	5.2
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.292	24	24	RMS	1235	185	534	0	12	4	3	25	44	41	3.5
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	3610	386	654	0	13	10	8	21	52	41	.7
P002	315+0.970	4.3 E BELGRADE	GALLATIN	10	37	37	3.683	24	30	PMS	3254	423	601	4	16	10	2	19	51	41	1.8
P005	159+0.617	STRYKER	LINCOLN	1	31	64	8.683	24	24	RMS	754	98	335	0	9	4	1	26	40	41	5.2
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.128	20	24	RMS	1128	168	406	0	13	5	1	24	43	41	3.5
P006	88+0.718	3.6 E JCT FAS 461	SANDERS	8	24	38	1.869	20	24	RMS	697	103	307	0	11	4	0	25	40	41	1.1
P010	52+0.381	LOMA	CHOUTEAU	6	34	63	2.763	22	24	RMS	1133	147	380	0	9	8	2	24	43	41	1.6
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2359	306	610	0	15	7	4	22	48	41	1.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P016	161+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	35	35	9.033	20	24	BST	829	107	392	0	7	4	4	26	41	41	5.3
P016	127+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1122	145	272	0	13	7	1	22	43	41	1.0
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	631	91	507	0	9	3	1	27	40	42	3.0
P011	211+0.469	7.0 N FAS 331	CASCADE	6	42	52	5.894	26	31	RMS	2702	351	434	3	16	10	3	18	50	42	2.9
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	993	147	233	0	15	4	3	21	43	42	2.2
P006	56+0.095	4.8 E THOMP FALLS	SANDERS	8	35	49	1.717	20	24	RMS	1069	159	184	0	13	5	9	17	44	42	1.0
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1235	184	408	0	12	6	4	23	45	42	1.7
P008	49+0.860	EAST HELENA	LEWIS AND CLARK	7	36	36	2.962	24	30	PMS	2674	409	500	3	17	7	5	18	50	42	1.5
P008	11+0.267	AVON	POWELL	8	33	58	11.942	22	24	RMS	1258	163	512	0	9	8	3	25	45	42	6.6
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	981	127	305	0	11	6	2	24	43	42	1.7
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	785	116	406	0	9	4	2	26	41	42	1.7
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	64	9.496	36	36	PMS	3612	527	510	4	15	10	9	15	53	42	4.5
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	4543	663	403	7	20	10	12	5	54	42	.5
P005	0+0.000	JCT FAI 90	MISSOULA	8	66	66	.240	36	36	PMS	3825	558	424	8	23	10	2	10	53	42	.1
P001	35+0.739	JCT FAS RTE 482	LINCOLN	1	36	61	8.543	24	24	RMS	1430	185	353	0	12	7	5	22	46	42	4.6
P050	80+0.057	1.9 S FAS 289 291	GALLATIN	10	64	64	1.857	36	36	PMS	2771	468	264	8	25	10	5	3	51	42	.9
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	36	46	3.798	20	24	RMS	1099	142	255	0	12	8	2	22	44	42	2.1
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	34	59	.893	24	24	RMS	3402	442	664	0	8	4	20	20	52	42	.4
P024	26+0.710	5.2 W FAS 209	MISSOULA	8	49	49	5.188	25	25	BST	1395	230	438	0	9	8	7	22	46	42	2.8
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	22	25	RMS	1191	154	324	0	13	8	1	23	45	43	1.8
P045	0+0.536	BIG TIMBER LIMITS	SWEET GRASS	10	34	56	2.201	22	24	RMS	968	125	451	0	10	5	3	26	44	43	1.2
P042	73+0.246	JCT FAS RTE 247	VALLEY	3	34	58	2.174	22	26	RMS	1297	207	367	0	13	9	2	22	46	43	1.2
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1057	137	249	0	13	6	4	22	45	43	5.4
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1248	199	805	0	10	7	3	26	46	43	3.8
P001	541+0.099	0.3 W GLASGOW	VALLEY	3	48	48	.328	24	26	RMS	5788	781	728	0	15	8	20	14	57	43	.1
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.943	32	32	PMS	3438	501	584	4	13	10	9	17	53	43	.9
P003	322+1.038	FAIRFIELD	TETON	6	21	45	1.492	20	24	BST	737	95	440	0	12	3	0	27	42	43	.9
P003	340+0.952	CHOTEAU	TETON	6	21	32	12.944	20	22	BST	768	185	397	0	13	5	1	23	42	43	7.5
P003	299+0.631	I 15 VAUGHN	CASCADE	6	55	71	1.235	28	32	RMS	3289	427	396	5	18	10	6	14	53	43	.6
P006	94+0.038	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	716	106	364	0	10	3	3	26	42	43	.7
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1205	156	377	0	12	8	2	24	46	43	4.9
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	532	77	732	0	7	3	2	28	40	43	5.5
P015	54+0.311	MOCCASIN	JUDITH BASIN	6	58	71	2.337	22	24	RMS	1378	163	302	2	15	7	1	22	47	43	1.2
P015	41+0.824	5.2 E FAS 230	JUDITH BASIN	6	36	36	12.442	20	24	RMS	1289	153	364	0	13	6	4	24	47	44	6.6
P015	212+0.181	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1020	156	263	0	14	8	2	21	45	44	.1
P006	85+0.066	JCT FAS 461	SANDERS	8	31	51	3.604	20	24	RMS	687	102	391	0	11	4	1	26	42	44	2.1
P004	53+0.834	3.0 N YELLOWST CO	YELLOWSTONE	11	22	39	.439	24	30	RMS	5002	650	624	7	22	10	4	14	57	44	.2
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	36	44	PMS	4396	641	272	10	27	10	9	0	56	44	.4
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	5.018	40	40	PMS	3750	547	326	6	21	10	13	5	55	44	2.3
P003	425+0.053	JCT SPUR FAP RTE 1	GLACIER	2	28	68	5.269	24	24	RMS	614	119	351	0	13	4	0	25	42	44	3.1
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	1064	138	184	0	13	7	7	19	46	44	2.7
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	826	111	120	3	16	8	1	16	44	44	4.0
P025	7+0.759	7.6 N CIRCLE	MCCONE	4	36	55	13.141	20	25	RMS	591	76	315	0	8	6	1	26	41	44	7.8
P024	116+0.833	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	971	145	308	0	13	7	2	23	45	44	5.8
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	603	78	315	0	8	8	1	26	43	45	4.3
P024	109+0.052	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.789	24	26	RMS	919	137	308	0	13	8	2	23	46	45	4.2
P035	32+0.154	6.3 E GRANITE CO	GRANITE	8	23	23	6.475	11	11	GRV	95	15	135	0	0	3	0	28	31	45	4.5
P028	64+0.237	4.5 S REO LODGE	CARBON	11	34	57	4.147	22	22	RMS	632	142	591	0	8	8	1	26	43	45	2.4
P028	70+0.311	REO LODGE	CARBON	11	21	54	11.712	22	24	RMS	1205	241	595	0	11	8	5	24	48	45	6.1
P043	1+0.761	1.1 N LEWISTOWN	FERGUS	5	50	50	7.722	24	28	RMS	1312	170	318	0	14	10	2	22	48	45	4.0
P050	90+0.824	SPUR RTE 50	GALLATIN	10	72	72	3.000	34	34	GRV	890	131	476	0	5	10	4	26	45	45	1.7
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.172	20	24	RMS	878	114	220	0	15	7	1	22	45	45	1.2
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1035	134	212	0	13	7	5	21	46	45	5.0
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	61	4.950	24	24	RMS	1343	201	534	0	15	6	3	24	48	45	2.6
P003	374+0.208	DUPUYER	PONDERA	6	32	51	8.382	20	24	RMS	414	99	627	0	7	4	1	28	40	45	5.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	848	110	288	0	12	7	2	24	45	45	1.9
P015	33+0.205	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	1364	162	522	0	11	9	3	25	48	45	1.8
P016	170+0.113	15.0 N ROUNDUP	MUSSELSHELL	11	35	35	5.780	20	24	BST	649	84	392	0	9	5	2	27	43	45	3.3
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11	37	55	9.103	21	24	RMS	921	119	353	0	11	8	3	25	47	46	4.8
P010	63+0.939	11.6 N LOMA	CHOUTEAU	6	34	51	8.465	22	24	RMS	959	124	672	0	9	8	3	27	47	46	4.5
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.766	22	24	RMS	1049	136	702	0	10	8	3	27	48	46	4.6
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	898	116	288	0	13	7	2	24	46	46	1.9
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	716	93	390	0	13	5	1	26	45	46	4.1
P003	358+0.625	4.6 N BYNUM	TETON	6	32	32	8.589	20	24	BST	418	100	246	0	10	6	1	24	41	46	5.1
P006	57+0.808	6.5 E THOMP FALLS	SANDERS	8	34	49	6.899	20	24	RMS	942	140	233	0	13	5	8	21	47	46	3.7
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.549	44	44	PMS	2904	423	578	5	18	10	3	19	55	46	1.1
P004	50+0.813	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	4121	535	616	4	18	9	9	17	57	46	.6
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	RMS	2371	308	481	3	14	8	8	20	53	46	3.0
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3334	466	1720	3	14	9	4	26	56	46	.2
P001	322+0.605	CHESTER	LIBERTY	2	31	51	9.999	22	24	RMS	910	118	436	0	5	5	10	26	46	46	5.4
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	847	110	272	0	15	5	2	24	46	46	3.6
P045	2+0.759	JCT FAS RTE 479	SWEET GRASS	10	35	55	4.588	20	24	RMS	519	67	184	0	12	4	1	25	42	46	2.7
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	811	109	217	0	11	8	5	22	46	46	4.2
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	30	56	.412	20	24	RMS	948	123	220	0	12	10	3	22	47	46	.2
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	754	109	425	0	10	7	2	26	45	46	5.0
P025	46+0.911	JCT FAP 32	ROOSEVELT	3	30	56	5.474	24	24	RMS	954	124	371	0	13	7	2	25	47	46	2.9
P024	138+0.485	SUN RIVER	CASCADE	6	36	71	1.321	25	31	RMS	1741	243	522	3	16	9	1	23	52	47	.6
P027	29+0.146	JCT FAS RTE 322	FALLON	12	48	48	5.510	25	25	BST	605	78	441	0	7	9	2	27	45	47	3.0
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1090	218	453	0	13	8	5	23	49	47	4.6
P035	14+0.578	11.2 W GRANITE CO	RAVALLI	8	24	24	11.240	11	11	GRV	77	12	135	0	0	3	0	29	32	47	7.6
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11	48	48	6.295	24	28	BST	925	120	289	0	15	8	1	24	48	47	3.3
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	48	66	5.620	22	22	BST	296	38	284	0	4	7	1	28	40	47	3.4
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	803	104	288	0	13	7	2	25	47	47	3.6
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1324	172	249	0	14	8	8	20	50	47	1.6
P001	153+0.428	JCT W GLACIER SPUR	FLATHEAD	1	48	49	3.205	24	28	PMS	806	153	129	7	19	7	2	12	47	47	1.7
P001	537+0.631	3.7 W GLASGOW	VALLEY	3	48	48	3.338	24	26	RMS	2048	276	500	0	11	10	10	22	53	47	1.6
P001	679+0.899	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	890	115	288	0	15	7	1	24	47	47	.6
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	2913	393	289	9	26	10	1	10	56	47	.3
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	2581	335	648	3	13	10	7	22	55	47	3.2
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	692	89	390	0	13	5	0	27	45	47	.1
P011	218+0.360	2.0 E GREAT FALLS	CASCADE	6	39	71	2.019	32	32	RMS	3784	491	411	5	18	10	13	12	58	47	.8
P015	94+0.354	11.1 E LEWISTOWN	FERGUS	5	40	52	8.960	24	30	RMS	788	102	604	0	9	9	1	27	46	47	4.8
P015	36+0.650	JCT FAS RTE 230	JUDITH BASIN	6	37	37	5.169	24	30	RMS	1415	168	286	0	12	9	9	21	51	47	2.5
P022	90+0.037	0.5 S CULBERTSON	ROOSEVELT	3	33	58	1.859	20	24	RMS	600	90	311	0	9	7	2	26	44	47	1.0
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	589	85	287	0	12	6	0	26	44	47	1.8
P021	44+0.825	3.0 S CONRAD	PONDERA	6	64	64	2.835	24	26	RMS	727	94	264	0	13	8	1	25	47	48	1.5
P015	88+0.246	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	910	118	333	0	14	8	1	25	48	48	3.1
P007	74+0.821	FLORENCE	RAVALLI	8	74	74	2.051	38	38	PMS	3749	487	304	10	30	10	3	6	59	48	.8
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	950	123	249	0	14	7	5	23	49	48	1.6
P007	82+0.746	LOLO	MISSOULA	8	68	68	.492	44	44	PMS	4604	598	192	10	30	10	10	0	60	48	.2
P003	353+0.948	BYNUM	TETON	6	32	32	4.648	20	24	BST	494	119	364	0	11	6	2	25	44	48	2.6
P003	367+0.264	PONDERA CO	PONDERA	6	32	51	6.905	20	24	RMS	439	105	448	0	12	4	1	26	43	48	3.9
P003	292+0.026	0.1 W FAI 15	CASCADE	6	38	49	7.270	24	30	RMS	924	115	554	0	11	8	3	27	49	48	3.7
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2095	251	335	5	17	10	4	19	55	48	.2
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	RMS	1288	190	468	0	14	8	5	24	51	48	3.8
P029	34+0.188	SHERIDAN	MADISON	9	39	39	8.029	20	24	RMS	944	198	486	0	11	8	6	24	49	48	4.1
P035	25+0.875	GRANITE CO LINE	GRANITE	8	23	23	6.280	11	11	GRV	71	11	135	0	0	3	0	29	32	48	4.3
P022	108+0.288	4.6 N FAS 201	RICHLAND	4	40	49	4.649	24	26	RMS	630	94	255	0	11	8	3	24	46	48	2.5
P022	112+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	759	113	277	0	11	8	4	24	47	48	2.5
P024	31+0.869	JCT FAS RTE 209	MISSOULA	8	54	54	3.799	24	30	RMS	1181	194	235	0	11	10	11	18	50	48	1.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST	8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	---SUFFICIENCY RATINGS--- FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12	31	56	2.448	20	24	RMS	613	88	203	0	14	7	3	23	47	49	1.3
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12	32	60	3.713	18	24	RMS	326	47	316	0	9	4	1	28	42	49	2.2
P022	117+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	882	132	387	0	11	8	5	25	49	49	1.9
P029	19+0.904	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	710	149	390	0	13	8	3	24	48	49	2.7
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1549	229	431	0	14	6	11	22	53	49	1.3
P053	18+0.839	JCT FAS RTE 328	YELLOWSTONE	11	48	48	12.745	20	24	RMS	971	126	354	0	13	9	3	25	50	49	6.4
P050	47+0.941	JCT SPUR RTE 50	GALLATIN	10	55	55	12.950	28	28	PMS	1382	216	283	5	19	9	1	19	53	49	6.1
P045	8+0.030	5.3 N FAS 479	SWEET GRASS	10	42	42	7.745	20	24	RMS	391	50	255	0	11	4	1	27	43	49	4.4
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	577	92	324	0	12	7	1	26	46	49	6.1
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1005	130	312	0	11	6	9	24	50	49	4.3
P001	210+0.124	0.9 E SPUR RTE 1	GLACIER	2	43	62	1.211	26	30	RMS	1170	223	353	2	18	9	1	21	51	49	.6
P001	435+0.143	5.8 E FAS 376	BLAINE	2	25	71	4.686	22	24	RMS	1002	130	324	3	18	4	1	24	50	49	2.3
P002	311+0.654	BELGRADE	GALLATIN	10	22	58	4.314	24	24	RMS	2086	271	514	4	17	8	4	22	55	49	1.9
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3	46	50	5.368	24	32	PMS	759	98	302	0	12	9	2	25	48	49	2.8
P002	7C7+0.000	SUPERIOR	MINERAL	8	31	52	.064	22	24	RMS	230	29	716	0	6	5	0	29	40	49	
P003	258+0.574	JCT I 15 CASCADE S	CASCADE	6	33	53	.173	24	28	RMS	478	145	317	0	12	10	0	23	45	49	.1
P006	64+0.701	13.4 E THOMP FALLS	SANDERS	8	39	39	3.997	26	26	BST	941	140	374	2	16	6	2	24	50	49	2.0
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	36	1.336	22	24	PMS	830	132	711	0	14	7	1	27	49	49	.7
P015	296+0.861	7.1 E DAWSON CO	DAWSON	4	33	50	5.168	20	24	RMS	478	62	406	0	7	8	2	28	45	49	2.8
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	797	115	222	3	14	7	2	22	48	49	1.8
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	36	9.226	20	24	RMS	904	135	352	0	14	9	2	24	49	49	4.7
P016	309+0.524	JCT FAS RTE 363	PHILLIPS	3	38	42	1.399	24	26	RMS	945	158	374	0	14	8	4	24	50	49	.7
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6	33	41	3.370	20	24	BST	1081	140	476	0	13	7	6	26	52	50	1.6
P003	416+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.368	22	24	RMS	467	91	452	0	10	8	1	27	46	50	3.4
P002	680+0.897	PLEVNA	FALLON	12	39	39	11.725	24	30	RMS	771	100	259	0	13	10	2	24	49	50	6.0
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1244	161	292	0	13	7	11	22	53	50	1.8
P042	70+0.530	2.7 S FAS 247	VALLEY	3	34	34	2.725	22	26	RMS	778	124	442	0	11	9	3	26	49	50	1.4
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	2.957	20	24	RMS	1005	130	354	0	14	9	4	24	51	50	1.4
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1489	193	349	4	17	8	3	22	54	50	3.8
P035	39+0.473	13.4 E GRANITE CO	GRANITE	8	36	36	6.135	28	28	GRO	124	19	525	0	0	6	2	29	37	50	3.9
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	406	60	288	0	10	6	2	27	45	50	3.5
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	530	79	283	0	11	7	3	26	47	50	1.9
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	453	67	206	0	10	6	4	25	45	50	2.1
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	33	36	.775	20	24	BST	901	117	420	0	13	10	1	26	50	50	.4
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	547	71	357	0	10	7	3	27	47	50	3.9
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	RMS	975	146	164	5	19	8	2	17	51	50	2.9
P026	0+0.775	0.8 E JCT FAP 20	RICHLAND	4	33	55	6.758	20	24	RMS	348	45	480	0	8	5	2	29	44	50	3.8
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	558	72	392	0	10	7	4	27	48	51	3.7
P024	55+0.670	JCT FAS RTE 271	POWELL	8	61	61	9.806	24	26	PMS	1182	195	184	6	21	10	2	14	53	51	4.6
P023	33+0.348	17.2 N POWDER R CO	CUSTER	12	31	47	10.796	20	24	BST	330	47	469	0	8	4	4	28	44	51	6.0
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.930	20	24	RMS	770	161	435	0	12	8	6	24	50	51	4.0
P037	24+0.492	BUSBY	BIG HORN	11	54	54	8.560	24	24	PMS	892	120	593	0	6	10	8	27	51	51	4.2
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	60	2.337	24	30	RMS	766	99	504	0	14	7	2	27	50	51	1.2
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.791	18	24	RMS	304	45	449	0	10	5	1	28	44	51	3.2
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	35	4.599	20	24	BST	307	42	203	0	11	5	1	27	44	51	2.6
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	556	72	243	0	15	7	0	26	48	51	1.5
P045	45+0.329	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	819	106	289	2	14	9	2	24	51	51	1.8
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3334	466	3440	3	13	10	7	28	61	51	.1
P001	678+0.975	KIOWA JCT	GLACIER	2	29	72	.208	20	20	PMS	207	41	377	0	8	4	1	28	41	51	.1
P003	413+0.039	JCT FAP RTE 1	GLACIER	2	35	51	3.371	22	24	RMS	818	159	854	0	10	8	6	27	51	51	1.7
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	3384	494	580	6	19	10	9	17	61	51	2.3
P007	76+0.872	MISSOULA CO	MISSOULA	8	74	74	6.047	38	38	PMS	4069	528	304	10	30	10	8	4	62	51	2.3
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	765	99	280	0	10	6	9	25	50	51	3.0
P013	67+0.511	11.1 N MCALLISTER	MADISON	9	34	34	9.526	20	24	RMS	450	69	233	0	12	7	1	26	46	51	5.1
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	34	10.825	20	24	BST	421	54	599	0	9	7	1	29	46	51	5.8

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P011	200+0.003	JCT FAP RTE 15	CASCADE	6	55	55	3.606	40	40	RMS	1714	222	340	3	17	10	6	20	56	51	1.6
P011	75+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	624	93	608	0	9	8	4	28	49	51	2.6
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	432	64	134	2	16	5	1	23	47	52	5.2
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	622	80	399	0	13	8	2	27	50	52	.6
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	418	54	702	0	10	6	2	29	47	52	1.1
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	26	RMS	267	34	393	0	9	4	2	29	44	52	3.2
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	26	RMS	254	33	393	0	9	4	1	29	43	52	2.0
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1231	284	354	5	17	10	5	18	55	52	1.0
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	2968	385	648	2	13	10	15	21	61	52	.9
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6	34	51	6.871	22	24	RMS	994	129	390	0	14	8	6	25	53	52	3.2
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	399	59	184	0	12	8	1	25	46	52	5.5
P019	12+0.378	ANACONDA	DEER LODGE	9	51	59	4.529	28	28	PMS	1765	255	508	4	16	10	5	22	57	52	1.9
P015	131+0.060	7.8 E PETROLEUM CO	PETROLEUM	5	31	58	4.553	20	24	RMS	314	48	406	0	9	7	1	28	45	52	2.5
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11	39	65	5.582	21	24	RMS	451	58	210	0	12	8	1	26	47	52	3.0
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	1844	248	365	5	17	10	6	20	58	52	1.2
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.159	40	40	PMS	3669	476	432	9	27	10	3	13	62	52	.1
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	5236	628	937	6	18	10	10	20	64	52	.5
P003	422+0.786	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	445	86	556	0	10	8	1	28	47	52	1.2
P003	133+0.875	N BUTTE LIMITS	SILVER BOW	9	50	50	.292	24	36	PMS	640	83	501	0	11	8	3	28	50	52	.1
P001	6+0.582	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1266	164	508	2	14	8	6	25	55	52	3.1
P048	1+0.344	0.8 N HARDIN	BIG HORN	11	41	41	5.460	20	24	RMS	1061	148	390	0	14	8	8	24	54	52	2.5
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	35	2.587	20	24	BST	433	60	203	0	12	8	1	26	47	52	1.4
P037	42+0.067	LAME DEER	ROSEBUD	12	54	54	4.470	24	24	PMS	989	133	237	0	14	9	8	22	53	52	2.1
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11	54	54	9.342	24	24	PMS	759	102	418	0	10	8	7	26	51	52	4.6
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.488	22	24	RMS	316	47	479	0	10	5	1	29	45	52	.8
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	496	74	278	0	13	6	4	26	49	53	2.3
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	62	6.155	22	26	RMS	408	53	238	0	10	7	4	27	48	53	3.2
P035	0+0.000	FAP RTE 7	RAVALLI	8	41	55	5.576	20	24	RMS	427	59	536	0	10	6	4	28	48	53	2.9
P023	27+0.819	25.6 S FAI RTE 94	CUSTER	12	31	47	5.528	20	24	BST	369	53	492	0	8	7	4	28	47	53	2.9
P025	35+0.506	11.05 ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	619	80	185	0	18	6	3	24	51	53	4.5
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.505	24	25	RMS	972	145	266	4	16	8	4	22	54	53	1.6
P045	58+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	822	106	333	2	14	10	2	25	53	53	2.0
P045	69+0.837	JUDITH BASIN CO	JUDITH BASIN	6	47	62	.581	24	24	RMS	862	112	414	3	13	10	1	26	53	53	.3
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	995	129	225	0	13	6	14	21	54	53	1.0
P001	526+0.524	14.1 W GLASGOW	VALLEY	3	50	55	11.121	24	27	PMS	1089	147	308	4	16	10	2	23	55	53	5.0
P003	317+0.076	2.1 S TETON CO	CASCADE	6	21	32	2.110	20	22	BST	1037	134	397	0	14	4	11	25	54	53	1.0
P003	307+0.105	JCT FAP 24	CASCADE	6	36	61	7.139	24	31	RMS	975	126	469	0	15	8	5	26	54	53	3.3
P002	578+0.211	JCT FAS 446	ROSEBUD	12	31	47	1.731	20	26	RMS	236	30	335	0	9	5	1	29	44	53	1.0
P002	616+0.886	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	589	76	210	0	15	9	1	25	50	53	3.2
P005	120+0.677	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	3216	385	662	4	16	10	11	21	62	53	1.8
P005	104+0.255	JCT FAS 203	FLATHEAD	1	49	61	5.341	38	38	RMS	4989	598	383	8	25	10	15	7	65	53	1.9
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	3665	535	288	10	28	10	13	2	63	53	2.2
P004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.084	55	55	RMS	2446	317	937	5	18	8	4	25	60	53	.8
P005	114+0.864	KALISPELL	FLATHEAD	1	57	60	5.800	36	36	PMS	3179	381	309	6	24	10	10	12	62	53	2.2
P005	30+0.047	2.5 N JCT FAP 6	LAKE	1	56	60	2.565	32	32	PMS	2715	396	584	4	17	10	10	20	61	53	1.0
P015	206+0.822	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	344	52	396	0	10	7	1	28	46	53	2.9
P015	171+0.262	3.1 W SAND SPRINGS	GARFIELD	5	47	58	8.146	24	24	PMS	279	42	438	0	8	7	1	29	45	53	4.5
P015	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	340	52	217	0	11	8	1	26	46	53	6.6
P015	103+0.270	20.2 E LEWISTOWN	FERGUS	5	40	54	9.667	24	32	RMS	768	117	599	0	12	9	4	27	52	53	4.6
P016	192+0.688	6.5 S FAP 15	FERGUS	5	41	65	4.893	24	30	RMS	629	81	333	0	14	9	2	26	51	53	2.4
P016	155+0.020	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	1045	135	308	0	14	10	7	23	54	53	2.7
P015	21+0.868	GEYSER	JUDITH BASIN	6	36	50	4.693	22	25	RMS	1231	146	431	0	12	7	12	25	56	53	2.1
P022	91+0.986	RICHLAND CO	RICHLAND	4	34	36	1.650	20	24	BST	564	84	515	0	8	10	4	28	50	53	.8
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	36	9.091	20	24	BST	334	53	182	0	12	7	1	26	46	53	4.9
P009	39+0.890	JCT SPUR FAP 24	LEWIS AND CLARK	7	35	36	3.248	22	24	RMS	463	74	360	0	12	8	2	27	49	53	1.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	68+0.503	23.4 E FAP 11	MEAGHER	10	36	52	4.875	22	24	RMS	373	48	249	0	12	7	1	27	47	53	2.6
P011	117+0.536	JCT FAP RTE 14	MEAGHER	10	33	36	8.182	20	24	RMS	670	100	421	0	13	8	4	26	51	53	4.0
P014	6+0.411	4.0 E FAS 284	BROADWATER	7	37	52	7.187	20	25	RMS	378	56	338	0	10	7	2	28	47	53	3.8
P011	64+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	853	127	431	0	14	9	5	26	54	54	4.7
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11	36	50	7.063	21	25	RMS	428	55	608	0	10	6	4	29	49	54	3.6
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	443	57	354	0	11	8	2	28	49	54	2.3
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	601	120	453	0	12	8	5	26	51	54	4.5
P013	77+0.047	FAS 359	MADISON	9	34	52	3.748	22	24	RMS	272	42	253	0	12	5	1	28	46	54	2.0
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	788	122	431	0	15	8	4	26	53	54	3.4
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	RMS	322	41	396	0	10	7	2	28	47	54	2.3
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	641	99	311	3	15	7	2	25	52	54	2.5
P009	20+0.675	0.8 N FAP 24	LEWIS AND CLARK	7	32	36	8.470	20	24	BST	314	50	406	0	10	7	2	28	47	54	4.5
P009	43+0.145	TETON CO	TETON	6	35	35	2.846	20	24	RMS	457	73	270	0	14	8	1	26	49	54	1.5
P022	29+0.335	ARCHER FAS 374	SHERIDAN	3	37	37	11.850	20	24	RMS	620	93	406	0	13	9	3	27	52	54	5.7
P015	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.093	24	24	RMS	313	47	393	0	9	9	1	28	47	54	3.2
P015	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.790	20	24	RMS	287	43	634	0	10	4	3	29	46	54	4.2
P015	73+0.550	8.5 E FAP 45	FERGUS	5	47	54	3.349	24	31	PMS	1609	191	340	6	19	9	3	22	59	54	1.4
P015	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	337	51	479	0	10	8	1	28	47	54	4.2
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	2102	283	307	4	18	10	12	16	60	54	2.1
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1272	185	271	7	16	9	5	20	57	54	.3
P003	300+0.866	1.4 W VAUGHN	CASCADE	6	36	36	6.230	25	31	RMS	2975	386	631	3	15	8	16	21	63	54	2.3
P002	576+0.702	0.6 W FAS 447	ROSEBUD	12	31	47	.571	20	26	RMS	163	21	291	0	8	5	0	29	42	54	.3
P003	324+0.541	1.5 N FAIRFIELD	TETON	6	21	45	2.698	20	24	BST	705	91	453	0	12	3	11	27	53	54	1.3
P002	705+0.694	1.0 W SUPERIOR	MINERAL	8	31	52	1.036	22	24	RMS	200	26	544	0	6	5	4	29	44	54	.6
P002	433+0.400	5.9 W PARK CITY	STILLWATER	11	28	55	5.699	24	26	RMS	335	43	585	0	12	4	2	29	47	54	3.0
P002	419+0.341	1.5 W COLUMBUS	STILLWATER	11	31	56	1.535	22	30	RMS	405	52	427	0	13	7	1	28	49	54	.8
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1002	130	387	4	16	8	2	25	55	54	2.0
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	1620	210	680	5	18	10	1	25	59	54	.2
P045	81+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	861	111	312	4	14	9	2	25	54	54	1.5
P029	14+0.827	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	657	137	315	4	18	5	2	23	52	54	2.5
P024	142+0.160	2.6 W FAP 24	CASCADE	6	34	37	2.969	20	24	BST	296	42	422	0	12	4	1	29	46	54	1.6
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	449	67	138	0	12	6	8	23	49	54	1.2
P032	7+0.507	3.8 N FAP 1	ROOSEVELT	3	33	36	6.626	20	24	BST	373	52	357	0	9	9	2	28	48	54	3.4
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3	33	36	3.750	20	24	BST	498	69	372	0	12	9	3	27	51	55	1.8
P036	26+0.128	7.2 N SPUR FAP 36	SANDERS	8	40	40	4.999	20	25	BST	489	73	266	0	13	7	5	26	51	55	2.4
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	394	55	290	0	12	7	3	27	49	55	5.2
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	35	7.041	20	24	BST	297	41	357	0	10	7	2	28	47	55	3.7
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	494	74	266	0	13	7	5	26	51	55	.3
P024	139+0.705	JCT FAP RTE 24	CASCADE	6	34	67	2.628	24	24	RMS	333	48	429	0	13	4	3	28	48	55	1.4
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	366	47	469	0	10	9	2	28	49	55	3.4
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.380	24	24	BST	440	63	438	2	10	8	2	28	50	55	1.7
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	346	50	217	0	11	9	1	27	48	55	4.6
P002	294+0.899	3.6 E FAI 90	GALLATIN	10	31	31	4.747	22	28	RMS	387	50	489	0	12	8	1	28	49	55	2.4
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	795	103	414	0	15	10	3	26	54	55	1.5
P002	577+0.299	JCT FAS 447	ROSEBUD	12	31	47	.926	20	26	RMS	233	30	218	0	11	5	2	28	46	55	.5
P006	95+0.631	PERMA FAS 382	SANDERS	8	57	57	3.633	32	32	BST	763	113	655	0	9	8	10	27	54	55	1.7
P015	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.138	24	32	RMS	1383	164	503	4	14	10	5	25	58	55	.5
P015	121+0.740	8.7 E FAP 16	FERGUS	5	29	58	1.467	18	24	RMS	278	42	414	0	9	5	5	28	47	55	.8
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	53	10.488	20	24	RMS	167	21	470	0	8	5	1	29	43	55	6.0
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	209	27	448	0	8	7	1	29	45	55	6.0
P009	53+0.840	7.8 N FAS 408	TETON	6	36	36	6.133	22	25	RMS	427	68	345	0	14	8	1	27	50	55	3.1
P009	46+0.003	JCT FAS 408	TETON	6	35	35	7.848	20	24	RMS	390	62	325	0	13	8	1	27	49	55	4.0
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	338	43	357	0	9	8	3	28	48	55	1.7
P014	63+0.148	18.1 E FAP 11	MEAGHER	10	37	48	5.333	20	25	RMS	356	46	255	0	12	8	2	27	49	55	2.7
P014	170+0.161	ROUNDUP	MUSSELSHELL	11	39	39	11.871	20	24	RMS	577	75	333	0	14	10	2	27	53	56	5.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-S	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS ENO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P013	61+0.592	5.2 N MCALLISTER	MADISON	9 34 34	5.907	20	24	RMS	495	76	237	3	15	8	1	25	52	56	2.8
P010	97+0.042	7.6 N HILL CO	HILL	2 28 53	7.369	22	24	RMS	1148	149	510	0	15	7	10	26	58	56	3.1
P018	38+0.093	GARFIELD CO	GARFIELD	5 31 53	10.392	20	24	PMS	167	21	448	0	7	7	1	29	44	56	5.8
P015	192+0.200	3.6 E EDWARDS	GARFIELD	5 36 53	6.889	24	24	RMS	290	44	441	0	9	9	1	29	48	56	3.6
P015	267+0.492	JCT FAS RTE 253	MCCONE	4 41 56	10.951	24	25	PMS	489	74	278	0	14	10	2	26	52	56	5.3
P015	199+0.094	10.5 E EDWARDS	GARFIELD	5 36 49	7.662	24	24	PMS	299	45	243	0	11	9	1	27	48	56	4.0
P015	369+0.000	0.3 W GLENDIVE	DAWSON	4 48 50	.222	24	34	PMS	3315	397	336	6	19	8	20	12	65	56	.1
P015	364+0.400	SPUR RTE 15	FERGUS	5 49 61	1.750	24	28	RMS	879	104	469	3	15	8	3	27	56	56	.8
P005	98+0.643	5.2 NLFLATHEADOCO	FLATHEAD	1 63 63	3.429	32	32	PMS	2598	350	383	6	21	10	11	16	64	56	1.2
P005	53+0.399	6.0 N RONAN	LAKE	1 58 58	3.432	32	32	PMS	4102	598	640	8	23	10	9	16	66	56	1.2
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1 72 72	.388	32	32	PMS	3385	494	464	8	25	10	8	14	65	56	.1
P003	452+0.819	BABB	GLACIER	2 56 56	3.787	24	28	RMS	954	186	523	3	17	9	3	25	57	56	1.6
P004	42+0.924	0.2 N FAP 28	CARBON	11 49 65	7.960	24	32	RMS	3773	490	580	5	18	10	16	17	66	56	2.7
P002	302+0.201	MANHATTAN	GALLATIN	10 22 56	5.494	24	28	RMS	476	61	520	0	14	8	2	28	52	56	2.6
P001	343+0.809	JCT FAS RTE 247	VALLEY	3 62 62	2.430	36	36	PMS	1500	202	288	6	21	10	4	19	60	56	1.0
P002	291+0.572	0.7 E FAI 90	GALLATIN	10 23 52	2.948	22	26	RMS	387	50	493	0	13	8	1	28	50	56	1.5
P023	79+0.733	BROADUS	POWDER RIVER	12 40 40	3.380	24	24	RMS	1013	146	297	0	14	9	11	23	57	56	1.5
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12 53 53	10.019	24	28	RMS	597	86	266	0	14	10	4	25	53	56	4.7
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7 31 40	2.000	24	31	RMS	449	58	219	0	13	10	2	26	51	56	1.0
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7 60 60	6.788	24	24	PMS	1426	235	328	6	21	10	4	19	60	56	2.7
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3 40 40	2.757	20	24	RMS	383	53	315	0	13	8	2	27	50	56	1.4
P050	60+0.889	14.7 S FAS RTE 345	GALLATIN	10 67 67	9.312	28	28	PMS	1581	248	203	9	28	10	1	12	60	56	3.7
P049	0+0.579	DILLON	BEAVERHEAD	9 36 62	2.422	26	26	RMS	1257	163	567	0	17	7	10	26	60	57	1.0
P045	64+0.218	FERGUS CO	FERGUS	5 47 73	3.002	24	24	PMS	876	113	442	3	15	10	3	26	57	57	1.3
P032	35+0.227	DANIELS CO	DANIELS	3 33 35	4.667	20	24	BST	310	43	185	0	13	8	2	27	50	57	2.3
P036	40+0.186	LAKE CO	LAKE	1 37 65	6.525	24	26	RMS	507	76	318	0	13	7	7	26	53	57	3.1
P024	145+0.109	LEWIS & CLARK CO	LEWIS AND CLARK	7 34 62	5.554	24	24	RMS	277	40	301	0	15	5	1	28	49	57	2.8
P023	64+0.575	8.8 S COALWOOD	POWDER RIVER	12 29 41	8.397	24	24	BST	365	52	258	0	11	10	3	27	51	57	4.1
P027	7+0.242	6.9 N EKALAKA	CARTER	12 50 50	4.818	22	24	PMS	308	40	243	0	11	10	1	28	50	57	2.4
P001	499+1.054	SACO	PHILLIPS	3 55 55	1.515	24	28	RMS	1092	147	586	0	13	10	10	26	59	57	.6
P002	571+0.225	JCT I 94 E FORSYTH	ROSEBUD	12 28 52	.521	20	20	RMS	109	14	620	0	9	3	0	30	42	57	.3
P003	227+0.885	WOLF CREEK JCT	LEWIS AND CLARK	7 35 47	8.527	24	26	RMS	153	48	205	0	12	6	1	26	45	57	4.7
P005	102+0.123	2.1 S FAS 208	FLATHEAD	1 63 63	1.022	32	32	PMS	2775	374	795	7	23	10	2	23	65	57	.4
P015	213+0.088	JORDAN	GARFIELD	5 37 52	4.996	24	26	RMS	406	62	438	0	14	8	2	28	52	57	2.4
P015	136+0.507	WINNETT	PETROLEUM	5 31 69	1.123	22	24	PMS	390	59	416	0	11	10	2	28	51	57	.6
P015	218+0.066	JCT FAS RTE 341	GARFIELD	5 36 49	8.693	24	25	BST	347	53	237	0	13	8	2	27	50	57	4.3
P018	58+0.985	COHAGEN	GARFIELD	5 29 35	4.390	20	24	BST	186	24	364	0	10	5	2	29	46	57	2.4
P023	2+0.111	MILES CITY LIMITS	CUSTER	12 20 36	.061	25	25	RMS	1447	188	280	0	13	8	20	20	61	57	
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4 54 54	4.170	28	28	RMS	982	127	434	0	14	10	8	26	58	57	1.8
P022	17+0.900	SHERIDAN CO	SHERIDAN	3 36 36	3.028	22	25	BST	237	35	249	0	12	8	1	28	49	58	1.5
P019	34+0.421	2.7 N JCT RTE 35	GRANITE	8 57 57	4.157	32	32	BST	475	68	514	0	11	10	5	28	54	58	1.9
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12 31 56	3.183	20	24	BST	184	23	422	0	10	7	1	29	47	58	1.7
P016	301+0.379	8.1 S FAS 363	PHILLIPS	3 38 42	8.114	24	26	RMS	325	54	319	0	12	8	4	27	51	58	4.0
P015	302+0.037	12.3 E DAWSON CO	DAWSON	4 33 50	4.463	20	24	RMS	542	70	686	0	8	8	11	28	55	58	2.0
P015	248+0.632	JCT FAP 42	MCCONE	4 40 54	8.009	24	24	RMS	313	47	217	0	13	9	2	27	51	58	3.9
P015	262+0.332	13.9 E FAP 42	MCCONE	4 47 47	5.189	24	24	BST	344	52	258	0	13	8	3	27	51	58	2.5
P015	112+0.982	JCT FAP RTE 16	FERGUS	5 51 51	8.723	24	24	BST	337	51	396	0	13	9	1	28	51	58	4.3
P015	239+0.926	JCT FAS 462 & 465	GARFIELD	5 38 54	2.537	24	24	RMS	330	50	278	0	13	9	2	27	51	58	1.2
P011	109+0.499	JCT FAS RTE 294	MEAGHER	10 36 63	8.034	22	24	RMS	285	42	302	0	13	8	1	28	50	58	4.0
P005	103+0.132	1.1 S FAS 208	FLATHEAD	1 63 63	1.097	32	32	PMS	2866	386	383	7	23	10	11	15	66	58	.4
P002	614+0.727	MILES CITY	CUSTER	12 50 50	1.527	20	24	RMS	1554	202	487	3	17	10	8	24	62	58	.6
P002	426+0.083	2.4 E KEATING RD	STILLWATER	11 28 57	6.780	22	26	RMS	249	32	462	0	13	5	2	29	49	58	3.5
P002	76+0.550	ALBERTON	MINERAL	8 26 34	.790	20	20	BST	167	21	257	0	13	3	1	29	46	58	.4
P002	189+0.034	DEER LODGE	POWELL	8 48 48	1.062	24	32	RMS	1890	245	896	3	13	10	11	26	63	58	.4
P001	454+0.550	OODSON	PHILLIPS	3 49 49	3.137	24	26	RMS	1145	148	500	3	14	8	9	26	60	58	1.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SPF	ORN	SAF	CAR	TOT	ADJ	DEFIC MILES
P001	429+0.077	0.6 E FAS 376	BLAINE	2	36	62	5.241	28	30	RMS	1025	133	453	5	16	10	2	26	59	58	2.1
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	987	128	530	5	17	10	1	26	59	58	3.7
P001	383+0.799	HAVRE	HILL	2	46	54	7.206	24	30	RMS	2349	305	655	7	21	10	4	23	65	58	2.5
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	RMS	980	187	485	4	17	10	4	24	59	58	2.0
P024	96+0.129	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.094	28	30	RMS	975	146	177	8	22	10	1	18	59	58	2.1
P028	68+0.573	REO LODGE	CARBON	11	34	57	.117	22	24	PMS	1266	284	595	0	10	8	20	23	61	58	
P024	150+0.680	5.6 W L E C CO	LEWIS AND CLARK	7	35	36	9.902	22	24	RMS	271	39	420	0	12	6	3	29	50	58	5.0
P024	100+0.526	JCT FAS RTE 434	LEWIS AND CLARK	7	51	51	8.522	25	25	BST	958	143	243	0	17	8	13	21	59	58	3.5
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	36	4.759	20	24	BST	274	38	220	0	14	8	1	27	50	58	2.4
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	830	107	249	2	17	10	5	24	58	58	2.9
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	287	37	431	0	12	7	2	29	50	58	2.3
P045	63+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	906	117	289	6	17	10	1	24	58	58	.3
P045	15+0.771	13.0 N FAS 479	SWEET GRASS	10	48	48	7.042	24	31	BST	337	43	414	0	13	9	1	28	51	58	3.5
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	46	4.430	24	26	BST	242	31	561	0	9	9	3	29	50	59	2.2
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	RMS	2324	302	546	9	21	10	4	22	66	59	.7
P033	64+0.921	2.0 E FA 5	LINCOLN	1	71	71	1.975	40	40	RMS	740	96	642	0	9	8	13	28	58	59	.8
P032	14+0.125	10.0 N JCT FAR 1	ROOSEVELT	3	33	36	9.277	20	24	BST	317	44	203	0	17	7	1	27	52	59	4.5
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	RMS	325	42	243	0	13	10	2	27	52	59	5.0
P029	0+0.245	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	673	141	420	5	18	7	2	25	57	59	2.3
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1656	215	663	6	16	10	7	25	64	59	1.8
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	RMS	2010	261	663	6	17	10	8	24	65	59	1.5
P002	307+0.688	3.0 W BELGRADE	GALLATIN	10	23	59	3.045	24	24	RMS	599	77	603	0	15	6	7	28	56	59	1.3
P002	548+0.875	8.0 E HYSHAM	TREASURE	11	33	56	2.508	22	24	RMS	155	20	280	0	11	6	1	29	47	59	1.3
P003	242+0.130	CASCADE CO	CASCADE	6	33	33	2.226	24	26	RMS	107	17	416	0	11	3	1	29	44	59	1.2
P003	236+0.392	CRAIG JCT	LEWIS AND CLARK	7	33	47	1.782	24	26	RMS	122	38	499	0	11	4	1	29	45	59	1.0
P011	105+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	PMS	294	44	469	0	13	8	1	29	51	59	2.1
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	238	37	203	0	12	10	1	27	50	59	2.4
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	271	42	286	0	14	8	1	28	51	59	2.6
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	RMS	1034	134	535	4	17	7	6	26	60	59	2.4
P015	76+0.912	11.9 E FAR 45	FERGUS	5	47	54	2.367	24	31	RMS	1903	226	522	7	20	9	4	24	64	59	.9
P015	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.801	24	24	RMS	338	51	237	0	15	9	1	27	52	59	2.8
P015	79+0.286	JCT SPUR FAP 15	FERGUS	5	47	54	1.761	24	31	RMS	1520	176	676	7	18	9	3	26	63	59	.7
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	219	28	627	0	9	8	3	29	49	59	2.0
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	RMS	1025	148	514	0	18	8	9	26	61	60	.9
P017	31+0.365	4.0 W TERRY	PRAIRIE	4	31	57	4.030	24	30	PMS	212	27	530	0	14	6	1	29	50	60	2.0
P016	278+0.473	6.3 N IND RES	PHILLIPS	3	47	47	5.924	25	25	BST	216	36	459	0	8	8	5	29	50	60	3.0
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1183	236	564	0	14	9	15	24	62	60	.6
P013	80+0.762	GALLATIN CO LINE	GALLATIN	10	34	52	2.279	22	24	RMS	258	39	252	0	13	8	2	28	51	60	1.1
P003	246+0.952	NOVAK CR BRIDGE	CASCADE	6	33	33	3.973	20	24	PMS	122	18	307	0	12	4	1	29	46	60	2.1
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.117	24	27	PMS	1004	135	471	3	18	10	4	26	61	60	2.0
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1293	193	3440	4	16	10	4	29	63	60	.1
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2099	272	648	4	18	10	10	24	66	60	2.4
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	49	59	2.834	26	26	PMS	750	143	384	5	19	10	1	24	59	60	1.2
P024	43+0.145	7.5 E ROWELL CO	ROWELL	8	61	61	12.512	24	26	PMS	1106	182	299	6	19	10	6	21	62	60	4.8
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	2441	402	471	10	28	10	2	17	67	60	.3
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.887	24	24	PMS	1244	186	331	7	22	10	2	22	63	60	2.2
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.634	20	24	RMS	1052	157	345	0	13	5	20	23	61	60	2.6
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.967	24	28	PMS	722	97	435	4	16	10	2	27	59	60	.6
P052	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	35	3.711	20	24	BST	336	47	372	0	12	8	5	28	53	60	1.7
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	499	74	550	4	17	6	1	28	56	60	3.6
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	RMS	836	108	377	2	16	8	8	26	60	60	1.0
P054	0+0.000	WYOMING LINE	ROWDER RIVER	12	59	66	9.121	24	24	BST	284	36	289	0	13	10	2	28	53	61	4.3
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	RMS	335	43	431	0	11	10	4	29	54	61	3.2
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	259	36	290	0	14	8	2	28	52	61	5.0
P001	209+0.252	JCT SPUR RTE 1	GLACIER	2	63	63	.874	32	32	PMS	1170	223	478	7	22	10	1	23	63	61	.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P002	423+0.152	1.5 W COLUMBUS	STILLWATER	11	35	53	2.940	24	28	RMS	186	24	348	0	13	7	1	29	50	61	1.5
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	379	49	353	0	15	9	3	28	55	61	2.9
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	871	113	569	3	14	10	7	27	61	61	4.3
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	503	73	312	5	14	9	3	26	57	61	1.0
P014	207+0.150	ROSEBUD CO	MUSSELSHELL	12	46	57	5.287	20	24	RMS	260	41	333	0	12	10	2	28	52	61	2.5
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	46	1.991	24	24	BST	364	57	620	0	10	10	6	29	55	61	.9
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	53	2.478	21	24	RMS	1108	144	377	0	13	6	20	24	63	61	.9
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	425	85	762	0	10	9	9	28	56	61	4.8
P011	100+0.703	2.8 MEAGHER CO	MEAGHER	10	31	73	4.600	22	24	PMS	210	31	252	0	12	6	5	28	51	61	2.3
P016	284+0.393	12.2 N INO RES	PHILLIPS	3	42	42	6.398	20	24	RMS	217	36	561	0	10	8	4	29	51	61	3.1
P019	30+0.851	.8 S JCT FA RTE 35	GRANITE	8	57	57	.817	32	32	BST	500	72	383	3	16	10	1	27	57	61	.4
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	229	29	655	0	8	8	6	29	51	61	1.0
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.704	22	28	PMS	292	42	196	0	12	10	4	27	53	61	1.3
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1050	136	301	2	17	10	11	23	63	62	2.1
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	36	1.033	20	24	RMS	1790	268	564	0	14	10	20	23	67	62	.3
P022	100+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.091	24	26	BST	598	89	448	0	8	8	16	27	59	62	3.3
P016	296+0.098	13.6 S FAS 363	PHILLIPS	3	42	61	5.278	22	24	RMS	244	40	220	0	15	9	2	27	53	62	2.5
P017	19+0.177	0.6 E DIAMOND INT	CUSTER	12	29	41	3.286	24	26	BST	138	17	567	0	11	5	3	30	49	62	1.7
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	809	105	558	3	16	10	6	27	62	62	1.7
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	580	75	75	8	25	10	1	15	59	62	.1
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	384	49	354	0	12	9	7	28	56	62	3.7
P003	438+0.515	8.2 N FAS 445	GLACIER	2	58	64	6.011	44	44	PMS	1054	205	273	8	24	10	2	19	63	62	2.2
P003	240+0.680	1.4 S CASCADE CO	LEWIS AND CLARK	7	69	69	1.470	24	24	PMS	90	17	515	0	11	4	1	30	46	62	.8
P003	256+0.365	I 15 SEPARATION	CASCADE	6	33	53	1.999	20	24	RMS	94	14	277	0	9	7	1	29	46	62	1.1
P003	16+0.183	LIMA	BEAVERHEAD	9	33	56	7.602	22	24	RMS	119	15	780	0	10	4	4	30	48	62	4.0
P002	412+0.351	0.3 E SPRINGT INT	STILLWATER	11	31	59	5.347	24	30	RMS	213	27	522	2	15	5	1	29	52	62	2.6
P002	574+0.812	4.2 W ROSEBUD	ROSEBUD	12	31	40	1.397	22	26	RMS	94	12	761	0	10	5	1	30	46	62	.8
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2172	282	663	5	18	10	11	24	68	62	3.1
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	3751	525	808	9	27	10	5	20	71	62	.4
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	689	89	442	5	17	10	2	27	61	62	2.8
P027	44+0.455	8.6 N BAKER	FALLON	12	58	58	10.261	30	30	BST	372	48	683	0	9	10	8	29	56	62	4.5
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1176	194	316	7	21	10	5	21	64	62	2.7
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1544	308	288	10	30	10	2	14	66	62	1.6
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	589	79	289	0	15	10	8	26	59	62	2.2
P036	46+0.741	SPUR RTE 36	SANDERS	8	41	41	1.746	20	26	BST	890	133	685	0	9	6	20	27	62	62	.7
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	756	102	258	6	20	9	2	24	61	62	3.4
P043	9+0.491	JCT FAS RTE 235	FERGUS	5	50	50	5.335	24	28	RMS	747	97	318	2	14	10	10	25	61	62	2.1
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11	54	54	7.297	24	24	PMS	783	105	369	0	7	8	20	26	61	62	2.8
P024	4+0.510	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	1961	323	450	8	22	10	9	19	68	63	.8
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	1622	324	288	7	25	10	12	13	67	63	.2
P029	5+0.697	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	483	101	243	5	17	8	5	24	59	63	2.1
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1373	219	680	4	16	10	11	25	66	63	.4
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	850	162	330	6	22	10	2	23	63	63	2.4
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	982	127	469	3	18	6	11	26	64	63	2.3
P002	417+0.827	2.9 W COLUMBUS	STILLWATER	11	51	51	1.376	34	34	BST	267	34	426	3	14	8	1	29	55	63	.6
P002	560+0.881	JCT FAS 315	ROSEBUD	12	41	41	4.285	24	31	RMS	648	84	434	0	15	7	12	27	61	63	1.7
P003	251+0.599	0.6 N HARDY CR SEP	CASCADE	6	33	53	1.492	20	24	RMS	110	16	205	0	12	6	1	29	48	63	.8
P003	253+0.688	0.2 N TINT INTCH	CASCADE	6	33	53	1.210	24	28	RMS	105	15	156	0	12	6	1	29	48	63	.6
P003	400+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	645	155	454	5	17	10	4	25	61	63	.8
P003	299+0.296	0.3 E VAUGHN INT	CASCADE	6	61	61	.335	24	30	PMS	822	106	780	6	16	10	3	28	63	63	.1
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	501	73	371	6	16	8	2	27	59	63	.9
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	259	41	258	0	13	10	3	28	54	63	2.4
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1336	308	680	6	18	10	9	23	66	63	2.0
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.794	24	26	RMS	1114	144	567	0	13	7	19	26	65	63	1.7
P010	3+0.530	GREAT FALLS	CASCADE	6	40	71	3.633	28	28	PMS	1960	254	562	7	27	9	2	23	68	63	1.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

PT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	OPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P016	290+0.795	18.9 S FAS 363	PHILLIPS	3	42	61	5.281	22	24	RMS	230	38	622	0	10	8	6	29	53	63	2.5
P016	237+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	326	54	584	0	9	10	8	29	56	63	2.0
P019	31+0.677	JCT FAP RTE 35	GRANITE	8	57	57	2.729	32	32	BST	499	72	866	0	9	10	11	29	59	63	1.1
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	342	51	435	0	14	9	5	28	56	63	3.7
P022	93+0.586	1.7 S RICHLAND CO	RICHLAND	4	37	41	3.258	24	26	BST	570	85	470	0	10	7	16	27	60	63	1.3
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1481	192	222	8	25	10	8	17	68	64	1.4
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1444	187	896	8	21	10	1	27	67	64	.1
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	2275	375	471	10	30	10	2	18	70	64	.3
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	946	122	128	10	28	10	1	16	65	64	.1
P008	107+0.893	JCT FAI 90	BROADWATER	7	68	68	.308	40	40	PMS	946	122	128	10	28	10	1	16	65	64	.1
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	304	47	378	3	17	8	1	28	57	64	.4
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	205	32	290	0	13	9	4	28	54	64	5.9
P 11	167+0.998	NEIHART	CASCADE	6	52	52	10.526	22	26	PMS	521	78	492	6	17	8	2	28	61	64	4.1
P005	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	693	101	536	3	17	9	7	27	63	64	3.2
P004	57+0.996	2.7 E LAUREL	YELLOWSTONE	11	64	64	.213	30	30	PMS	2214	287	572	10	28	10	0	22	70	64	.1
P003	183+0.377	1.6 N CLANCY	JEFFERSON	7	30	69	.424	24	24	PMS	302	39	379	5	18	6	0	28	57	64	.2
P001	545+0.252	2.4 E FAS 247	VALLEY	3	53	53	8.404	24	30	RMS	1276	172	631	2	18	10	11	26	67	64	2.8
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	980	127	323	4	18	9	10	24	65	64	.9
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1529	198	663	6	16	10	10	26	68	64	.8
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2088	271	655	5	22	10	9	24	70	64	.9
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	241	54	308	4	18	6	0	27	55	64	3.9
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1536	230	549	6	21	10	7	24	68	64	1.2
P045	28+0.273	WHEATLAND CO	WHEATLAND	10	46	46	5.073	25	26	BST	224	29	398	0	13	10	3	29	55	65	2.3
P035	5+0.606	5.6 E FAP RTE 7	RAVALLI	8	58	58	4.522	26	26	BST	141	19	264	0	13	9	1	29	52	65	2.2
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	163	26	510	0	10	10	4	29	53	65	2.9
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	71	2.036	50	50	PMS	3985	518	1584	8	23	10	8	25	74	65	.5
P001	251+0.588	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1605	240	272	10	30	10	2	17	69	65	.7
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	49	59	1.514	26	26	PMS	767	146	398	6	21	10	3	24	64	65	.5
P001	363+0.532	KREMLIN FAS 450	HILL	2	36	70	8.591	28	32	RMS	1293	168	648	7	20	10	5	26	68	65	2.7
P002	580+0.697	0.3 S JCT FAI 94	ROSEBUD	12	31	47	7.024	20	26	RMS	75	9	468	0	11	4	2	30	47	65	3.7
P002	565+0.190	1.6 W FORSYTH	ROSEBUD	12	50	56	.768	24	32	PMS	940	122	696	5	18	8	8	27	66	65	.3
P003	327+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	730	94	600	0	17	7	12	28	64	65	4.4
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	822	122	538	0	10	8	20	27	65	65	.7
P011	182+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	468	70	306	3	18	9	4	27	61	65	2.6
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	402	60	308	5	18	9	1	27	60	65	4.0
P011	204+0.514	JCT FAS RTE 331	CASCADE	6	52	55	6.955	24	32	PMS	2459	319	482	6	18	10	17	20	71	65	2.0
P015	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	1300	154	403	7	21	10	6	24	68	65	2.4
P015	83+0.164	LEWISTOWN	FERGUS	5	42	72	5.079	24	30	PMS	1055	137	415	4	19	10	8	25	66	65	1.7
P014	108+0.042	7.1 E FAP 45	WHEATLAND	10	53	53	8.427	24	28	RMS	918	119	558	4	16	10	9	27	66	65	2.9
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.490	30	30	PMS	1477	192	414	4	16	10	16	23	69	65	2.0
P009	78+0.114	TOWNSEND	BROADWATER	7	39	39	9.673	24	32	RMS	1445	187	680	0	12	10	20	26	68	65	3.1
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	28	28	PMS	1318	191	478	4	17	10	13	24	68	65	1.6
P017	0+0.000	MILES CITY LIMITS	CUSTER	12	48	48	6.194	28	30	RMS	684	88	651	2	17	10	7	28	64	65	2.2
P016	187+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	477	62	333	3	14	10	7	27	61	65	1.9
P016	197+0.570	1.6 S FAP 15	FERGUS	5	62	62	1.564	32	32	PMS	735	123	569	4	18	10	6	27	65	66	.5
P017	38+0.695	2.1 E TERRY	PRAIRIE	4	31	49	5.120	24	24	RMS	87	12	312	0	14	5	1	29	49	66	2.6
P016	247+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	9.711	28	28	PMS	322	54	462	0	11	10	10	28	59	66	4.0
P015	316+0.710	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	902	117	629	4	17	10	8	27	66	66	2.7
P016	272+0.176	ET REL IND RES	PHILLIPS	3	49	49	6.252	22	22	BST	214	35	374	0	10	7	10	29	56	66	2.8
P016	242+0.067	PHILLIPS CO	PHILLIPS	3	60	60	5.581	28	28	PMS	330	55	372	0	12	10	9	28	59	66	2.3
P008	107+0.697	0.2 N FAI 90	BROADWATER	7	68	68	.196	40	40	PMS	1820	236	320	10	28	10	4	19	71	66	.1
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.014	22	25	RMS	545	87	518	0	15	8	13	27	63	66	1.5
P015	0+0.000	JCT FAP RTE 11	CASCADE	6	60	60	5.418	32	32	PMS	1423	169	380	4	18	10	14	23	69	66	1.7
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	276	35	530	0	10	9	10	29	58	66	1.2
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	507	74	283	5	15	9	7	26	62	66	1.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	0.212	32	32	PMS	1471	198	453	7	22	10	7	23	69	66	1.9
P003	220+0.183	SPRING CR INTCH	LEWIS AND CLARK	7	35	35	7.702	20	24	PMS	57	17	482	0	10	5	2	29	46	66	4.2
P003	262+0.040	1.3 N CASCADE	CASCADE	6	24	53	12.577	24	24	RMS	78	11	396	0	13	4	1	30	48	66	6.5
P002	78+0.778	1.5 E MISSOULA CO	MISSOULA	8	63	63	.670	24	24	RMS	300	39	220	5	17	10	0	27	59	66	.3
P002	551+0.386	ROSEBUD CO.	ROSEBUD	12	36	42	5.503	26	30	RMS	152	19	672	0	11	7	5	30	53	66	2.6
P002	147+0.035	7.6 W DRUMMOND	GRANITE	8	36	36	3.657	22	32	BST	65	8	201	0	11	6	1	29	47	66	1.9
P001	639+0.785	4.3 W CULBERTSON	ROOSEVELT	3	52	52	2.725	24	30	RMS	845	109	414	0	12	10	18	26	66	66	.9
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	802	153	154	6	18	7	20	15	66	66	.8
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	804	153	378	6	24	10	0	24	66	66	.2
P001	515+0.618	14.2 S VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1029	138	526	5	18	10	8	26	67	66	1.9
P049	0+0.335	DILLON	BEAVERHEAD	9	36	73	.102	40	40	RMS	2659	345	896	5	18	6	20	24	73	66	
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	398	55	377	3	14	9	10	28	61	66	1.9
P048	0+2.579	HARDIN	BIG HORN	11	70	70	.161	40	40	RMS	2796	391	340	7	23	10	20	13	73	66	
P045	70+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	885	115	266	2	12	9	20	24	67	67	.4
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	369	55	415	5	18	8	2	28	61	67	2.4
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	53	10.659	24	28	RMS	1022	132	629	4	16	8	13	27	68	67	3.4
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.843	30	30	BST	979	127	355	0	13	10	20	25	68	67	1.5
P045	49+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	721	93	469	3	17	10	9	27	66	67	3.2
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	608	79	371	2	14	10	12	27	65	67	3.0
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	6.466	26	26	RMS	764	99	500	7	18	10	4	27	66	67	2.2
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1041	140	500	0	13	9	20	26	68	67	2.1
P002	556+0.882	4.0 W FAS 315	ROSEBUD	12	41	41	4.019	24	31	RMS	217	28	705	0	14	8	6	29	57	67	1.7
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1391	187	616	3	15	10	17	25	70	67	2.8
P003	184+0.095	2.3 N CLANCY	JEFFERSON	7	30	69	.517	24	24	PMS	302	39	431	5	18	7	1	29	60	67	.2
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	591	86	264	7	17	10	6	25	65	67	.4
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	624	81	319	4	17	9	9	26	65	67	.9
P015	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1403	166	448	6	22	10	8	24	70	67	1.0
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1197	155	539	4	16	10	13	26	69	67	3.5
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	299	43	378	0	12	10	10	28	60	67	2.1
P022	89+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	648	97	560	7	16	10	5	27	65	67	.2
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.171	32	32	BST	1735	225	504	6	21	10	12	23	72	68	.3
P015	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	351	53	384	0	13	10	11	28	62	68	4.2
P017	22+0.374	PRAIRIE CO LINE	PRAIRIE	4	31	57	7.332	22	26	RMS	88	11	456	0	13	6	2	30	51	68	3.6
P016	109+0.150	JCT FAP RTE 15	FERGUS	5	62	62	9.657	30	30	PMS	326	54	554	0	12	10	10	29	61	68	3.8
P011	62+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1005	150	453	0	15	9	20	25	69	68	.7
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1339	174	808	2	14	8	20	27	71	68	.2
P005	57+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1710	230	414	8	27	9	6	22	72	68	1.1
P003	260+0.248	CASCADE	CASCADE	6	24	54	1.792	22	24	RMS	75	11	476	0	13	3	4	30	50	68	.9
P002	421+0.620	COLUMBUS	STILLWATER	11	47	63	1.520	24	30	RMS	244	31	348	4	15	8	3	29	59	68	.6
P001	667+0.149	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.304	40	40	RMS	1677	338	614	7	16	7	20	22	72	68	.1
P002	694+0.000	BAKER	FALLON	12	68	68	5.058	40	40	PMS	815	105	526	5	20	10	6	27	68	68	1.6
P002	77+0.340	MISSOULA CO LINE	MISSOULA	8	26	34	1.263	20	20	BST	203	26	186	0	7	3	20	28	58	68	.5
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	1747	209	648	7	20	10	10	25	72	68	1.6
P002	79+0.448	2.2 E MISSOULA CO	MISSOULA	8	64	64	.585	24	24	RMS	353	45	289	7	16	10	1	28	62	68	.2
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	763	145	324	8	26	10	0	23	67	68	.2
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3076	369	817	5	17	10	20	23	75	68	.1
P024	133+0.232	5.7 E SPUR RTE 24	CASCADE	6	64	64	5.275	32	32	PMS	1667	233	653	5	23	10	9	25	72	68	1.5
P037	33+0.065	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	943	127	135	10	25	10	8	16	69	68	1.7
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	57	10.781	26	30	BST	208	29	565	0	12	10	7	29	58	68	4.5
P050	40+0.132	8.9 N PARK BOY	GALLATIN	10	60	60	7.823	28	28	PMS	948	148	436	7	22	10	6	25	70	69	2.3
P051	49+0.250	LAMBERT	RICHLAND	4	56	56	10.645	25	25	BST	320	44	400	0	15	10	9	28	62	69	4.0
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	297	38	414	3	14	10	6	29	62	69	4.0
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	500	75	825	0	10	7	20	29	66	69	1.4
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	128	20	510	0	8	10	8	29	55	69	2.8
P014	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1009	151	410	8	22	10	6	24	70	69	1.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-S	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST	8T	1M	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	OPN	SAF	CAP	TOT	AOJ	DEFIC MILES
P041	342+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	2855	385	2112	6	24	10	9	27	76	69	.3
P021	457+0.675	3.1 E ODDSON	PHILLIPS	3	63	63	9.025	32	32	PMS	1082	140	621	6	21	10	7	27	71	69	2.6
P002	142+0.345	4.4 E BEARMOUTH	GRANITE	8	33	34	1.595	24	28	RMS	58	7	379	0	10	6	3	30	49	69	.8
P002	340+0.855	HYSHAM	TREASURE	11	33	56	3.004	22	24	RMS	244	31	544	0	13	7	11	29	60	69	3.2
P002	299+0.653	1.7 W MANHATTAN	GALLATIN	10	31	31	1.705	22	28	RMS	456	59	603	0	11	8	17	29	65	69	.6
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	713	104	569	5	20	9	7	27	68	69	2.6
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	678	88	319	5	20	9	8	26	68	69	3.6
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.161	24	24	RMS	214	34	258	3	16	10	2	28	59	69	2.9
P010	20+0.057	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1595	207	640	6	22	10	10	25	73	69	2.6
P011	75+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	635	95	582	0	11	8	20	28	67	69	
P016	208+0.837	9.7 N JCT FAP 15	FERGUS	5	61	61	11.832	30	30	PMS	317	53	583	0	12	10	11	29	62	69	4.5
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	591	85	462	0	13	10	17	27	67	69	2.0
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	902	117	184	7	25	10	8	20	70	70	1.7
P017	6+0.191	5.8 E MILES CITY	CUSTER	12	54	54	2.171	24	32	PMS	204	26	630	0	16	10	5	29	60	70	.9
P015	180+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	414	53	333	7	19	10	1	28	65	70	.4
P016	264+0.333	8.1 N FAS 376	PHILLIPS	3	57	59	7.800	24	29	PMS	217	36	312	3	16	10	3	28	60	70	3.1
P011	154+0.339	3.5 S CASCADE CO	MEAGHER	10	59	63	3.335	40	40	PMS	395	59	890	6	19	10	1	29	65	70	1.2
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.748	24	28	RMS	1531	199	427	3	17	10	20	23	73	70	2.4
P015	5+0.302	5.3 E FAP 11	CASCADE	6	61	61	1.770	32	32	PMS	1404	167	448	6	21	10	12	24	73	70	.5
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.580	24	24	RMS	218	34	450	2	14	10	5	29	60	70	2.2
P011	178+0.469	MONARCH	CASCADE	6	52	52	4.235	22	26	PMS	553	82	193	8	21	8	6	24	67	70	1.4
P006	47+0.218	2.5 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	815	118	378	8	24	10	3	25	70	70	.7
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1666	224	276	7	24	10	15	18	74	70	.2
P007	59+0.036	VICTOR FAS 370	RAVALLI	8	56	61	7.721	32	32	PMS	2578	335	720	10	25	10	8	23	76	70	1.9
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	579	84	342	8	19	10	5	26	68	70	.3
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	1345	161	720	6	22	10	8	27	73	70	2.6
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	33	36	3.765	20	24	BST	349	48	345	0	13	10	13	28	64	70	1.4
P037	82+0.659	CUSTER FOR BDRY	POWDER RIVER	12	67	67	2.083	28	28	PMS	431	58	289	5	16	10	8	27	66	70	.7
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	826	129	436	7	23	10	4	26	70	70	2.7
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1264	278	720	8	23	10	7	24	72	70	.3
P050	8+0.524	0.2 N FAS 499	GALLATIN	10	62	72	1.955	32	32	PMS	778	122	182	10	30	10	1	20	71	71	.6
P050	8+0.373	JCT FAS RTE 499	GALLATIN	10	64	64	.151	52	52	PMS	783	122	296	9	26	10	2	24	71	71	
P045	71+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	PMS	792	102	349	8	25	10	2	26	71	71	2.0
P036	18+0.961	JCT SPUR FAP 36	SANDERS	8	63	63	7.161	28	28	PMS	654	98	586	6	19	10	7	27	69	71	2.2
P043	35+0.280	BDY	FERGUS	5	62	62	7.565	30	30	PMS	324	42	600	3	16	10	7	29	65	71	2.6
P036	16+0.265	JCT FAS RTE 382	SANDERS	8	63	63	2.732	28	28	PMS	688	103	599	5	20	10	8	27	70	71	.8
P028	90+0.985	BDYD	CARBON	11	74	74	4.433	40	40	PMS	1147	229	288	10	30	10	5	18	73	71	1.2
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	763	103	580	8	19	10	6	27	70	71	1.6
P002	609+0.902	194 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	1127	127	567	7	20	10	9	27	73	71	.2
P002	137+0.938	0.2 E BEARMOUTH	GRANITE	8	33	34	3.680	22	28	RMS	55	7	414	0	12	7	2	30	51	71	1.8
P001	638+0.084	6.0 W CULBERTSON	ROOSEVELT	3	52	52	1.723	24	30	RMS	795	103	663	0	16	10	17	28	71	71	.5
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	967	125	426	2	14	10	20	26	72	71	.5
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	8.184	32	32	PMS	1145	154	720	6	23	10	7	27	73	71	2.2
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1285	154	648	6	18	10	13	26	73	71	1.2
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	49	59	5.217	26	26	PMS	791	151	357	5	19	8	15	24	71	71	1.5
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	74	.667	44	44	PMS	3609	469	320	10	30	10	20	8	78	71	.1
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	870	113	648	8	21	10	5	27	71	71	.1
P003	186+0.199	1.5 S MONT CITY	JEFFERSON	7	39	69	1.462	24	36	PMS	302	39	264	5	20	8	3	28	64	71	.5
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	366	77	792	0	10	7	20	29	66	71	.9
P014	73+0.390	28.3 E FAP 11	MEAGHER	10	36	52	1.779	22	24	RMS	384	49	510	0	12	7	18	29	66	71	.6
P011	157+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	399	59	252	8	21	10	1	26	66	71	2.5
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.832	30	30	PMS	1480	192	565	4	16	10	19	25	74	71	1.0
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1641	213	580	5	18	10	18	24	75	71	.4
P011	60+0.481	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1100	165	580	7	18	10	12	26	73	71	.5
P016	224+0.499	3.9 N JCT FAP 43	FERGUS	5	59	64	12.938	28	28	RMS	323	54	510	0	11	10	15	28	64	71	4.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS ENO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12	62	62	10.568	30	30	PMS	424	61	510	5	16	10	8	28	67	71	3.5
P021	47+2.078	CONRAD	PONDERA	6	51	65	8.734	32	32	RMS	274	35	428	4	16	10	4	29	63	71	3.2
P020	31+0.502	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1202	156	281	10	30	10	2	22	74	72	.4
P014	268+0.759	16.3 E VANADA	ROSEBUD	12	57	57	1.760	32	32	BST	485	77	362	5	19	10	7	27	68	72	.6
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	1840	239	828	4	16	10	20	26	76	72	.1
P004	13+0.436	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	868	112	599	0	15	10	20	27	72	72	1.6
P003	448+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	972	189	630	9	25	10	3	26	73	72	1.1
P003	402+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	PMS	717	172	529	5	21	10	10	25	71	72	2.1
P003	255+0.078	1.4 N TINT INTCH	CASCADE	6	63	63	1.287	24	24	PMS	100	15	432	5	14	8	1	29	57	72	.6
P003	314+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	936	121	600	4	14	8	20	27	73	72	.4
P008	3+0.914	JCT FAS 407	POWELL	8	57	64	7.362	32	32	PMS	1258	163	448	8	25	10	6	25	74	72	1.9
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	733	107	672	4	22	10	7	28	71	72	1.8
P001	573+0.032	FRAZER	VALLEY	3	58	61	8.057	24	32	PMS	1117	150	680	3	14	10	20	27	74	72	2.1
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1390	180	554	2	18	10	20	25	75	72	1.2
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	661	85	629	5	18	10	10	28	71	72	.3
P001	332+0.634	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1030	133	184	10	30	10	4	19	73	72	2.5
P001	223+0.702	1.9 E FAP 3	GLACIER	2	60	60	.184	32	32	PMS	2239	427	464	8	23	10	20	16	77	72	
P002	151+0.444	3.2 W DRUMMOND	GRANITE	8	36	36	1.494	22	32	BST	69	8	336	2	12	7	3	30	54	72	.7
P002	290+0.332	JCT FAI RTE 90	GALLATIN	10	64	69	.852	32	32	PMS	456	59	681	7	21	10	1	29	68	72	.3
P002	324+0.334	BOZEMAN	GALLATIN	10	52	54	1.498	24	32	RMS	371	48	860	5	18	8	7	29	67	72	.5
P028	47+0.309	2.3 N WYO BORY	CARBON	11	65	65	6.415	28	28	PMS	375	84	394	7	23	10	0	27	67	72	2.1
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	320	41	600	5	18	10	3	29	65	72	2.2
P045	80+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46	59	.876	24	24	RMS	757	98	518	3	15	8	18	27	71	72	.3
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	121	19	560	0	9	10	10	29	58	72	4.8
P050	76+0.436	0.7 N FAS 345	GALLATIN	10	64	64	3.598	32	32	PMS	2184	414	720	8	26	10	12	21	77	72	.8
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	276	41	508	6	18	10	2	29	65	72	2.0
P050	0+0.557	WEST YELLOWSTONE	GALLATIN	10	68	68	7.126	40	40	PMS	1472	323	288	9	25	10	18	13	75	72	1.8
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.992	20	26	RMS	1074	150	501	3	16	8	20	26	73	72	1.6
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.417	30	30	BST	904	117	535	3	13	10	20	27	73	73	.1
P045	67+0.899	FERGUS CO	FERGUS	5	47	73	1.926	24	24	PMS	850	110	494	3	14	10	19	27	73	73	.5
P029	67+0.595	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	426	55	193	0	13	10	20	26	69	73	.3
P028	53+0.726	8.7 N WYO BORY	CARBON	11	65	65	6.274	28	28	PMS	414	93	532	8	22	10	1	27	68	73	2.0
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	3.299	24	30	RMS	757	98	414	2	14	10	20	26	72	73	.9
P001	424+0.712	HARLEM	BLAINE	2	68	68	4.358	40	40	PMS	1799	233	281	10	29	10	10	18	77	73	1.0
P001	246+0.564	11.1 E FAS 444	GLACIER	2	61	61	.492	32	35	RMS	1277	191	680	5	14	10	20	26	75	73	.1
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	809	120	571	9	26	10	1	27	73	73	.1
P003	457+0.487	4.7 N BABB	GLACIER	2	52	52	5.856	22	28	RMS	415	80	500	3	15	10	12	28	68	73	1.9
P004	23+0.235	2.4 S BRIDGER	CARBON	11	72	72	2.441	40	40	PMS	1468	190	266	9	28	10	10	19	76	73	.6
P003	291+0.921	JCT FAI 15	CASCADE	6	67	67	.105	30	30	PMS	1065	133	576	9	26	10	2	27	74	73	
P015	279+0.794	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1286	196	592	8	28	10	4	25	75	73	.3
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	295	38	586	3	15	10	10	29	67	74	.8
P014	55+0.903	10.8 E FAP 11	MEAGHER	10	56	58	7.271	28	28	PMS	336	43	371	3	18	10	9	28	68	74	2.3
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	2449	374	344	9	26	10	20	14	79	74	.4
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.514	40	40	PMS	2265	346	283	10	27	10	20	12	79	74	.3
P011	97+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	235	35	774	0	10	8	18	29	65	74	1.0
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	1928	250	696	9	25	10	9	25	78	74	2.5
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1287	173	672	7	21	10	12	26	76	74	.4
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	866	112	569	4	19	10	14	27	74	74	3.4
P003	444+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1061	206	597	9	25	10	6	25	75	74	1.1
P007	83+0.246	0.5 N LOLO	MISSOULA	8	68	68	6.898	68	68	PMS	5743	746	1800	10	28	10	10	24	82	74	1.2
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	67	12.259	32	32	PMS	730	139	575	9	23	10	5	26	73	74	3.3
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1542	231	264	8	23	10	19	17	77	74	1.6
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1348	215	530	6	17	10	20	24	77	74	.3
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1216	182	544	4	17	10	20	25	76	74	1.7
P001	667+0.454	JCT FAP 1 E GLAC	GLACIER	2	29	72	2.287	24	24	PMS	379	76	728	7	28	5	1	28	69	74	.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P003	184+0.612	2.8 N CLANCY	JEFFERSON	7	69	69	1.412	24	24	PMS	302	39	156	8	24	9	0	26	67	74	.5
P002	83+0.169	0.3 W NINE MILE	MISSOULA	8	64	64	.315	30	30	PMS	525	68	199	10	26	10	0	25	71	74	.1
P002	588+0.068	3.7 W HATHAWAY	ROSEBUD	12	31	73	3.767	24	24	BST	75	9	575	0	14	4	8	30	56	74	1.7
P002	538+0.370	194 S HYSHAM	TREASURE	11	64	64	2.514	30	30	PMS	673	87	664	6	24	10	5	28	73	74	.7
P002	78+0.603	1.3 E MISSOULA CO	MISSOULA	8	36	45	.175	24	30	PMS	264	34	199	0	12	7	20	27	66	74	.1
P028	45+0.000	MONT WYO BORY	CARBON	11	65	65	2.331	28	28	PMS	349	78	335	8	22	10	1	27	68	74	.7
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	121	19	340	0	14	10	7	29	60	74	2.2
P046	76+0.492	0.6 W OIVIOE	SILVER BOW	9	34	57	.490	32	32	BST	520	78	830	5	17	10	10	29	71	74	.1
P050	70+0.196	5.6 S FAS 345	GALLATIN	10	58	60	6.250	32	32	PMS	1734	303	696	9	25	10	11	23	78	74	1.4
P050	15+0.000	6.7 N FAS 499	GALLATIN	10	63	63	1.642	32	32	PMS	768	120	182	5	18	10	20	20	74	74	.4
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	473	70	589	9	24	10	1	28	72	75	.1
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	58	5.840	28	32	BST	196	27	428	4	16	10	6	29	65	75	2.0
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	218	32	478	6	19	10	2	29	66	75	.4
P002	699+0.045	5.1 E BAKER	FALLON	12	68	68	6.441	40	40	PMS	561	72	552	5	20	10	10	28	73	75	1.7
P002	80+0.033	3.4 W NINE MILE	MISSOULA	8	39	61	3.136	24	30	RMS	485	63	486	3	14	7	20	28	72	75	.9
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.604	32	32	PMS	803	108	453	8	21	10	10	26	75	75	1.4
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1187	154	569	4	19	10	18	26	77	75	2.7
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3147	409	720	10	25	10	15	21	81	75	1.3
P015	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1280	152	592	8	24	10	9	26	77	75	.9
P018	2+0.159	JCT FAS RTE 489	CUSTER	12	64	64	10.901	30	30	PMS	376	48	600	5	18	10	8	29	70	75	3.3
P016	133+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1168	151	548	9	25	10	7	26	77	75	1.9
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	549	79	462	2	13	10	20	27	72	75	1.9
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	3525	458	1720	10	30	10	6	26	82	76	.3
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	712	103	258	10	27	10	4	24	75	76	.2
P023	25+0.192	23.0 S FAI RTE 94	CUSTER	12	62	62	2.619	30	30	PMS	417	60	485	7	18	10	9	28	72	76	.7
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	268	34	663	4	16	10	10	29	69	76	1.6
P011	126+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	742	111	320	9	23	10	8	25	75	76	.6
P005	46+0.161	0.4 S PONAN	LAKE	1	70	70	.411	40	40	PMS	4235	618	911	8	25	10	20	20	83	76	.1
P001	670+0.214	2.8 N EAST GLAC	GLACIER	2	29	72	8.761	24	24	PMS	287	57	728	7	28	5	0	29	69	76	2.7
P001	32+0.748	LIBBY	LINCOLN	1	71	71	.561	50	50	PMS	6425	771	1478	8	24	10	20	22	84	76	.1
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1140	153	696	8	25	10	8	27	78	76	1.9
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	186	26	371	4	17	10	6	29	66	76	3.3
P024	127+0.465	JCT SPUR RTE 24	CASCADE	6	59	59	5.720	32	32	PMS	1572	220	748	8	26	10	9	26	79	76	1.2
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	864	112	722	9	26	10	4	28	77	77	1.0
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	537	69	365	9	27	10	1	27	74	77	2.7
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.659	28	28	PMS	439	59	435	4	17	10	14	28	73	77	2.6
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	283	42	194	9	23	10	1	27	70	77	.9
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	223	33	501	7	21	9	2	29	68	77	3.0
P045	67+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	848	110	518	4	16	10	20	27	77	77	.2
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	3402	442	464	9	28	10	20	16	83	77	
P048	11+0.643	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	252	35	494	4	16	10	10	29	69	77	2.1
P002	571+1.106	7.0 W ROSEBUD	ROSEBUD	12	28	52	2.843	20	20	RMS	102	13	593	0	10	3	20	30	63	77	1.1
P002	644+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	395	51	500	6	18	10	11	28	73	77	3.2
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.920	40	40	PMS	1915	248	643	8	25	10	14	24	81	77	1.7
P005	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	660	96	428	7	23	10	9	27	76	77	2.1
P011	40+0.712	3.5 N FAS 476	PARK	10	65	65	9.177	32	32	PMS	1062	228	748	9	28	10	6	25	78	77	2.0
P008	108+0.202	0.3 S FAI 90	BROADWATER	7	52	52	.653	24	28	RMS	946	122	599	4	17	10	20	27	78	77	.1
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	703	151	546	10	28	10	2	26	76	77	1.4
P015	66+0.586	2.0 E FAP 45	FERGUS	5	47	54	6.539	24	31	PMS	1504	178	522	6	20	9	20	25	80	77	1.3
P016	142+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1234	160	720	8	24	10	10	27	79	77	1.7
P017	43+0.815	7.2 E TERRY	PRAIRIE	4	49	49	1.041	24	32	PMS	67	8	616	5	16	8	0	30	59	77	.4
P016	181+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	435	56	392	7	21	10	7	28	73	77	1.6
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	732	109	456	4	16	10	20	26	76	77	1.7
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1639	213	281	10	30	10	12	19	81	78	1.5
P024	16+0.029	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1500	247	420	9	25	10	16	21	81	78	1.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	561	81	482	6	19	10	14	27	76	78	2.3
P015	369+0.222	0.5 W GLENDIVE	DAWSON	4	69	69	.126	32	32	PMS	3315	397	432	9	29	10	20	16	84	78	
P016	220+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	326	54	333	3	16	10	16	28	73	78	1.1
P014	265+0.115	12.6 E VANADA	ROSEBUD	12	57	57	3.627	32	32	BST	256	40	552	4	16	10	12	29	71	78	1.1
P014	100+0.858	JCT FAP RTE 45	WHEATLAND	10	65	65	7.126	40	40	PMS	895	116	281	8	25	10	11	24	78	78	1.6
P010	29+0.727	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1770	230	720	7	24	10	15	25	81	78	1.9
P003	182+0.809	1.0 N CLANCY	JEFFERSON	7	69	69	.568	24	24	PMS	302	39	280	9	24	10	1	28	72	78	.2
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	897	116	599	3	18	10	20	27	78	78	1.8
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1102	148	266	8	24	10	15	22	79	78	2.1
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	55	4.437	25	25	BST	351	49	377	4	18	10	13	28	73	78	1.2
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	184	25	342	4	18	10	7	29	68	78	2.7
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	297	44	672	8	21	10	4	29	72	78	1.5
P045	78+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	763	99	463	8	25	10	8	27	78	78	.4
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.381	28	28	PMS	426	57	117	5	17	10	20	23	75	79	.8
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1296	168	304	7	24	10	18	22	81	79	2.6
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1087	146	296	7	25	10	15	23	80	79	1.5
P008	23+0.218	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1230	159	1800	10	30	10	2	29	81	79	.4
P003	315+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	978	127	616	4	19	10	20	27	80	79	.2
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	273	43	511	5	21	10	8	29	73	79	2.1
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	1811	235	504	8	24	10	17	23	82	79	1.5
P014	2+0.398	JCT FAS RTE 284	BROADWATER	7	64	64	3.999	32	32	PMS	447	67	487	8	25	10	5	28	76	79	1.0
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	594	77	629	3	16	10	20	28	77	79	.3
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	RMS	229	36	408	0	12	10	20	29	71	79	2.1
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5553	721	2184	10	26	10	15	25	86	79	.2
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	616	89	486	3	17	10	20	27	77	79	2.5
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	911	118	643	8	26	10	9	27	80	80	1.4
P017	36+0.554	TERRY	PRAIRIE	4	31	57	1.294	24	30	RMS	105	14	951	0	11	5	20	30	66	80	.4
P014	116+0.455	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	854	111	281	9	25	10	12	24	80	80	1.2
P015	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	1330	158	621	9	27	10	10	26	82	80	1.2
P011	138+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	360	54	418	8	23	10	6	28	75	80	1.8
P013	0+0.000	IDAHO LINE	MADISON	9	62	62	8.564	32	32	BST	249	49	546	4	17	10	13	29	73	80	2.3
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.033	28	28	PMS	510	74	371	8	18	10	14	27	77	80	.5
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1258	188	320	8	23	10	20	21	82	80	
P001	544+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	931	125	680	7	17	10	20	27	81	80	.6
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1224	159	266	10	27	10	14	21	82	80	1.6
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	61	61	2.107	32	34	BST	729	139	428	5	19	10	20	25	79	80	.4
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1170	157	544	9	26	10	11	26	82	80	.1
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	731	95	569	3	19	10	20	27	79	80	1.5
P002	439+0.123	PARK CITY	STILLWATER	11	67	67	.237	34	34	PMS	373	48	383	10	26	10	2	28	76	80	.1
P035	45+0.607	8.3 W JCT FAP 19	GRANITE	8	56	72	1.199	22	30	RMS	144	23	604	0	10	10	20	29	69	80	.4
P042	0+0.000	JCT FAP RTE 15	GARFIELD	5	60	64	1.990	24	40	BST	131	20	793	0	8	10	20	30	68	80	.6
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	268	34	442	5	18	10	12	29	74	80	1.0
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	475	61	401	10	27	10	2	28	77	80	.5
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	495	103	194	6	19	10	20	22	77	80	.5
P051	64+0.282	6.7 W FAP 20	RICHLAND	4	55	55	6.760	25	25	BST	519	72	508	3	17	10	20	28	78	80	1.5
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	458	68	596	9	28	10	2	28	77	80	.3
P035	10+0.035	10.1 S FAP RTE 7	RAVALLI	8	66	66	4.539	28	28	BST	100	14	154	6	21	10	1	29	67	81	1.5
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	416	54	621	9	26	10	4	29	78	81	1.2
P046	58+0.022	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	260	39	639	8	21	10	6	29	74	81	.2
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	129	20	560	0	10	10	20	29	69	81	2.7
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	762	102	680	6	17	10	20	28	81	81	1.6
P006	10+0.279	JCT FAS 202	SANDERS	8	52	52	1.095	24	28	RMS	562	82	283	7	16	10	20	26	79	81	.2
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	750	109	510	5	19	10	20	27	81	81	.2
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.224	68	68	PMS	4896	636	1392	9	25	10	20	23	87	81	
P011	189+0.343	10.7 N MONARCH	CASCADE	6	69	69	2.036	40	40	PMS	409	61	464	10	28	10	1	28	77	81	.5

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST	8T	1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	291	46	324	8	24	10	5	28	75	81	.2
P014	88+0.033	JCT FAS RTE 296	WHEATLAND	10	66	66	4.784	40	40	PMS	453	58	320	8	23	10	10	27	78	81	1.1
P019	0+0.000	JCT FAI RTE 90	OFFR LOOGE	9	64	64	2.883	76	76	PMS	3017	392	2184	9	28	10	12	27	86	81	.4
P016	175+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	442	57	504	7	21	10	12	28	78	81	1.0
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	55	10.845	28	28	BST	627	90	510	4	19	10	20	27	80	81	2.2
P021	44+0.000	115 S CONRAD	PONDERA	6	72	72	.825	40	40	PMS	541	70	616	10	30	10	2	28	80	82	.2
P016	257+0.224	0.9 N FAS 376	PHILLIPS	3	57	59	3.664	24	29	PMS	245	41	462	0	16	10	20	29	75	82	.9
P015	368+0.630	GLENDIVE	DAWSON	4	60	60	.374	72	88	PMS	3316	397	2840	7	22	10	20	28	87	82	
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	592	76	320	9	25	10	11	26	81	82	1.2
P010	39+0.560	0.4 N FT BENTON	CHOUTEAU	6	74	74	12.039	32	32	PMS	1050	136	621	10	30	10	6	27	83	82	2.0
P008	55+0.995	BROADWATER CO	BROADWATER	7	69	69	1.139	40	40	PMS	1792	232	320	9	27	10	20	19	85	82	.2
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	331	52	697	9	27	10	2	29	77	82	.5
P003	382+0.648	8.4 N DUPUYER	PONDERA	6	66	66	5.576	34	34	PMS	589	141	640	10	26	10	8	27	81	82	1.1
P003	456+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	784	152	554	7	22	10	17	26	82	82	.2
P002	152+0.538	1.6 W DRUMMOND	GRANITE	8	64	64	1.554	24	24	PMS	72	9	193	7	19	10	1	29	66	82	.5
P003	182+0.598	0.8 N CLANCY	JEFFERSON	7	30	69	.211	24	24	PMS	302	39	301	4	19	6	20	28	77	82	
P003	181+1.119	CLANCY INTCH	JEFFERSON	7	69	69	.801	28	28	PMS	302	39	318	10	28	10	1	28	77	82	.2
P002	432+0.872	6.5 W PARK CITY	STILLWATER	11	55	55	.530	24	32	PMS	295	38	731	3	14	10	20	29	76	82	.1
P037	95+0.715	EPSIE	POWDER RIVER	12	58	69	7.908	28	28	PMS	478	64	368	9	28	10	5	27	79	82	1.7
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	71	4.885	24	24	BST	56	7	333	4	17	10	2	30	63	82	1.8
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	463	60	289	10	30	10	2	27	79	82	.8
P050	16+0.625	8.3 N FAS 499	GALLATIN	10	63	63	14.593	32	32	PMS	765	120	599	6	19	10	20	27	82	82	2.6
P051	0+0.000	JCT FAP 15	MCCONE	4	60	61	3.326	30	30	PMS	322	45	655	8	25	10	6	29	78	83	.7
P035	38+0.629	12.7 E GRANITE CO	GRANITE	8	74	74	.840	30	30	GRV	108	17	702	10	0	10	20	30	70	83	.3
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	279	41	626	10	28	10	0	29	77	83	
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	153	24	501	6	25	10	3	29	73	83	1.1
P003	187+0.661	0.2 S MONT CITY	JEFFERSON	7	69	69	.162	34	34	PMS	302	39	512	10	28	10	1	29	78	83	
P003	23+0.785	DELL	BEAVERHEAD	9	33	65	13.236	24	26	PMS	55	7	965	0	10	5	20	30	65	83	4.6
P002	319+0.633	8.0 E BELGRADE	GALLATIN	10	66	66	.198	68	68	PMS	6500	845	1840	9	27	10	20	23	89	83	
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1134	170	720	10	24	10	14	26	84	83	1.2
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1713	222	304	9	28	10	20	19	86	83	.1
P003	394+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	633	152	504	10	28	10	9	25	82	83	1.1
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1717	369	748	9	25	10	19	23	86	83	.3
P011	146+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	377	56	418	8	24	10	9	28	79	83	1.7
P010	104+0.365	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	1336	173	320	9	24	10	20	22	85	83	.8
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1091	141	720	10	29	10	8	27	84	83	.2
P011	1+0.362	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	780	167	511	9	27	10	12	25	83	83	.7
P015	241+0.448	2.5 E FAS 462	GARFIELD	5	68	68	1.021	36	36	RMS	324	49	190	8	24	10	10	26	78	83	.2
P016	125+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1128	146	403	9	28	10	12	25	84	83	.3
P018	73+0.587	14.7 N CUHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	286	37	472	7	25	10	6	29	77	83	2.2
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	733	106	774	10	26	10	9	28	83	83	.1
P016	260+0.891	4.6 N FAS 376	PHILLIPS	3	57	59	3.479	24	29	PMS	229	38	486	3	18	10	17	29	77	84	.8
P015	289+0.829	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	470	61	448	7	24	10	13	28	82	84	1.3
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	65	9.551	40	40	PMS	634	95	260	4	24	10	20	25	83	84	1.6
P021	57+0.096	JCT FAS 216	PONDERA	6	72	72	.523	34	34	PMS	464	60	720	10	30	10	3	29	82	84	.1
P015	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1350	160	621	10	30	10	10	26	86	84	.1
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	324	51	482	7	23	10	12	28	80	84	2.1
P003	388+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	38	PMS	612	147	529	10	27	10	10	26	83	84	1.0
P007	74+0.242	0.4 S FLORENCE	RAVALLI	8	74	74	.579	64	64	PMS	3720	483	2160	10	30	10	12	27	89	84	.1
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1244	161	1800	10	30	10	7	29	86	84	.2
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	604	88	501	8	18	10	20	27	83	84	.2
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	966	125	672	8	22	10	18	27	85	84	1.0
P002	661+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	412	53	180	7	21	10	17	26	81	84	1.2
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	423	63	649	8	27	10	7	29	81	84	.3
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.980	28	28	PMS	445	60	480	8	25	10	10	28	81	84	2.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

PT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	361	46	643	8	26	10	7	29	80	84	2.3
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	514	66	592	9	26	10	9	28	82	84	1.0
P048	18+0.320	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	199	27	353	9	27	10	2	29	77	84	1.0
P051	3+0.340	3.3 E JCT FAP 15	MCCONE	4	60	61	5.001	30	30	PMS	245	34	463	8	24	10	8	29	79	85	1.1
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	311	43	399	10	30	10	2	28	80	85	.1
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	202	26	138	10	30	10	1	27	78	85	.1
P032	51+0.737	SCOBEY	DANIELS	3	58	68	9.190	24	26	PMS	168	23	456	10	26	10	2	29	77	85	2.1
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	316	47	501	9	26	10	7	29	81	85	1.8
P002	145+0.524	9.1 W DRUMMOND	GRANITE	8	36	36	.964	22	32	RMS	62	8	388	0	12	7	20	30	69	85	.3
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1023	132	281	9	28	10	16	23	86	85	1.0
P010	7+0.159	3.6 N GREAT FALLS	CASCADE	6	40	71	2.469	28	28	PMS	1501	195	666	8	28	9	16	26	87	85	.3
P011	30+0.977	JCT FAS RTE 362	PARK	10	61	61	9.708	32	32	PMS	884	190	748	9	27	10	13	26	85	85	1.5
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	705	151	596	10	28	10	11	26	85	85	.8
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	221	35	354	3	17	9	20	29	78	85	2.2
P022	73+0.876	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	615	92	576	10	28	10	8	28	84	85	.3
P017	29+0.626	5.6 W TERRY	PRAIRIE	4	66	66	1.561	28	28	RMS	110	14	531	8	23	10	2	30	73	85	.4
P017	8+0.358	8.0 E MILES CITY	CUSTER	12	62	62	.659	32	32	PMS	169	21	365	10	27	10	1	29	77	85	.2
P015	306+0.479	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	706	91	296	7	23	10	20	25	85	85	1.5
P011	80+0.487	5.1 N CLYDE PARK	PARK	10	73	73	8.993	32	32	PMS	456	65	643	10	30	10	6	28	84	86	1.4
P011	129+0.138	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	349	52	472	10	30	10	4	28	82	86	1.7
P002	143+0.940	6.0 E BEARMOUTH	GRANITE	8	70	70	.617	30	30	PMS	60	7	291	7	22	10	1	30	70	86	.2
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	699	133	428	7	24	10	20	25	86	86	.9
P001	341+0.907	RUDYARD FAS 231	HILL	2	60	60	5.813	32	32	PMS	1200	156	666	8	23	10	20	26	87	86	.8
P002	144+0.557	10.1 W DRUMMOND	GRANITE	8	36	36	.250	22	32	RMS	60	7	432	0	9	10	20	30	69	86	.1
P003	246+0.660	CANYON INT APPR	CASCADE	6	68	68	.292	24	24	PMS	129	19	211	10	27	10	0	29	76	86	.1
P002	325+0.832	1.5 E BOZEMAN	GALLATIN	10	71	71	.696	28	28	PMS	340	44	554	9	27	10	7	29	82	86	.1
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	215	27	243	10	30	10	2	28	80	86	2.5
P050	10+0.485	2.4 N FAS 499	GALLATIN	10	63	63	4.378	32	32	PMS	770	120	470	7	23	10	20	26	86	86	.6
P051	27+0.527	RICHEY	DAWSON	4	58	58	5.039	28	32	BST	247	34	580	5	18	10	20	29	82	87	.9
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	223	33	496	8	23	10	11	29	81	87	.9
P002	412+0.090	SPRINGTIME INTCH	STILLWATER	11	72	72	.261	30	30	PMS	168	21	289	10	30	10	0	29	79	87	.1
P002	655+0.880	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	403	52	165	7	22	10	20	25	84	87	.9
P002	576+0.230	2.8 W ROSEBUD	ROSEBUD	12	71	71	.472	28	28	PMS	91	11	277	9	30	7	0	29	75	87	.1
P002	616+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.689	32	32	PMS	622	80	270	7	23	10	20	26	86	87	.1
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1078	140	281	9	26	10	20	23	88	87	.9
P010	89+0.607	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1108	144	720	10	28	10	13	27	88	87	.2
P015	64+0.958	JCT FA RTE 45	FERGUS	5	71	71	2.016	32	32	PMS	1422	169	621	10	30	10	13	26	89	87	.2
P015	369+0.348	0.6 W GLENDIVE	DAWSON	4	69	69	.279	24	24	PMS	3315	397	805	10	28	10	20	23	91	87	
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3777	491	2184	9	26	10	20	27	92	88	.2
P017	18+0.598	DIAMOND RING INTCH	CUSTER	12	71	71	.579	26	26	PMS	138	17	671	10	30	10	0	30	80	88	.1
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	627	94	640	10	28	10	11	28	87	88	.7
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	604	90	672	8	25	10	16	28	87	88	.9
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1049	152	276	9	28	10	20	22	89	88	.2
P014	0+0.888	TOWNSEND	BROADWATER	7	64	64	1.513	32	32	PMS	1141	171	569	9	25	10	20	25	89	88	.2
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	838	108	296	8	25	10	20	25	88	88	.3
P015	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	287	43	450	6	23	10	16	29	84	88	1.5
P002	187+0.042	N DEER LODGE INT	POWELL	8	62	62	.928	32	32	PMS	1715	222	667	9	26	10	20	25	90	88	.1
P002	144+0.807	9.8 W DRUMMOND	GRANITE	8	70	70	.672	30	30	PMS	61	7	226	8	23	10	1	30	72	88	.2
P003	245+0.850	3.7 N CASCADE CO	CASCADE	6	68	68	.810	24	24	PMS	166	25	193	10	30	10	2	28	80	88	.2
P003	238+0.174	1.8 N CRAIG	LEWIS AND CLARK	7	67	67	.419	24	24	PMS	114	30	322	10	28	10	1	29	78	88	.1
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	32	32	PMS	937	121	448	9	28	10	16	26	89	88	.4
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	155	20	243	10	30	10	1	29	80	88	2.2
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	152	19	243	10	30	10	2	29	81	89	2.4
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	223	33	561	7	18	10	20	29	84	89	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	252	35	579	10	27	10	9	29	85	89	.5

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	POV	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SPF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P003	250+0.925	HARDY CR SEP	CASCADE	6	68	68	.674	24	24	PMS	113	16	404	10	29	10	1	29	79	89	.1
P003	244+0.350	2.2 N CASCADE CO	CASCADE	6	72	72	1.501	26	26	PMS	143	22	416	10	30	10	2	29	81	89	.3
P002	623+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	490	63	400	10	28	10	12	28	88	89	.9
P001	669+0.592	2.2 N EAST GLAC	GLACIER	2	29	72	.622	24	24	PMS	359	72	611	8	28	10	12	28	86	89	.1
P014	45+0.148	JCT FAP RTE 11	MEAGHER	10	65	65	3.943	40	40	PMS	329	42	226	7	22	10	20	27	86	89	.6
P015	287+0.711	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	495	64	403	7	22	10	20	28	87	89	.3
P015	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	336	51	567	10	30	10	7	29	86	89	.2
P010	89+0.418	HILL CO	HILL	2	30	70	.189	30	30	PMS	1089	141	702	8	25	10	20	27	90	89	
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	661	99	672	7	23	10	20	28	88	89	1.3
P022	96+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	581	87	360	8	24	10	20	26	88	89	.4
P022	63+0.803	JCT FAS 515	SHERIDAN	3	63	63	.265	32	32	PMS	598	89	896	7	23	10	20	29	89	90	
P017	37+0.851	1.3 E TERRY	PRAIRIE	4	55	55	.844	24	32	PMS	104	15	424	6	16	9	20	29	80	90	.2
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	1337	173	457	9	28	10	20	24	91	90	
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	PMS	348	45	96	9	26	10	20	23	88	90	
P011	19+0.339	11.6 S FAS 362	PARK	10	61	61	11.618	32	32	PMS	762	163	748	9	27	10	17	27	90	90	1.2
P011	191+0.279	9.2 SO. FAP 15	CASCADE	6	69	69	9.085	40	40	PMS	407	61	568	10	28	10	12	28	88	90	1.1
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1181	159	528	9	27	10	20	25	91	90	
P002	587+0.721	4.0 W HATHAWAY	ROSEBUD	12	71	71	.347	28	28	PMS	75	9	356	10	30	10	0	30	80	91	.1
P002	580+0.354	JCT FAI 94	ROSEBUD	12	71	71	.343	24	28	PMS	75	9	277	10	30	10	0	30	80	91	.1
R006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	796	118	694	8	26	10	20	27	91	91	.1
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	707	105	470	9	27	10	18	27	91	91	.3
P015	280+0.777	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	627	81	621	8	25	10	20	28	91	91	.6
P035	46+0.806	7.1 W JCT FAR 19	GRANITE	8	66	66	7.042	30	30	PMS	149	23	463	10	27	10	9	29	85	91	1.1
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	236	35	684	8	22	10	20	29	89	92	.6
P054	17+0.695	8.8 N BIDDLE	ROWDER RIVER	12	74	74	5.910	30	30	PMS	296	38	388	10	30	10	11	29	90	92	.6
P018	63+0.369	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	221	28	702	8	24	10	17	29	88	92	1.2
R003	183+0.801	2.0 N CLANCY	JEFFERSON	7	69	69	.314	24	24	PMS	302	39	218	8	24	10	20	27	89	92	
P003	238+0.593	2.2 N CRAIG	LEWIS AND CLARK	7	69	69	2.058	24	24	PMS	106	27	289	10	28	10	7	29	84	92	.3
P003	37+0.026	0.2 S REO ROCK INT	BEAVERHEAD	9	72	72	.211	28	28	PMS	60	7	356	10	30	10	0	30	80	92	
P002	150+0.700	3.9 W DRUMMOND	GRANITE	8	70	70	.422	30	30	PMS	68	8	459	5	16	10	20	30	81	92	.1
P002	137+0.782	BEARMOUTH WEST INT	GRANITE	8	70	70	.156	30	30	PMS	53	6	604	10	30	10	0	30	80	93	
P002	151+0.095	3.5 W DRUMMOND	GRANITE	8	64	64	.349	24	24	PMS	68	8	391	7	15	10	20	30	82	93	.1
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	692	132	456	10	27	10	20	26	93	93	.2
P002	667+0.771	JCT. FAS RTE. 320	FALLON	12	58	72	12.363	32	32	PMS	504	65	520	8	27	10	19	28	92	93	1.0
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1312	170	872	10	27	10	20	27	94	93	
P013	21+0.332	9.3 S FAS 527	MADISON	9	71	71	2.992	40	40	PMS	386	77	511	10	28	10	15	28	91	93	.3
P011	16+0.633	14.3 S FAS 362	PARK	10	61	61	2.712	32	32	PMS	704	151	748	10	28	10	18	27	93	93	.2
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.893	30	36	PMS	208	33	688	9	27	10	14	29	89	93	.3
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	292	43	594	8	23	10	20	29	90	93	.4
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	331	49	697	8	24	10	20	29	91	93	.8
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	485	63	672	10	26	10	17	29	92	93	.5
P028	60+0.000	8.7 S REO LODGE	CARBON	11	69	69	4.227	34	34	PMS	441	99	522	9	26	10	20	27	92	93	.3
P045	7+0.339	4.6 N FAS 479	SWEET GRASS	10	69	69	.695	30	30	PMS	449	58	549	9	26	10	20	28	93	94	
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	120	19	352	7	27	10	16	29	89	94	1.3
P002	141+0.609	3.9 E BEARMOUTH	GRANITE	8	70	70	.520	30	30	PMS	57	7	291	7	22	5	20	30	84	94	.1
P002	75+0.194	ALBERTON INTCH I90	MINERAL	8	63	63	.005	28	28	PMS	750	97	621	10	27	10	20	28	95	95	
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	RMS	1545	200	720	10	30	10	20	26	96	95	.3
P002	713+0.306	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1641	213	795	10	30	10	20	26	96	95	
P013	16+0.388	7.7 N FAS 499	MADISON	9	69	69	4.975	40	40	RMS	385	77	568	10	26	10	20	28	94	95	.3
P015	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	275	42	400	10	30	10	15	28	93	95	.8
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	281	36	470	8	26	10	20	29	93	95	.6
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	199	27	702	9	25	10	20	29	93	95	.1
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	186	26	332	9	27	10	18	29	93	96	.3
P013	8+0.630	JCT FAS RTE 499	MADISON	9	66	66	7.813	40	40	PMS	302	60	596	10	27	10	20	28	95	96	.4
P011	89+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.381	32	32	PMS	243	36	643	10	30	10	17	29	96	97	.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	8T	IM	SECTION LENGTH	WIOTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P002	146+0.488	8.1 W DRUMMOND	GRANITE	8	70	70	.508	30	30	PMS	63	8	448	8	23	10	20	30	91	97	
P045	22+0.793	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	PMS	269	34	329	10	28	10	20	28	96	97	
P003	258+0.364	0.6 S CASCADE INTC	CASCADE	6	63	63	.610	24	24	PMS	91	27	400	10	28	10	20	29	97	98	
P003	253+0.450	TINTINGER INTCH	CASCADE	6	63	63	.238	24	24	PMS	107	16	533	10	27	10	20	30	97	98	
P003	240+0.090	1.8 S CASCADE CO	LEWIS AND CLARK	7	69	69	.590	24	24	PMS	97	20	248	9	27	10	20	29	95	98	
P002	537+0.490	4.1 W LOCATE	CUSTER	12	73	73	6.280	34	34	PMS	418	54	400	10	30	10	20	28	98	98	.1
P003	219+0.218	JCT FAI 15	LEWIS AND CLARK	7	65	65	.440	24	24	PMS	40	12	296	10	25	10	20	29	94	99	
P015	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	330	50	567	10	30	10	20	29	99	99	
P014	48+0.995	3.9 E FAP 11	MEAGHER	10			6.935	UNDER CONSTRUCTION													
P011	0+0.000	YELL PARK BORY	PARK	10			1.362	UNDER CONSTRUCTION													
P022	71+0.860	ROOSEVELT CO	ROOSEVELT	3			2.018	UNDER CONSTRUCTION													
P022	64+0.348	MEDICINE LAKE	SHERIDAN	3			7.508	UNDER CONSTRUCTION													
P002	571+0.746	WEIGH ST FORSYTH E	ROSEBUD	12	71	71	.360	28	28	PMS	107	13	720	10	30	10	20	30	100	100	
P002	579+0.967	0.4 W JCT FAI 94	ROSEBUD	12	71	71	.387	28	28	PMS	113	14	990	10	30	10	20	30	100	100	
P002	630+0.911	10.6 W LOCATE	CUSTER	12			6.533	UNDER CONSTRUCTION													
P046	77+0.114	DIVIDE EAST	SILVER BOW	9			.784	UNDER CONSTRUCTION													
P037	38+0.689	ROSEBUD CO	ROSEBUD	12			3.380	UNDER CONSTRUCTION													
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1			4.149	UNDER CONSTRUCTION													
		SYSTEM TOTAL					4862.040														391906.5